

SIMPLY BETTER.

# BESSEY Pricelist



25

26

# Table of contents

|  |    |
|--|----|
| <b>A</b> .....   |    |
| Adapter for multifunction tables STC-SET-T20 .....   | 20 |
| Adapter for multifunction tables STC-SET-T20 .....   | 28 |
| All-steel screw clamp classiX GS with tommy bar .....                                      | 12 |
| All-steel screw clamp classiX GS with tried-and-tested wooden handle .....                 | 11 |
| All-steel table clamp GTR .....  | 25 |
| All-steel table clamp GTRH with lever handle .....   | 25 |
| Aluminium mini clamp AM .....  | 24 |
| American pattern snips D146 .....  | 37 |
| Angle clamp WS .....   | 26 |
| Angle clamp WS .....   | 26 |
| Angled combi snips D48A .....  | 39 |
| Angled combi snips D48A-2 .....  | 38 |
| Angle door frame straightening clamp WTR .....   | 29 |
| Area pressure clamps FK .....  | 21 |
| Aviation snips D16 .....   | 34 |
| Aviation snips D16L .....  | 34 |
| Aviation snips D16S .....  | 35 |
| Aviation snips display D16S-D .....  | 35 |
| <b>B</b> .....   |    |
| Band clamp BAN 400 .....   | 26 |
| Band clamp BAN 700 .....   | 25 |
| BAS-CB compact clamp, fixing hole closed .....   | 19 |
| BAS-C compact clamp, fixing hole open .....  | 18 |
| Base unit BASO .....   | 19 |
| Bench dog for multifunctional tables BH-MFT .....  | 28 |
| Berlin pattern snips D202/D102 .....   | 37 |
| Box clamp KS .....   | 22 |
| <b>C</b> .....   |    |
| Cable cutters D49 .....  | 39 |
| Cable cutters D49-2 .....  | 38 |
| C-clamp CDF-C .....  | 16 |
| C-clamp SC .....   | 15 |
| C-clamp VC .....   | 15 |
| Ceiling tripod attachment STE-DS .....   | 31 |
| C-frame edge clamp KT .....  | 26 |
| C-grip GRZC .....  | 16 |
| Clamping element for multifunction tables TW-KLI (2 pcs./bag) .....                        | 28 |
| <b>NEW</b> Clamping element with fixed throat depth TW .....                               | 17 |
| <b>NEW</b> Clamping element with fixed throat depth TW .....                               | 27 |
| Clamping element with gripping arm TW28GRS .....   | 18 |
| Clamping element with special pressure plate TWM28 .....                                   | 17 |
| Clamping element with variable throat depth TWV .....                                      | 17 |
| Clamping element with variable throat depth TWV .....                                      | 27 |
| Clamp trolley ZW 1 .....   | 32 |
| Clamp trolley ZW 2 .....   | 32 |
| Claw clamp GRA .....   | 14 |
| Claw machine clamp GRS .....   | 19 |
| Combi-bag for ceiling supports STE-BAG .....   | 31 |
| Combinox D50 .....   | 38 |
| Complete sliding arm for GSV sizes .....   | 15 |
| Complete sliding arm for SLV sizes .....   | 15 |
| Construction tripod STE-BS .....   | 31 |
| Corner seaming and clinching pliers D335 .....   | 42 |
| <b>D</b> .....   |    |
| Deep throat clamp TGNT with tried-and-true wooden handle .....                             | 10 |
| Deep throat screw clamp TGNT with tommy bar .....  | 10 |
| Die-cast zinc screw clamp LM .....   | 24 |
| Display, unstocked DVK .....   | 38 |
| Door frame assembly device TMS .....   | 29 |
| Door frame brace extension TUX .....   | 29 |
| Door frame clamp set TU-TRAGE .....  | 29 |
| Door frame clamp TU .....  | 29 |
| Door frame straightening clamp TFM .....   | 29 |
| <b>E</b> .....   |    |
| Earth (ground) clamp CP .....  | 16 |
| Earth (ground) clamp LP / TP with thumb screw .....  | 16 |
| Earth (ground) clamp LP / TP with tried-and-true wooden handle .....                       | 16 |
| Earth (ground) clamp TP with tommy bar .....   | 16 |
| Edge clamp Kantenfix KF .....  | 26 |
| Edge clamp KT .....  | 17 |
| Edge clamp KT .....  | 26 |
| Electricians' scissors D53 .....   | 40 |
| Extension TWX .....  | 18 |
| <b>F</b> .....   |    |
| Fitters' clamp classiX GSL .....   | 14 |
| Fitters' clamp SLM .....   | 13 |
| Flat-nosed pliers for sheet metal work D301 .....  | 42 |
| Flooring and clamping system SVH/SVG .....   | 30 |
| Folding pliers D355 .....  | 42 |
| Folding utility knife DBK-EU .....   | 39 |
| Framing set KP .....   | 21 |
| <b>G</b> .....   |    |
| GearKlamp GK .....   | 22 |
| GSV size rails .....   | 15 |
| Gutter support bowing pliers open shap D396 .....  | 42 |
| <b>H</b> .....   |    |
| Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle .....    | 9  |
| Heavy duty malleable cast iron screw clamp TGK with 2-component plastic handle .....       | 6  |
| Heavy duty malleable cast iron screw clamp TGK with tommy bar .....                        | 8  |
| Heavy duty malleable cast iron screw clamp TGK with tried-and-true wooden handle .....     | 7  |
| Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle .....    | 9  |
| High-performance clamp classiX GSM .....   | 14 |
| High-performance clamp SGM .....   | 13 |
| High-performance clamp SGTM, large throat depth .....                                      | 13 |
| High-performance clamp STBM .....  | 13 |
| High-performance clamp STBS .....  | 13 |
| High-performance clamp STBVC .....   | 13 |
| High-tech lever clamp KliiKlamp counter display KLI-D .....                                | 23 |
| High-tech lever clamp KliiKlamp KLI .....  | 23 |
| High-tech lever clamp KliiKlamp set in sustainer KLI-S .....                               | 23 |
| Hold down table clamps BS .....  | 19 |
| Hold down table clamps BSG .....   | 19 |
| Horizontal fixture clamp WNS-SET-MFT .....   | 27 |
| Horizontal toggle clamp with open arm and horizontal base plate STC-HH .....               | 19 |
| Household and dressmakers' shears D840 .....   | 40 |
| HSS punch snips D407 .....   | 35 |
| HSS shape and straight cutting snips D27AH .....   | 35 |
| HSS shape and straight cutting snips D416 .....  | 36 |
| HSS shape and straight cutting snips HSS D416-280L .....                                   | 36 |
| HSS-TiN shape and straight cutting snips D27AH-TiN .....                                   | 35 |
| <b>I</b> .....   |    |
| Ideal snips, manoeuvrable D08 .....  | 34 |
| Industrial and professional shears D860 .....  | 40 |
| Installation kit for EZ-TD decking boards EZ-TD .....                                      | 22 |
| <b>J</b> .....   |    |
| Jewellers' snips D70/D71 .....   | 39 |
| Jewellers' snips D72 .....   | 39 |
| Jewellers' snips D74/D75 .....   | 40 |
| Jewellers' snips D76 .....   | 40 |
| <b>K</b> .....   |    |
| K Body parallel clamp extender KBX .....   | 21 |
| <b>NEW</b> K Body REVO clamp Set KRE-SET-A .....   | 21 |
| K Body REVO parallel clamp KRE .....   | 20 |
| Knife-set DBKPH-SET .....  | 39 |
| KombiKlamp SG-VAD .....  | 14 |
| <b>L</b> .....   |    |
| Lever clamp classiX GSH .....  | 13 |
| Lever clamp GH .....   | 12 |
| Lever clamp SGHS, heavy duty .....   | 12 |
| Light duty bar clamp U-style LMU .....   | 23 |
| Lightweight parallel clamp UK UniKlamp .....   | 21 |
| <b>M</b> .....   |    |
| Malleable cast iron screw clamp TGRC with tried-and-true wooden handle .....               | 9  |
| Malleable cast iron screw clamp TPN with 2-component plastic handle .....                  | 8  |
| Malleable cast iron screw clamp TPN with tried-and-true wooden handle .....                | 8  |
| Mini-folding pliers D331-22/D341-22 .....  | 41 |
| Mini Vice S 10 .....   | 24 |
| Mitre clamping system MCX .....  | 26 |
| Multi angle pad VAD (2 pcs./bag) .....   | 16 |
| Multi-function/laser fixture STE-LH .....  | 30 |
| Multi-purpose cutters D47-2/D48-2 .....  | 38 |
| Multi-purpose cutters D47/D48 .....  | 38 |
| Multi-purpose shears D820 .....  | 40 |
| Multi-purpose shears D821 .....  | 40 |
| MULTISNIP Longstyle D22A .....   | 34 |
| MULTISNIP Master D51A .....  | 38 |
| Multitool DBST .....   | 39 |
| <b>N</b> .....   |    |
| Needle nose spring clamp Clippix XCL .....   | 25 |
| <b>O</b> .....   |    |
| OMEGA screw clamp GMZ with 2-component plastic handle .....                                | 12 |
| OMEGA-screw clamp GMZ with tommy bar .....   | 12 |
| One-handed clamp DuoKlamp DUO .....  | 23 |
| One-handed clamp EHZ with 2-component handle .....   | 22 |
| <b>NEW</b> One-handed clamp EZ .....   | 22 |
| One-handed clamp EZS .....   | 23 |
| One-handed clamp with rotating handle EZ360 .....  | 22 |
| One-handed edge clamp EKT .....  | 26 |
| One-handed table clamp EZR (2 pcs./package) .....  | 24 |
| Original BESSEY all-steel screw clamp GZ with 2-component plastic handle .....             | 10 |
| Original BESSEY all-steel screw clamp GZ with swivel handle .....                          | 11 |
| Original BESSEY all-steel screw clamp GZ with tommy bar .....                              | 11 |
| Original BESSEY all-steel screw clamp GZ with tried-and-tested wooden handle .....         | 11 |
| Original BESSEY malleable cast iron screw clamp TG with 2K plastic handle .....            | 6  |
| Original BESSEY malleable cast iron screw clamp TG with tommy bar .....                    | 7  |
| Original BESSEY malleable cast iron screw clamp TG with tried-and-true wooden handle ..... | 7  |
| <b>P</b> .....   |    |
| Panel carrier KFP .....  | 26 |
| Paperhangers' and paper shears D853 .....  | 40 |
| Parallel grip GRZ .....  | 16 |
| Parallel screw clamp PA .....  | 24 |
| Pelican snips D218/D118 .....  | 36 |
| Pipe clamping set BPC .....  | 29 |

|   |    |
|---|----|
| Pipe grip GRZRO.....  | 16 |
| Pipe-pulling pliers D36.....  | 42 |
| Pressure cap strips SKS (2 pcs./bag).....                                 | 7  |
| Pressure cap strips SKS (2 pcs./bag).....                                 | 11 |
| Pressure cap strips SKS (2 pcs./bag).....                                 | 12 |
| Pressure piece GRD (2 pcs./bag).....                                      | 14 |
| Punch snips D207/D107.....  | 37 |
| Punch snips with curved blades D208.....                                  | 37 |
| Push/pull clamp with horizontal base plate STC-IHH.....                   | 20 |
| <b>R.....</b>   |    |
| Rafter clamp SPZ.....   | 23 |
| Ratchet clamp XCR.....  | 25 |
| Replacement contact surface.....  | 31 |
| Round nosed pliers D311.....  | 42 |
| <b>S.....</b>   |    |
| Safety strap cutter D123S.....  | 40 |
| Sash clamps TB with T-profile 40 x 40 x 5 mm.....                         | 29 |
| Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm.....                | 30 |
| Seaming and clinching pliers D33/D34/D35.....                             | 41 |
| Seaming and clinching pliers D33-P/D34-P/D35-P.....                       | 41 |
| Seaming tool PS 55.....   | 28 |
| Seaming tool PS 130, big and strong.....                                  | 28 |
| Set of aviation snips DSET16.....   | 35 |
| Set of shape and straight cutting snips DSET15.....                       | 35 |
| Set of shape and straight cutting snips DSET29-15.....                    | 33 |
| Set of standard tin snips DSET-SF3.....                                   | 36 |
| Shape and straight cutting snips D27A.....                                | 33 |
| Shape and straight cutting snips D29ASS-2.....                            | 33 |
| Shape and straight cutting snips D39ASS.....                              | 33 |
| Shape and straight cutting snips D212/D116.....                           | 36 |
| Shape and straight cutting snips D216...-SBSK.....                        | 36 |
| Shape and straight cutting snips, robust D17ASS/D17A.....                 | 34 |
| Shape and straight cutting snips, small and manoeuvrable D15A.....        | 35 |
| Shape cutting punch snips D214/D114.....                                  | 37 |
| Shape cutting snips D27.....  | 34 |
| Shape cutting snips D29SS-2.....  | 33 |
| SLV size rails.....   | 15 |
| Spacer AV2 (4 pcs./bag).....  | 30 |
| Spacer PVA.....   | 30 |
| Spare blades DBK.....   | 39 |
| Special pressure plate.....   | 15 |
| Special pressure plate for SPZ80K.....                                    | 23 |
| Special pressure plate for TWM28.....                                     | 17 |
| Spring clamp Clippix XC.....  | 25 |
| Spring clamp VarioClippix XV.....   | 25 |
| Spring clamp VarioClippix XV.....   | 25 |
| Spring clamp XM.....  | 25 |
| Squeeze-folding pliers D336.....  | 42 |
| STC accessory set for multifunction tables.....                           | 20 |
| STC accessory set for multifunction tables.....                           | 28 |
| Steel strap cutter D122A.....   | 41 |
| Steel strap cutter D122N.....   | 41 |
| Straight cutting snips D27B.....  | 34 |
| Straight cutting snips D29BSS-2.....                                      | 33 |
| Strong multi-purpose cutters D52-2.....                                   | 38 |
| Support plate STE-SP35.....   | 31 |
| <b>T.....</b>   |    |
| Table clamp.....  | 21 |
| Table clamp.....  | 24 |
| Telescopic drywall support ST.....  | 30 |
| Telescopic drywall support STE with pump grip.....                        | 30 |
| Tilting adapter TW28AV.....   | 18 |
| Tilting K Body clamp adapter KR-AS (2 pcs./bag).....                      | 21 |
| Toggle clamp adapter TWA-STC.....   | 18 |
| Toggle clamp systainer STC-S-MFT.....                                     | 28 |
| <b>U.....</b>   |    |
| Universal snips D106.....   | 37 |
| Universal snips with wide blade D106A.....                                | 37 |
| U-shaped all-steel screw clamp GUZ.....                                   | 14 |
| U-shaped high-performance clamp SGU.....                                  | 14 |
| U-shaped high-performance clamp STBU.....                                 | 14 |
| U-shaped lever clamp GUH.....   | 14 |
| <b>V.....</b>   |    |
| Variable high performance clamps – Complete set GSV.....                  | 15 |
| Variable high-performance clamps – Complete set SLV.....                  | 15 |
| Variable jaw KRE-VO.....  | 21 |
| Vario corners BVE (6 pcs./bag).....                                       | 26 |
| Vario K Body REVO parallel clamp KREV.....                                | 20 |
| Vario table clamping attachment TWVAD (2 pcs./bag).....                   | 18 |
| Vertical toggle clamp with open arm and horizontal base plate STC-VH..... | 19 |
| <b>W.....</b>   |    |
| Welders' angle clamps WSM.....  | 17 |
| Welding clamp set SM 10.....  | 17 |
| Window installation clamp FRK.....  | 29 |
| Wood Klemmy HKL.....  | 24 |
| Workbench adapter TW16AW.....   | 27 |

All prices are non-binding recommended prices without sales tax.

V1–V3 = Clamping Technology discount groups

V4–V6 = Cutting Technology discount groups

PU = Packaging unit

You have to place your orders only in packaging units.

L = Left cut design

SB = On carded hang pack

Standard tin snips with a rocker spring, available on request for an extra charge.

The BESSEY Product Development Department reserves the right for technical alterations.

Errors and omissions excepted to the best of our knowledge the information supplied is accurate.



Note that you are not entitled to any claims from the contact or delict, in particular product liability claims due to personal injuries or material damage, from our company if you do not observe our **warning and usage notices**.

# Alphabetic register





|                   |    |                       |    |                             |    |                  |    |                           |    |                  |    |
|-------------------|----|-----------------------|----|-----------------------------|----|------------------|----|---------------------------|----|------------------|----|
| 3100736.....      | 15 | D29SS-2.....          | 33 | D218-300L.....              | 36 | GH20-8.....      | 12 | GZ20K.....                | 11 | LM15/5R8.....    | 21 |
| 3100736.....      | 17 | D29SSL-2.....         | 33 | D218-350.....               | 36 | GH25.....        | 12 | GZ25.....                 | 11 | LM15/5R8.....    | 24 |
| 3100736.....      | 23 | D33-60.....           | 41 | D301.....                   | 42 | GH30.....        | 12 | GZ25-2K.....              | 10 | LM15/8.....      | 24 |
| 3100737.....      | 15 | D33-60-P.....         | 41 | D311.....                   | 42 | GH30-12.....     | 12 | GZ25K.....                | 11 | LM20/5.....      | 24 |
| 3101192.....      | 15 | D34-60.....           | 41 | D331-22.....                | 41 | GH40.....        | 12 | GZ25KG.....               | 11 | LM20/8.....      | 24 |
| 3101192.....      | 17 | D34-60-P.....         | 41 | D331-40.....                | 41 | GH40-12.....     | 12 | GZ30.....                 | 11 | LM20/10.....     | 24 |
| 3101192.....      | 23 | D35-60.....           | 41 | D331-60.....                | 41 | GH50.....        | 12 | GZ30-2K.....              | 10 | LM25/5.....      | 24 |
| 3101193.....      | 15 | D35-60-P.....         | 41 | D331-60-P.....              | 41 | GH60.....        | 12 | GZ30-6.....               | 11 | LM25/8.....      | 24 |
| 3101193.....      | 17 | D36.....              | 42 | D331-80.....                | 41 | GH80.....        | 12 | GZ30-10.....              | 11 | LM25/10.....     | 24 |
| 3101193.....      | 23 | D39ASS.....           | 33 | D335.....                   | 42 | GH100.....       | 12 | GZ30-12.....              | 11 | LM30/5.....      | 24 |
| 3101329.....      | 15 | D39ASSL.....          | 33 | D336.....                   | 42 | GK15.....        | 22 | GZ30-12-2K.....           | 10 | LM30/8.....      | 24 |
| 3101330.....      | 15 | D39ASSL-SB.....       | 33 | D341-22.....                | 41 | GK30.....        | 22 | GZ30-12KG.....            | 11 | LM30/10.....     | 24 |
| 3101331.....      | 15 | D39ASS-SB.....        | 33 | D341-40.....                | 41 | GK45.....        | 22 | GZ30K.....                | 11 | LM40/10.....     | 24 |
| 3101337.....      | 15 | D47.....              | 38 | D341-60.....                | 41 | GK60.....        | 22 | GZ40.....                 | 11 | LM50/10.....     | 24 |
| 3101338.....      | 15 | D47-2.....            | 38 | D341-60-P.....              | 41 | GM16Z-2K.....    | 12 | GZ40-2K.....              | 10 | LM60/10.....     | 24 |
| 3101426.....      | 15 | D48.....              | 38 | D341-80.....                | 41 | GM20Z-2K.....    | 12 | GZ40-8-2K.....            | 10 | LM80/10.....     | 24 |
| 3101612.....      | 15 | D48-2.....            | 38 | D351-60.....                | 41 | GM20ZK.....      | 12 | GZ40-12.....              | 11 | LMU10/5.....     | 23 |
| 3101731.....      | 15 | D48A.....             | 39 | D351-60-P.....              | 41 | GM25Z-2K.....    | 12 | GZ40-12-2K.....           | 10 | LMU15/5.....     | 23 |
| 3101732.....      | 15 | D48A-2.....           | 38 | D355.....                   | 42 | GM25ZK.....      | 12 | GZ40-12KG.....            | 11 | LMU20/5.....     | 23 |
| 3101733.....      | 15 | D49.....              | 39 | D396.....                   | 42 | GM30Z-2K.....    | 12 | GZ40K.....                | 11 | LP-1.....        | 16 |
| 3101952.....      | 31 | D49-2.....            | 38 | D407-275.....               | 35 | GM30ZK.....      | 12 | GZ50.....                 | 11 | LP-1F.....       | 16 |
| AM4.....          | 24 | D50.....              | 38 | D407-275L.....              | 35 | GM40Z-2K.....    | 12 | GZ50-2K.....              | 10 | MCX.....         | 26 |
| AV2.....          | 30 | D51A.....             | 38 | D407-300.....               | 35 | GM50Z-2K.....    | 12 | GZ50-12-2K.....           | 10 | PA28.....        | 24 |
| BAN400.....       | 26 | D52-2.....            | 38 | D407-300L.....              | 35 | GM50ZK.....      | 12 | GZ50-12KG.....            | 11 | PA40.....        | 24 |
| BAN700.....       | 25 | D53.....              | 40 | D416-280.....               | 36 | GM60Z-2K.....    | 12 | GZ50K.....                | 11 | PA55.....        | 24 |
| BAS-C9-4.....     | 18 | D70-1.....            | 39 | D416-280L.....              | 36 | GM60ZK.....      | 12 | GZ60.....                 | 11 | PA70.....        | 24 |
| BAS-C10-6.....    | 18 | D71-1.....            | 39 | D418-300.....               | 36 | GRA30-12.....    | 14 | GZ60-2K.....              | 10 | PA105.....       | 24 |
| BAS-CB9-4.....    | 19 | D72-1.....            | 39 | D418-350.....               | 36 | GRA60-12.....    | 14 | GZ60-12-2K.....           | 10 | PS55.....        | 28 |
| BAS-CB10-6.....   | 19 | D74-1.....            | 40 | D820-200.....               | 40 | GRA100-12.....   | 14 | GZ60-12KG.....            | 11 | PS130.....       | 28 |
| BASO.....         | 19 | D75-1.....            | 40 | D820-250.....               | 40 | GRD.....         | 14 | GZ60K.....                | 11 | PVA.....         | 30 |
| BH-MFT.....       | 28 | D76-1.....            | 40 | D821-160.....               | 40 | GRS20-12.....    | 19 | GZ80.....                 | 11 | RB269.....       | 21 |
| BPC-H12.....      | 29 | D102-250.....         | 37 | D821-180.....               | 40 | GRZ10.....       | 16 | GZ80-2K.....              | 10 | RB269.....       | 24 |
| BPC-H34.....      | 29 | D102-250-SB.....      | 37 | D840-150.....               | 40 | GRZ20.....       | 16 | GZ80-12-2K.....           | 10 | S10-ST.....      | 24 |
| BS2N.....         | 19 | D102-300.....         | 37 | D840-180.....               | 40 | GRZC.....        | 16 | GZ80K.....                | 11 | SC40.....        | 15 |
| BS3N.....         | 19 | D106-250-SB.....      | 37 | D853-200.....               | 40 | GRZRO.....       | 16 | GZ100.....                | 11 | SC60.....        | 15 |
| BS4N.....         | 19 | D106A-250-SB.....     | 37 | D860-200.....               | 40 | GS10.....        | 11 | GZ100-2K.....             | 10 | SC80.....        | 15 |
| BS5N.....         | 19 | D107-250.....         | 37 | D860-225.....               | 40 | GS12.....        | 11 | GZ100-12-2K.....          | 10 | SC100.....       | 15 |
| BS6N.....         | 19 | D107-250L.....        | 37 | D860-250.....               | 40 | GS16.....        | 11 | GZ100K.....               | 11 | SC120.....       | 15 |
| BSG21-14.....     | 19 | D107-250L-SB.....     | 37 | DBKAH-EU.....               | 39 | GS16K.....       | 12 | GZ125.....                | 11 | SC150.....       | 15 |
| BSP-C10-6.....    | 18 | D107-250-SB.....      | 37 | DBK-H.....                  | 39 | GS20.....        | 11 | GZ125-2K.....             | 10 | SC200.....       | 15 |
| BSP-CB10-6.....   | 19 | D107-275.....         | 37 | DBK-L.....                  | 39 | GS20K.....       | 12 | GZ125K.....               | 11 | SG-25HS.....     | 12 |
| BVE.....          | 26 | D107-275L.....        | 37 | DBKPH-EU.....               | 39 | GS25.....        | 11 | HKL20.....                | 24 | SG25M.....       | 13 |
| CDF403C.....      | 16 | D107-300.....         | 37 | DBKPH-SET.....              | 39 | GS25K.....       | 12 | HKL30.....                | 24 | SG30M.....       | 13 |
| CDF404C.....      | 16 | D107-300L.....        | 37 | DBK-T.....                  | 39 | GS30.....        | 11 | HKL40.....                | 24 | SG30T20M.....    | 13 |
| CDF406C.....      | 16 | D114-250.....         | 37 | DBKWH-EU.....               | 39 | GS30K.....       | 12 | HKL60.....                | 24 | SG30VAD.....     | 14 |
| CDF408C.....      | 16 | D114-250L.....        | 37 | DBST.....                   | 39 | GS40.....        | 11 | HKL80.....                | 24 | SG40M.....       | 13 |
| CDF410C.....      | 16 | D116-260.....         | 36 | DSET15.....                 | 35 | GS40K.....       | 12 | HKL100.....               | 24 | SG-50HS.....     | 12 |
| CP-F.....         | 16 | D116-260L.....        | 36 | DSET16.....                 | 35 | GS50.....        | 11 | KBX20.....                | 21 | SG50M.....       | 13 |
| D08.....          | 34 | D116-260L-SB.....     | 36 | DSET29-15.....              | 33 | GS50K.....       | 12 | KF2.....                  | 26 | SG60M.....       | 13 |
| D08L.....         | 34 | D116-260-SB.....      | 36 | DSET-SF3.....               | 36 | GS60.....        | 11 | KF4.....                  | 26 | SG60T20M.....    | 13 |
| D08L-SB.....      | 34 | D116-280.....         | 36 | DUO16-8.....                | 23 | GS60K.....       | 12 | KFP.....                  | 26 | SG80M.....       | 13 |
| D08-SB.....       | 34 | D116-280L.....        | 36 | DUO30-8.....                | 23 | GS80.....        | 11 | KLI12.....                | 23 | SG100M.....      | 13 |
| D15A.....         | 35 | D116-280L-SB.....     | 36 | DUO45-8.....                | 23 | GS80K.....       | 12 | KLI16.....                | 23 | SG125M.....      | 13 |
| D15AL.....        | 35 | D116-280-SB.....      | 36 | DUO65-8.....                | 23 | GS100.....       | 11 | KLI20.....                | 23 | SG150M.....      | 13 |
| D15AL-SB.....     | 35 | D118-300.....         | 36 | DVK.....                    | 38 | GS100K.....      | 12 | KLI25.....                | 23 | SGU30-14-10..... | 14 |
| D15A-SB.....      | 35 | D118-300L.....        | 36 | EHZ30-2K.....               | 22 | GSH12.....       | 13 | KLI30.....                | 23 | SKS10/20.....    | 7  |
| D16.....          | 34 | D118-300L-SB.....     | 36 | EHZ60-2K.....               | 22 | GSH16.....       | 13 | KLI40.....                | 23 | SKS10/20.....    | 11 |
| D16L.....         | 34 | D118-300-SB.....      | 36 | EKT55.....                  | 26 | GSH20.....       | 13 | KLI-D.....                | 23 | SKS10/20.....    | 12 |
| D16L-SB.....      | 34 | D118-350.....         | 36 | EZ360-15.....               | 22 | GSH25.....       | 13 | KLI-S.....                | 23 | SKS20/40.....    | 7  |
| D16S.....         | 35 | D122A.....            | 41 | EZ360-30.....               | 22 | GSH30.....       | 13 | KP.....                   | 21 | SKS20/40.....    | 11 |
| D16-SB.....       | 34 | D122A-SB.....         | 41 | EZ360-45.....               | 22 | GSH40.....       | 13 | KR-AS.....                | 21 | SKS20/40.....    | 12 |
| D16S-D.....       | 35 | D122N.....            | 41 | EZ360-60.....               | 22 | GSH50.....       | 13 | KRE30-2K.....             | 20 | SL20M.....       | 13 |
| D16S-SB.....      | 35 | D123S.....            | 40 | EZL15-8.....                | 22 | GSH60.....       | 13 | KRE60-2K.....             | 20 | SL25M.....       | 13 |
| D17A.....         | 34 | D123S-SB.....         | 40 | EZL30-8.....                | 22 | GSL30.....       | 14 | KRE80-2K.....             | 20 | SL30M.....       | 13 |
| D17AL.....        | 34 | D146-200.....         | 37 | EZL45-8.....                | 22 | GSL60.....       | 14 | KRE100-2K.....            | 20 | SL40M.....       | 13 |
| D17ASS.....       | 34 | D146-250.....         | 37 | EZL60-8.....                | 22 | GSM25.....       | 14 | KRE125-2K.....            | 20 | SL50M.....       | 13 |
| D17ASSL.....      | 34 | D146-300.....         | 37 | EZM15-6.....                | 22 | GSM30.....       | 14 | KRE150-2K.....            | 20 | SL60M.....       | 13 |
| D22A.....         | 34 | D146-350.....         | 37 | EZM30-6.....                | 22 | GSM40.....       | 14 | KRE200-2K.....            | 20 | SLV100M.....     | 15 |
| D22A-SB.....      | 34 | D202-250.....         | 37 | <b>NEW</b> EZM-EZL-SET..... | 22 | GSM50.....       | 14 | KRE250-2K.....            | 20 | SLV150M.....     | 15 |
| D27.....          | 34 | D202-300.....         | 37 | EZR15ET.....                | 24 | GSM60.....       | 14 | <b>NEW</b> KRE-SET-A..... | 21 | SLV200M.....     | 15 |
| D27A.....         | 33 | D207-250.....         | 37 | EZS11-4SET.....             | 22 | GSV300M.....     | 15 | KREV100-2K.....           | 20 | SM10-SET.....    | 17 |
| D27AH.....        | 35 | D207-250L.....        | 37 | EZS15-8.....                | 23 | GTR12.....       | 25 | KREV150-2K.....           | 20 | SPZ60K.....      | 23 |
| D27AHL.....       | 35 | D207-275.....         | 37 | EZS30-8.....                | 23 | GTR12SET.....    | 25 | KREV200-2K.....           | 20 | SPZ80K.....      | 23 |
| D27AHL-TIN.....   | 35 | D207-275L.....        | 37 | EZS45-8.....                | 23 | GTR16B6.....     | 25 | KREV250-2K.....           | 20 | ST125.....       | 30 |
| D27AH-TIN.....    | 35 | D207-300.....         | 37 | EZS60-8.....                | 23 | GTR16S6H.....    | 25 | KRE-VO.....               | 21 | ST250.....       | 30 |
| D27AL.....        | 33 | D207-300L.....        | 37 | EZS90-8.....                | 23 | GTR30B6.....     | 25 | KS100.....                | 22 | ST290.....       | 30 |
| D27AL-SB.....     | 33 | D208-275.....         | 37 | EZ-TD.....                  | 22 | GU25-12-6H.....  | 14 | KS150.....                | 22 | STB30M.....      | 13 |
| D27A-SB.....      | 33 | D208-275L.....        | 37 | EZXL30-9.....               | 22 | GU25-12-6ZK..... | 14 | KSV.....                  | 22 | STB40M.....      | 13 |
| D27B.....         | 34 | D214-250.....         | 37 | EZXL60-9.....               | 22 | GZ10.....        | 11 | KT5-1CP.....              | 17 | STB50M.....      | 13 |
| D27BL.....        | 34 | D214-250L.....        | 37 | EZXL90-9.....               | 22 | GZ10-2K.....     | 10 | KT5-1CP.....              | 26 | STB60M.....      | 13 |
| D27L.....         | 34 | D216-260.....         | 36 | FK16-8.....                 | 21 | GZ12.....        | 11 | KT5-2.....                | 17 | STB80M.....      | 13 |
| D29ASS-2.....     | 33 | D216-260L.....        | 36 | FK20-10.....                | 21 | GZ12-2K.....     | 10 | KT5-2.....                | 26 | STB100M.....     | 13 |
| D29ASS-2-SB.....  | 33 | D216-280.....         | 36 | FK40-10.....                | 21 | GZ16.....        | 11 | KT8-3.....                | 26 | STB125M.....     | 13 |
| D29ASSL-2.....    | 33 | D216-280-B-SBSK.....  | 36 | FRK85.....                  | 29 | GZ16-2K.....     | 10 | LM10/5.....               | 24 | STB150M.....     | 13 |
| D29ASSL-2-SB..... | 33 | D216-280L.....        | 36 | GH12.....                   | 12 | GZ16K.....       | 11 | LM10/5R8.....             | 21 | STBS30.....      | 13 |
| D29BSS-2.....     | 33 | D216-280L-B-SBSK..... | 36 | GH16.....                   | 12 | GZ20.....        | 11 | LM10/5R8.....             | 24 | STBS50.....      | 13 |
| D29BSSL-2.....    | 33 | D218-300.....         | 36 | GH20.....                   | 12 | GZ20-2K.....     | 10 | LM15/5.....               | 24 | STBS100.....     | 13 |

|               |    |             |    |               |    |                          |    |            |    |
|---------------|----|-------------|----|---------------|----|--------------------------|----|------------|----|
| STBU40-17-15  | 14 | TG50S10     | 7  | TGN80T50      | 10 | TPN30BE                  | 8  | XCL2-SET   | 25 |
| STBVC15       | 13 | TG50S10-2K  | 6  | TGN80T50K     | 10 | TPN30BE-2K               | 8  | XCL5       | 25 |
| STBVC25       | 13 | TG50S12     | 7  | TGN100T20     | 10 | TPN30S10BE               | 8  | XCR2       | 25 |
| STBVC35       | 13 | TG50S12-2K  | 6  | TGN100T25     | 10 | TPN30S12BE               | 8  | XCR4       | 25 |
| STC-HH20      | 19 | TG50S14     | 7  | TGN100T30     | 10 | TPN40BE                  | 8  | XM3EU      | 25 |
| STC-HH20SB    | 19 | TG50S14-2K  | 6  | TGN100T40     | 10 | TPN40BE-2K               | 8  | XM5EU      | 25 |
| STC-HH50      | 19 | TG50S17     | 7  | TGN150T30     | 10 | TPN40S10BE               | 8  | XM7EU      | 25 |
| STC-HH50SB    | 19 | TG50S17-2K  | 6  | TGN200T30     | 10 | TPN40S12BE               | 8  | XV3-50     | 25 |
| STC-HH50-T20  | 20 | TG60S12     | 7  | TGN250T30     | 10 | TPN40S12BE-2K            | 8  | XV5-100    | 25 |
| STC-HH50-T20  | 28 | TG60S12-2K  | 6  | TGRC10        | 9  | TPN40S14BE               | 8  | XV5-170    | 25 |
| STC-HH70      | 19 | TG60S14     | 7  | TGRC12        | 9  | TPN50S12BE               | 8  | ZW1        | 32 |
| STC-HH70SB    | 19 | TG60S14-2K  | 6  | TGRC15B5      | 9  | TPN50S12BE-2K            | 8  | ZW1-A01    | 32 |
| STC-HH70-T20  | 20 | TG60S17     | 7  | TGRC16        | 9  | TPN50S14BE               | 8  | ZW1-A01-2K | 32 |
| STC-HH70-T20  | 28 | TG60S17-2K  | 6  | TGRC20        | 9  | TPN60S12BE               | 8  | ZW1-A99-2K | 32 |
| STC-IHH15     | 20 | TG80S12     | 7  | TGRC20B5      | 9  | TPN60S12BE-2K            | 8  | ZW2        | 32 |
| STC-IHH25     | 20 | TG80S12-2K  | 6  | TGRC20B6      | 9  | TPN60S14BE               | 8  | ZW2-A99    | 32 |
| STC-IHH25SB   | 20 | TG80S14     | 7  | TGRC20B8      | 9  | TPN60S17BE               | 8  | ZW2-A99-2K | 32 |
| STC-IHH25-T20 | 20 | TG80S14-2K  | 6  | TGRC25        | 9  | TPN80S12BE               | 8  |            |    |
| STC-IHH25-T20 | 28 | TG80S17     | 7  | TGRC25B8      | 9  | TPN80S12BE-2K            | 8  |            |    |
| STC-SET-T20   | 20 | TG80S17-2K  | 6  | TGRC25S10     | 9  | TPN80S14BE               | 8  |            |    |
| STC-SET-T20   | 28 | TG100S12    | 7  | TGRC30        | 9  | TPN80S17BE               | 8  |            |    |
| STC-S-MFT     | 28 | TG100S12-2K | 6  | TGRC30B6      | 9  | TU                       | 29 |            |    |
| STC-VH20      | 19 | TG100S14    | 7  | TGRC30B8      | 9  | TU-TRAGE                 | 29 |            |    |
| STC-VH50      | 19 | TG100S14-2K | 6  | TGRC30S10     | 9  | TUX                      | 29 |            |    |
| STC-VH50-T20  | 20 | TG100S17    | 7  | TGRC30S12     | 9  | TW16-20-10-2K            | 17 |            |    |
| STC-VH50-T20  | 28 | TG100S17-2K | 6  | TGRC40        | 9  | TW16-20-10-2K            | 27 |            |    |
| STE90         | 30 | TGK40       | 7  | TGRC40S10     | 9  | TW16-20-10H              | 17 |            |    |
| STE250        | 30 | TGK40-2K    | 6  | TGRC40S12     | 9  | TW16-20-10H              | 27 |            |    |
| STE300        | 30 | TGK50       | 7  | TGRC40S14     | 9  | TW16-20-10K              | 17 |            |    |
| STE370        | 30 | TGK50-2K    | 6  | TGRC50S12     | 9  | TW16-20-10K              | 27 |            |    |
| STE-BAG       | 31 | TGK50K      | 8  | TGRC50S14     | 9  | TW16A-STC                | 18 |            |    |
| STE-BS        | 31 | TGK60       | 7  | TGRC50S17     | 9  | TW16AW19                 | 27 |            |    |
| STE-DS        | 31 | TGK60-2K    | 6  | TGRC60S12     | 9  | TW16AW20                 | 27 |            |    |
| STE-LH        | 31 | TGK80       | 7  | TGRC60S14     | 9  | TW16AW30                 | 27 |            |    |
| STE-SP35      | 31 | TGK80-2K    | 6  | TGRC60S17     | 9  | TW16VAD                  | 18 |            |    |
| SVG           | 30 | TGK100      | 7  | TGRC80S12     | 9  | TW16X                    | 18 |            |    |
| SVH400        | 30 | TGK100-2K   | 6  | TGRC80S14     | 9  | TW20-15-8KLI-SET         | 28 |            |    |
| SVH760        | 30 | TGK100K     | 8  | TGRC80S17     | 9  | <b>NEW</b> TW22-20-10-2K | 17 |            |    |
| TB100         | 29 | TGK125      | 7  | TGRC100S12    | 9  | <b>NEW</b> TW22-20-10-2K | 27 |            |    |
| TB120         | 29 | TGK125-2K   | 6  | TGRC100S14    | 9  | TW28-30-12-2K            | 17 |            |    |
| TB150         | 29 | TGK150      | 7  | TGRC100S17    | 9  | TW28-30-12H              | 17 |            |    |
| TB210         | 29 | TGK150-2K   | 6  | TGRC150S14    | 9  | TW28-30-12K              | 17 |            |    |
| TB250         | 29 | TGK150K     | 8  | TK6           | 21 | TW28-30-14-2K            | 17 |            |    |
| TFM-2K        | 29 | TGK200      | 7  | TK6           | 24 | TW28-30-14H              | 17 |            |    |
| TG10          | 7  | TGK200-2K   | 6  | TKPN50BE      | 9  | TW28-30-14K              | 17 |            |    |
| TG10-2K       | 6  | TGK200K     | 8  | TKPN60BE      | 9  | TW28A-STC                | 18 |            |    |
| TG12          | 7  | TGK250      | 7  | TKPN80BE      | 9  | TW28AV                   | 18 |            |    |
| TG12-2K       | 6  | TGK250-2K   | 6  | TKPN100BE     | 9  | TW28GRS30-12             | 18 |            |    |
| TG15B5        | 7  | TGK250K     | 8  | TKPN125BE     | 9  | TW28VAD                  | 18 |            |    |
| TG16          | 7  | TGK300      | 7  | TKPN150BE     | 9  | TW28X                    | 18 |            |    |
| TG16-2K       | 6  | TGK300-2K   | 6  | TKPN200BE     | 9  | TWM28-30-12              | 17 |            |    |
| TG20          | 7  | TGK300K     | 8  | TKPN250BE     | 9  | TWV16-20-15-2K           | 17 |            |    |
| TG20-2K       | 6  | TGKR50      | 9  | TKPN300BE     | 9  | TWV16-20-15-2K           | 27 |            |    |
| TG20B5        | 7  | TGKR60      | 9  | TL60          | 30 | TWV16-20-15H             | 17 |            |    |
| TG20B6        | 7  | TGKR80      | 9  | TL90          | 30 | TWV16-20-15H             | 27 |            |    |
| TG20B8        | 7  | TGKR100     | 9  | TL120         | 30 | TWV16-20-15K             | 17 |            |    |
| TG20B8-2K     | 6  | TGKR125     | 9  | TL180         | 30 | TWV16-20-15K             | 27 |            |    |
| TG20K         | 7  | TGKR150     | 9  | TMS           | 29 | TWV28-30-17-2K           | 17 |            |    |
| TG25          | 7  | TGKR200     | 9  | TP-1          | 16 | TWV28-30-17H             | 17 |            |    |
| TG25-2K       | 6  | TGN30T20    | 10 | TP-1F         | 16 | TWV28-30-17K             | 17 |            |    |
| TG25B8        | 7  | TGN30T20K   | 10 | TP-1F-RK      | 16 | TWVAD                    | 18 |            |    |
| TG25B8-2K     | 6  | TGN30T50    | 10 | TP-1K         | 16 | UK16                     | 21 |            |    |
| TG25K         | 7  | TGN30T50K   | 10 | TP-2F         | 16 | UK30                     | 21 |            |    |
| TG25S10       | 7  | TGN40T20    | 10 | TP-2F-RK      | 16 | UK60                     | 21 |            |    |
| TG25S10-2K    | 6  | TGN40T20K   | 10 | TP100S12BE    | 8  | UK80                     | 21 |            |    |
| TG30          | 7  | TGN40T25    | 10 | TP100S12BE-2K | 8  | UK100                    | 21 |            |    |
| TG30-2K       | 6  | TGN40T25K   | 10 | TP100S14BE    | 8  | VAD                      | 16 |            |    |
| TG30B6        | 7  | TGN40T30    | 10 | TP100S17BE    | 8  | VC2                      | 15 |            |    |
| TG30B8        | 7  | TGN40T30K   | 10 | TP125S12BE    | 8  | VC3                      | 15 |            |    |
| TG30B8-2K     | 6  | TGN40T40    | 10 | TP150S12BE    | 8  | VC4                      | 15 |            |    |
| TG30K         | 7  | TGN40T40K   | 10 | TP150S14BE    | 8  | VC6                      | 15 |            |    |
| TG30S10       | 7  | TGN60T20    | 10 | TP200S14BE    | 8  | VC8                      | 15 |            |    |
| TG30S10-2K    | 6  | TGN60T25    | 10 | TPN10BE       | 8  | VC10                     | 15 |            |    |
| TG30S12       | 7  | TGN60T25K   | 10 | TPN12BE       | 8  | WNS-SET-MFT              | 27 |            |    |
| TG30S12-2K    | 6  | TGN60T30    | 10 | TPN15B5BE     | 8  | WS1                      | 26 |            |    |
| TG40          | 7  | TGN60T30K   | 10 | TPN16BE       | 8  | WS3                      | 26 |            |    |
| TG40-2K       | 6  | TGN60T40    | 10 | TPN16BE-2K    | 8  | WS6                      | 26 |            |    |
| TG40B8        | 7  | TGN60T40K   | 10 | TPN20B5BE     | 8  | WSM9                     | 17 |            |    |
| TG40B8-2K     | 6  | TGN60T50    | 10 | TPN20B6BE     | 8  | WSM12                    | 17 |            |    |
| TG40K         | 7  | TGN60T50K   | 10 | TPN20B8BE     | 8  | WTR                      | 29 |            |    |
| TG40S10       | 7  | TGN80T20    | 10 | TPN20BE       | 8  | XC1                      | 25 |            |    |
| TG40S10-2K    | 6  | TGN80T25    | 10 | TPN20BE-2K    | 8  | XC1-SET                  | 25 |            |    |
| TG40S12       | 7  | TGN80T25K   | 10 | TPN25B8BE     | 8  | XC2                      | 25 |            |    |
| TG40S12-2K    | 6  | TGN80T30    | 10 | TPN25BE       | 8  | XC3                      | 25 |            |    |
| TG40S12K      | 7  | TGN80T30K   | 10 | TPN25BE-2K    | 8  | XC5                      | 25 |            |    |
| TG40S14       | 7  | TGN80T40    | 10 | TPN25S10BE    | 8  | XC7                      | 25 |            |    |
| TG40S14-2K    | 6  | TGN80T40K   | 10 | TPN30B8BE     | 8  | XCL2                     | 25 |            |    |




# BESSEY Price list valid from April 1st, 2025

|   | Order no.   | Opening mm | Throat depth mm | Rail mm       | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|---|------------|-----------------|---------------|---------------|---------|-----------------|---------------------|
|  <ul style="list-style-type: none"> <li>• Clamping force up to 6,000 N</li> <li>• High-quality 2-component plastic handle</li> <li>• Pressure plates can be replaced by hand – no tools required (from 80 mm throat depth)</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system (from 80 mm throat depth)</li> </ul> | <b>Original BESSEY malleable cast iron screw clamp TG with 2K plastic handle</b>      |            |                 |               |               |         |                 |                     |
|   | TG10-2K   | 100        | 50              | 15 x 5        | 4008158031620 | 10      | V1              | 18,51               |
|   | TG12-2K   | 120        | 60              | 20 x 5        | 4008158031637 | 10      | V1              | 24,66               |
|   | TG16-2K   | 160        | 80              | 25 x 6        | 4008158029979 | 10      | V1              | 29,57               |
|   | TG20B8-2K   | 200        | 80              | 25 x 6        | 4008158029986 | 10      | V1              | 29,92               |
|   | TG25B8-2K   | 250        | 80              | 25 x 6        | 4008158029993 | 10      | V1              | 30,71               |
|   | TG30B8-2K   | 300        | 80              | 25 x 6        | 4008158030005 | 10      | V1              | 32,32               |
|   | TG40B8-2K   | 400        | 80              | 25 x 6        | 4008158030012 | 10      | V1              | 35,06               |
|   | TG20-2K   | 200        | 100             | 27 x 7        | 4008158030029 | 10      | V1              | 40,65               |
|   | TG25S10-2K  | 250        | 100             | 27 x 7        | 4008158030036 | 10      | V1              | 44,64               |
|   | TG30S10-2K  | 300        | 100             | 27 x 7        | 4008158030043 | 10      | V1              | 47,16               |
|   | TG40S10-2K  | 400        | 100             | 27 x 7        | 4008158030050 | 10      | V1              | 51,39               |
|   | TG50S10-2K  | 500        | 100             | 27 x 7        | 4008158030067 | 10      | V1              | 53,78               |
|   | TG25-2K   | 250        | 120             | 29 x 9        | 4008158030074 | 10      | V1              | 49,22               |
|   | TG30S12-2K  | 300        | 120             | 29 x 9        | 4008158030081 | 10      | V1              | 53,09               |
|   | TG40S12-2K  | 400        | 120             | 29 x 9        | 4008158030098 | 10      | V1              | 57,43               |
|   | TG50S12-2K  | 500        | 120             | 29 x 9        | 4008158030104 | 10      | V1              | 61,66               |
|   | TG60S12-2K  | 600        | 120             | 29 x 9        | 4008158030111 | 5       | V1              | 65,54               |
|   | TG80S12-2K  | 800        | 120             | 29 x 9        | 4008158030128 | 5       | V1              | 73,30               |
|   | TG100S12-2K   | 1000       | 120             | 29 x 9        | 4008158030135 | 5       | V1              | 82,10               |
|   | TG30-2K   | 300        | 140             | 32 x 10       | 4008158030142 | 10      | V1              | 61,32               |
|   | TG40S14-2K  | 400        | 140             | 32 x 10       | 4008158030159 | 5       | V1              | 69,07               |
|   | TG50S14-2K  | 500        | 140             | 32 x 10       | 4008158030166 | 5       | V1              | 74,78               |
|   | TG60S14-2K  | 600        | 140             | 32 x 10       | 4008158030173 | 5       | V1              | 80,04               |
|   | TG80S14-2K  | 800        | 140             | 32 x 10       | 4008158030180 | 5       | V1              | 91,22               |
|   | TG100S14-2K   | 1000       | 140             | 32 x 10       | 4008158030197 | 5       | V1              | 104,13              |
|   | TG40-2K   | 400        | 175             | 32 x 10       | 4008158030203 | 5       | V1              | 74,33               |
|   | TG50S17-2K  | 500        | 175             | 32 x 10       | 4008158030210 | 1       | V1              | 82,32               |
|   | TG60S17-2K  | 600        | 175             | 32 x 10       | 4008158030227 | 1       | V1              | 87,34               |
|   | TG80S17-2K  | 800        | 175             | 32 x 10       | 4008158030234 | 1       | V1              | 98,42               |
| TG100S17-2K   | 1000  | 175        | 32 x 10         | 4008158030241 | 1             | V1      | 109,84          |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Strengthened design for higher clamping force and wider opening widths</li> <li>• High-quality 2-component plastic handle</li> <li>• Pressure plates can be replaced by hand – no tools required</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system</li> </ul>                          | <b>Heavy duty malleable cast iron screw clamp TGK with 2-component plastic handle</b> |            |                 |               |               |         |                 |                     |
|   | TGK40-2K  | 400        | 120             | 35 x 11       | 4008158030258 | 5       | V1              | 68,96               |
|   | TGK50-2K  | 500        | 120             | 35 x 11       | 4008158030265 | 5       | V1              | 75,59               |
|   | TGK60-2K  | 600        | 120             | 35 x 11       | 4008158030272 | 5       | V1              | 79,58               |
|   | TGK80-2K  | 800        | 120             | 35 x 11       | 4008158030289 | 5       | V1              | 89,97               |
|   | TGK100-2K   | 1000       | 120             | 35 x 11       | 4008158030296 | 5       | V1              | 100,48              |
|   | TGK125-2K   | 1250       | 120             | 35 x 11       | 4008158030302 | 1       | V1              | 109,38              |
|   | TGK150-2K   | 1500       | 120             | 35 x 11       | 4008158030319 | 1       | V1              | 121,94              |
|   | TGK200-2K   | 2000       | 120             | 35 x 11       | 4008158030326 | 1       | V1              | 148,55              |
|   | TGK250-2K   | 2500       | 120             | 35 x 11       | 4008158030333 | 1       | V1              | 179,82              |
|   | TGK300-2K   | 3000       | 120             | 35 x 11       | 4008158030340 | 1       | V1              | 212,82              |






|  | Order no.   | Opening mm | Throat depth mm | Rail mm       | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|--|---|------------|-----------------|---------------|---------------|---------|-----------------|---------------------|
|  <ul style="list-style-type: none"> <li>• Clamping force up to 6,000 N</li> <li>• Ergonomically shaped wood handle</li> <li>• Pressure plates can be replaced by hand – no tools required (from 80 mm throat depth)</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system (from 80 mm throat depth)</li> </ul> | <b>Original BESSEY malleable cast iron screw clamp TG with tried-and-true wooden handle</b> |            |                 |               |               |         |                 |                     |
|  | TG10  | 100        | 50              | 15 x 5        | 4008158008240 | 10      | V1              | 17,70               |
|  | TG15B5  | 150        | 50              | 15 x 5        | 4008158008646 | 10      | V1              | 20,09               |
|  | TG20B5  | 200        | 50              | 15 x 5        | 4008158008721 | 10      | V1              | 20,78               |
|  | TG12  | 120        | 60              | 20 x 5        | 4008158008448 | 10      | V1              | 23,64               |
|  | TG20B6  | 200        | 60              | 20 x 5        | 4008158008738 | 10      | V1              | 24,43               |
|  | TG30B6  | 300        | 60              | 20 x 5        | 4008158008899 | 10      | V1              | 28,78               |
|  | TG16  | 160        | 80              | 25 x 6        | 4008158008677 | 10      | V1              | 28,32               |
|  | TG20B8  | 200        | 80              | 25 x 6        | 4008158008745 | 10      | V1              | 28,65               |
|  | TG25B8  | 250        | 80              | 25 x 6        | 4008158008790 | 10      | V1              | 29,46               |
|  | TG30B8  | 300        | 80              | 25 x 6        | 4008158008905 | 10      | V1              | 31,05               |
|  | TG40B8  | 400        | 80              | 25 x 6        | 4008158009254 | 10      | V1              | 33,79               |
|  | TG20  | 200        | 100             | 27 x 7        | 4008158008707 | 10      | V1              | 39,16               |
|  | TG25S10   | 250        | 100             | 27 x 7        | 4008158008837 | 10      | V1              | 43,16               |
|  | TG30S10   | 300        | 100             | 27 x 7        | 4008158008943 | 10      | V1              | 45,67               |
|  | TG40S10   | 400        | 100             | 27 x 7        | 4008158009292 | 10      | V1              | 49,89               |
|  | TG50S10   | 500        | 100             | 27 x 7        | 4008158010564 | 10      | V1              | 52,30               |
|  | TG25  | 250        | 120             | 29 x 9        | 4008158008769 | 10      | V1              | 47,39               |
|  | TG30S12   | 300        | 120             | 29 x 9        | 4008158008967 | 10      | V1              | 51,26               |
|  | TG40S12   | 400        | 120             | 29 x 9        | 4008158010311 | 10      | V1              | 55,60               |
|  | TG50S12   | 500        | 120             | 29 x 9        | 4008158010588 | 10      | V1              | 59,83               |
|  | TG60S12   | 600        | 120             | 29 x 9        | 4008158010779 | 5       | V1              | 63,71               |
|  | TG80S12   | 800        | 120             | 29 x 9        | 4008158010960 | 5       | V1              | 71,47               |
|  | TG100S12  | 1000       | 120             | 29 x 9        | 4008158008264 | 5       | V1              | 80,26               |
|  | TG30  | 300        | 140             | 32 x 10       | 4008158008868 | 10      | V1              | 59,26               |
|  | TG40S14   | 400        | 140             | 32 x 10       | 4008158010335 | 5       | V1              | 67,02               |
|  | TG50S14   | 500        | 140             | 32 x 10       | 4008158010601 | 5       | V1              | 72,74               |
|  | TG60S14   | 600        | 140             | 32 x 10       | 4008158010793 | 5       | V1              | 77,98               |
|  | TG80S14   | 800        | 140             | 32 x 10       | 4008158010984 | 5       | V1              | 89,16               |
|  | TG100S14  | 1000       | 140             | 32 x 10       | 4008158008288 | 5       | V1              | 102,07              |
| TG40   | 400   | 175        | 32 x 10         | 4008158009223 | 5             | V1      | 72,27           |                     |
| TG50S17  | 500   | 175        | 32 x 10         | 4008158010625 | 1             | V1      | 80,26           |                     |
| TG60S17  | 600   | 175        | 32 x 10         | 4008158010816 | 1             | V1      | 85,29           |                     |
| TG80S17  | 800   | 175        | 32 x 10         | 4008158011004 | 1             | V1      | 96,36           |                     |
| TG100S17   | 1000  | 175        | 32 x 10         | 4008158008301 | 1             | V1      | 107,77          |                     |
|  <ul style="list-style-type: none"> <li>• For screw clamps</li> <li>• For gentle clamping</li> <li>• May be applied on both sides</li> <li>• Cut them to size</li> </ul>  | <b>Pressure cap strips SKS (2 pcs./bag)</b>   |            |                 |               |               |         |                 |                     |
|  | SKS10/20  |            |                 |               | 4008158025582 | 1       | V3              | 9,02                |
| SKS20/40   |   |            |                 | 4008158025599 | 1             | V3      | 9,25            |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Heavy duty, reinforced design for higher clamping force and wider opening widths</li> <li>• Ergonomically shaped wood handle</li> <li>• Pressure plates can be replaced by hand – no tools required</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system</li> </ul>                | <b>Heavy duty malleable cast iron screw clamp TGK with tried-and-true wooden handle</b>     |            |                 |               |               |         |                 |                     |
|  | TGK40   | 400        | 120             | 35 x 11       | 4008158011400 | 5       | V1              | 66,91               |
|  | TGK50   | 500        | 120             | 35 x 11       | 4008158011448 | 5       | V1              | 73,52               |
|  | TGK60   | 600        | 120             | 35 x 11       | 4008158011479 | 5       | V1              | 77,52               |
|  | TGK80   | 800        | 120             | 35 x 11       | 4008158011509 | 5       | V1              | 87,92               |
|  | TGK100  | 1000       | 120             | 35 x 11       | 4008158011134 | 5       | V1              | 98,42               |
|  | TGK125  | 1250       | 120             | 35 x 11       | 4008158011165 | 1       | V1              | 107,32              |
|  | TGK150  | 1500       | 120             | 35 x 11       | 4008158011196 | 1       | V1              | 119,89              |
|  | TGK200  | 2000       | 120             | 35 x 11       | 4008158011257 | 1       | V1              | 146,49              |
|  | TGK250  | 2500       | 120             | 35 x 11       | 4008158011318 | 1       | V1              | 177,77              |
| TGK300   | 3000  | 120        | 35 x 11         | 4008158011349 | 1             | V1      | 210,77          |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 6,000 N</li> <li>• Tommy bar with rounded ends for simple transfer of force when clamping</li> <li>• Pressure plates can be replaced by hand – no tools required</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system</li> </ul>             | <b>Original BESSEY malleable cast iron screw clamp TG with tommy bar</b>                    |            |                 |               |               |         |                 |                     |
|  | TG20K   | 200        | 100             | 27 x 7        | 4008158008752 | 10      | V1              | 40,65               |
|  | TG25K   | 250        | 120             | 29 x 9        | 4008158008813 | 10      | V1              | 49,22               |
|  | TG40S12K  | 400        | 120             | 29 x 9        | 4008158025049 | 10      | V1              | 57,77               |
|  | TG30K   | 300        | 140             | 32 x 10       | 4008158008929 | 10      | V1              | 61,32               |
| TG40K  | 400   | 175        | 32 x 10         | 4008158009278 | 5             | V1      | 74,33           |                     |




# BESSEY Price list valid from April 1st, 2025






|   | Order no.      | Opening mm | Throat depth mm | Rail mm       | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|----------------|------------|-----------------|---------------|---------------|---------|-----------------|---------------------|
| <b>Heavy duty malleable cast iron screw clamp TGK with tommy bar</b>  |                |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Strengthened design for higher clamping force and wider opening widths</li> <li>• Tommy bar with rounded ends for simple transfer of force when clamping</li> <li>• Pressure plates can be replaced by hand – no tools required</li> <li>• Stable profiled rail with serration</li> <li>• BESSEY anti-slip system</li> </ul> | TGK50K         | 500        | 120             | 35 x 11       | 4008158011462 | 5       | V1              | 75,59               |
|   | TGK100K        | 1000       | 120             | 35 x 11       | 4008158011158 | 5       | V1              | 100,48              |
|   | TGK150K        | 1500       | 120             | 35 x 11       | 4008158011219 | 1       | V1              | 121,94              |
|   | TGK200K        | 2000       | 120             | 35 x 11       | 4008158011271 | 1       | V1              | 148,55              |
|   | TGK250K        | 2500       | 120             | 35 x 11       | 4008158011332 | 1       | V1              | 179,82              |
|   | TGK300K        | 3000       | 120             | 35 x 11       | 4008158011363 | 1       | V1              | 212,82              |
| <b>Malleable cast iron screw clamp TPN with 2-component plastic handle</b>  |                |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 5,500 N</li> <li>• High-quality 2-component plastic handle</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> </ul>   | TPN16BE-2K     | 160        | 80              | 25 x 6        | 4008158031088 | 10      | V1              | 22,50               |
|   | TPN20BE-2K     | 200        | 100             | 27 x 7        | 4008158031095 | 10      | V1              | 30,83               |
|   | TPN25BE-2K     | 250        | 120             | 29 x 9        | 4008158030456 | 10      | V1              | 37,33               |
|   | TPN40S12BE-2K  | 400        | 120             | 29 x 9        | 4008158031118 | 10      | V1              | 43,50               |
|   | TPN50S12BE-2K  | 500        | 120             | 29 x 9        | 4008158031125 | 10      | V1              | 46,70               |
|   | TPN60S12BE-2K  | 600        | 120             | 29 x 9        | 4008158031132 | 5       | V1              | 49,66               |
|   | TPN80S12BE-2K  | 800        | 120             | 29 x 9        | 4008158031149 | 5       | V1              | 55,50               |
|   | TPN100S12BE-2K | 1000       | 120             | 29 x 9        | 4008158031156 | 5       | V1              | 62,00               |
|   | TPN30BE-2K     | 300        | 140             | 32 x 10       | 4008158030524 | 10      | V1              | 46,47               |
| TPN40BE-2K  | 400            | 175        | 32 x 10         | 4008158030579 | 5             | V1      | 56,29           |                     |
| <b>Malleable cast iron screw clamp TPN with tried-and-true wooden handle</b>  |                |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 5,500 N</li> <li>• Ergonomically shaped wood handle</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable profiled rail with serration</li> </ul>   | TPN10BE        | 100        | 50              | 15 x 5        | 4008158015484 | 10      | V1              | 13,25               |
|   | TPN15B5BE      | 150        | 50              | 15 x 5        | 4008158015545 | 10      | V1              | 15,07               |
|   | TPN20B5BE      | 200        | 50              | 15 x 5        | 4008158015606 | 10      | V1              | 15,64               |
|   | TPN12BE        | 120        | 60              | 20 x 5        | 4008158015521 | 10      | V1              | 17,70               |
|   | TPN20B6BE      | 200        | 60              | 20 x 5        | 4008158015637 | 10      | V1              | 18,38               |
|   | TPN16BE        | 160        | 80              | 25 x 6        | 4008158015576 | 10      | V1              | 21,24               |
|   | TPN20B8BE      | 200        | 80              | 25 x 6        | 4008158015651 | 10      | V1              | 21,46               |
|   | TPN25B8BE      | 250        | 80              | 25 x 6        | 4008158015736 | 10      | V1              | 22,15               |
|   | TPN30B8BE      | 300        | 80              | 25 x 6        | 4008158015866 | 10      | V1              | 23,29               |
|   | TPN20BE        | 200        | 100             | 27 x 7        | 4008158015682 | 10      | V1              | 29,34               |
|   | TPN25S10BE     | 250        | 100             | 27 x 7        | 4008158015781 | 10      | V1              | 32,42               |
|   | TPN30S10BE     | 300        | 100             | 27 x 7        | 4008158015910 | 10      | V1              | 34,25               |
|   | TPN40S10BE     | 400        | 100             | 27 x 7        | 4008158016054 | 10      | V1              | 37,45               |
|   | TPN25BE        | 250        | 120             | 29 x 9        | 4008158015767 | 10      | V1              | 35,51               |
|   | TPN30S12BE     | 300        | 120             | 29 x 9        | 4008158015934 | 10      | V1              | 38,48               |
|   | TPN40S12BE     | 400        | 120             | 29 x 9        | 4008158016078 | 10      | V1              | 41,68               |
|   | TPN50S12BE     | 500        | 120             | 29 x 9        | 4008158016160 | 10      | V1              | 44,87               |
|   | TPN60S12BE     | 600        | 120             | 29 x 9        | 4008158016252 | 5       | V1              | 47,85               |
|   | TPN80S12BE     | 800        | 120             | 29 x 9        | 4008158016320 | 5       | V1              | 53,67               |
|   | TPN100S12BE    | 1000       | 120             | 29 x 9        | 4008158015453 | 5       | V1              | 60,17               |
|   | TPN125S12BE    | 1250       | 120             | 29 x 9        | 4008158018591 | 1       | V1              | 67,36               |
|   | TPN150S12BE    | 1500       | 120             | 29 x 9        | 4008158023199 | 1       | V1              | 76,61               |
|   | TPN30BE        | 300        | 140             | 32 x 10       | 4008158015897 | 10      | V1              | 44,42               |
|   | TPN40S14BE     | 400        | 140             | 32 x 10       | 4008158016108 | 5       | V1              | 50,24               |
|   | TPN50S14BE     | 500        | 140             | 32 x 10       | 4008158016184 | 5       | V1              | 54,58               |
|   | TPN60S14BE     | 600        | 140             | 32 x 10       | 4008158016276 | 5       | V1              | 58,45               |
|   | TPN80S14BE     | 800        | 140             | 32 x 10       | 4008158016344 | 5       | V1              | 66,91               |
|   | TPN100S14BE    | 1000       | 140             | 32 x 10       | 4008158015460 | 5       | V1              | 76,61               |
|   | TPN150S14BE    | 1500       | 140             | 32 x 10       | 4008158023168 | 1       | V1              | 101,61              |
|   | TPN200S14BE    | 2000       | 140             | 32 x 10       | 4008158023328 | 1       | V1              | 124,91              |
|   | TPN40BE        | 400        | 175             | 32 x 10       | 4008158016030 | 5       | V1              | 54,23               |
|   | TPN60S17BE     | 600        | 175             | 32 x 10       | 4008158016306 | 1       | V1              | 63,94               |
| TPN80S17BE  | 800            | 175        | 32 x 10         | 4008158016368 | 1             | V1      | 72,27           |                     |
| TPN100S17BE   | 1000           | 175        | 32 x 10         | 4008158015477 | 1             | V1      | 80,83           |                     |









|   | Order no.  | Opening mm | Throat depth mm | Rail mm       | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|------------|------------|-----------------|---------------|---------------|---------|-----------------|---------------------|
| <b>Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle</b>  |            |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 6,500 N</li> <li>• Strengthened design for higher clamping force and wider opening widths</li> <li>• Ergonomically shaped wood handle</li> <li>• Stable profiled rail with serration</li> </ul>     | TKPN50BE   | 500        | 120             | 35 x 11       | 4008158015361 | 5       | V1              | 55,15               |
|   | TKPN60BE   | 600        | 120             | 35 x 11       | 4008158015378 | 5       | V1              | 58,12               |
|   | TKPN80BE   | 800        | 120             | 35 x 11       | 4008158015385 | 5       | V1              | 65,99               |
|   | TKPN100BE  | 1000       | 120             | 35 x 11       | 4008158015262 | 5       | V1              | 73,87               |
|   | TKPN125BE  | 1250       | 120             | 35 x 11       | 4008158015279 | 1       | V1              | 80,49               |
|   | TKPN150BE  | 1500       | 120             | 35 x 11       | 4008158015286 | 1       | V1              | 89,97               |
|   | TKPN200BE  | 2000       | 120             | 35 x 11       | 4008158015309 | 1       | V1              | 109,84              |
|   | TKPN250BE  | 2500       | 120             | 35 x 11       | 4008158015323 | 1       | V1              | 133,36              |
|   | TKPN300BE  | 3000       | 120             | 35 x 11       | 4008158015330 | 1       | V1              | 158,14              |
| <b>Malleable cast iron screw clamp TGRC with tried-and-true wooden handle</b>   |            |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 6,500 N</li> <li>• Ergonomically shaped wood handle</li> <li>• With protective caps on the clamping surfaces</li> <li>• Stable solid flat rail with serration</li> </ul>                            | TGRC10     | 100        | 50              | 15 x 5        | 4008158012902 | 10      | V1              | 12,79               |
|   | TGRC15B5   | 150        | 50              | 15 x 5        | 4008158013046 | 10      | V1              | 14,50               |
|   | TGRC20B5   | 200        | 50              | 15 x 5        | 4008158013176 | 10      | V1              | 14,96               |
|   | TGRC12     | 120        | 60              | 20 x 5        | 4008158012995 | 10      | V1              | 17,01               |
|   | TGRC20B6   | 200        | 60              | 20 x 5        | 4008158013206 | 10      | V1              | 17,59               |
|   | TGRC30B6   | 300        | 60              | 20 x 5        | 4008158013541 | 10      | V1              | 20,66               |
|   | TGRC16     | 160        | 80              | 25 x 6        | 4008158013084 | 10      | V1              | 20,44               |
|   | TGRC20B8   | 200        | 80              | 25 x 6        | 4008158013244 | 10      | V1              | 20,66               |
|   | TGRC25B8   | 250        | 80              | 25 x 6        | 4008158013398 | 10      | V1              | 21,24               |
|   | TGRC30B8   | 300        | 80              | 25 x 6        | 4008158013572 | 10      | V1              | 22,37               |
|   | TGRC20     | 200        | 100             | 27 x 7        | 4008158013152 | 10      | V1              | 28,19               |
|   | TGRC25S10  | 250        | 100             | 27 x 7        | 4008158013442 | 10      | V1              | 31,05               |
|   | TGRC30S10  | 300        | 100             | 27 x 7        | 4008158013626 | 10      | V1              | 32,88               |
|   | TGRC40S10  | 400        | 100             | 27 x 7        | 4008158013848 | 10      | V1              | 35,97               |
|   | TGRC25     | 250        | 120             | 29 x 9        | 4008158013350 | 10      | V1              | 34,14               |
|   | TGRC30S12  | 300        | 120             | 29 x 9        | 4008158013657 | 10      | V1              | 36,88               |
|   | TGRC40S12  | 400        | 120             | 29 x 9        | 4008158013886 | 10      | V1              | 40,07               |
|   | TGRC50S12  | 500        | 120             | 29 x 9        | 4008158014050 | 10      | V1              | 43,05               |
|   | TGRC60S12  | 600        | 120             | 29 x 9        | 4008158014197 | 5       | V1              | 45,89               |
|   | TGRC80S12  | 800        | 120             | 29 x 9        | 4008158014333 | 5       | V1              | 51,49               |
|   | TGRC100S12 | 1000       | 120             | 29 x 9        | 4008158012926 | 5       | V1              | 57,77               |
|   | TGRC30     | 300        | 140             | 32 x 10       | 4008158013497 | 10      | V1              | 42,71               |
|   | TGRC40S14  | 400        | 140             | 32 x 10       | 4008158013916 | 5       | V1              | 48,30               |
|   | TGRC50S14  | 500        | 140             | 32 x 10       | 4008158014098 | 5       | V1              | 52,41               |
|   | TGRC60S14  | 600        | 140             | 32 x 10       | 4008158014234 | 5       | V1              | 56,18               |
|   | TGRC80S14  | 800        | 140             | 32 x 10       | 4008158014371 | 5       | V1              | 64,17               |
|   | TGRC100S14 | 1000       | 140             | 32 x 10       | 4008158012933 | 5       | V1              | 73,52               |
|   | TGRC150S14 | 1500       | 140             | 32 x 10       | 4008158025131 | 1       | V1              | 97,16               |
| TGRC40  | 400        | 175        | 32 x 10         | 4008158013763 | 5             | V1      | 52,07           |                     |
| TGRC50S17   | 500        | 175        | 32 x 10         | 4008158014128 | 1             | V1      | 57,77           |                     |
| TGRC60S17   | 600        | 175        | 32 x 10         | 4008158014265 | 1             | V1      | 61,42           |                     |
| TGRC80S17   | 800        | 175        | 32 x 10         | 4008158014401 | 1             | V1      | 69,41           |                     |
| TGRC100S17  | 1000       | 175        | 32 x 10         | 4008158012940 | 1             | V1      | 77,65           |                     |
| <b>Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle</b>  |            |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 6,500 N</li> <li>• Strengthened design for higher clamping force and wider opening widths</li> <li>• Ergonomically shaped wood handle</li> <li>• Stable solid flat rail with serration</li> </ul> | TGKR50     | 500        | 120             | 35 x 11       | 4008158011752 | 5       | V1              | 52,98               |
|   | TGKR60     | 600        | 120             | 35 x 11       | 4008158011790 | 5       | V1              | 55,84               |
|   | TGKR80     | 800        | 120             | 35 x 11       | 4008158011820 | 5       | V1              | 63,25               |
|   | TGKR100    | 1000       | 120             | 35 x 11       | 4008158011530 | 5       | V1              | 70,90               |
|   | TGKR125    | 1250       | 120             | 35 x 11       | 4008158011578 | 1       | V1              | 77,30               |
|   | TGKR150    | 1500       | 120             | 35 x 11       | 4008158011608 | 1       | V1              | 86,32               |
|   | TGKR200    | 2000       | 120             | 35 x 11       | 4008158011660 | 1       | V1              | 105,50              |








# BESSEY Price list valid from April 1st, 2025

|   | Order no.   | Opening mm | Throat depth mm | Rail mm       | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|---|------------|-----------------|---------------|---------------|---------|-----------------|---------------------|
|  <ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Heavy-duty design</li> <li>• Ergonomically shaped wood handle</li> <li>• Large, stable solid flat rail with serration</li> <li>• Rail dimensions great than and equal to 40 x 11 are ungalvanized</li> </ul>   | <b>Deep throat clamp TGNT with tried-and-true wooden handle</b>                 |            |                 |               |               |         |                 |                     |
|   | TGN30T20  | 300        | 200             | 35 x 11       | 4008158012322 | 1       | V1              | 81,86               |
|   | TGN40T20  | 400        | 200             | 35 x 11       | 4008158012391 | 1       | V1              | 87,92               |
|   | TGN60T20  | 600        | 200             | 35 x 11       | 4008158012636 | 1       | V1              | 99,79               |
|   | TGN80T20  | 800        | 200             | 35 x 11       | 4008158012766 | 1       | V1              | 111,44              |
|   | TGN100T20   | 1000       | 200             | 35 x 11       | 4008158012216 | 1       | V1              | 123,42              |
|   | TGN40T25  | 400        | 250             | 40 x 11       | 4008158012421 | 1       | V1              | 111,90              |
|   | TGN60T25  | 600        | 250             | 40 x 11       | 4008158012667 | 1       | V1              | 125,47              |
|   | TGN80T25  | 800        | 250             | 40 x 11       | 4008158012797 | 1       | V1              | 138,26              |
|   | TGN100T25   | 1000       | 250             | 40 x 11       | 4008158012247 | 1       | V1              | 151,73              |
|   | TGN40T30  | 400        | 300             | 45 x 12       | 4008158012469 | 1       | V1              | 130,95              |
|   | TGN60T30  | 600        | 300             | 45 x 12       | 4008158012698 | 1       | V1              | 146,94              |
|   | TGN80T30  | 800        | 300             | 45 x 12       | 4008158012827 | 1       | V1              | 158,70              |
|   | TGN100T30   | 1000       | 300             | 45 x 12       | 4008158012278 | 1       | V1              | 174,80              |
|   | TGN150T30   | 1500       | 300             | 45 x 12       | 4008158028781 | 1       | V1              | 217,50              |
|   | TGN200T30   | 2000       | 300             | 45 x 12       | 4008158028798 | 1       | V1              | 256,78              |
|   | TGN250T30   | 2500       | 300             | 45 x 12       | 4008158028804 | 1       | V1              | 296,39              |
|   | TGN40T40  | 400        | 400             | 45 x 12       | 4008158012490 | 1       | V1              | 193,07              |
|   | TGN60T40  | 600        | 400             | 45 x 12       | 4008158012728 | 1       | V1              | 209,40              |
|   | TGN80T40  | 800        | 400             | 45 x 12       | 4008158012858 | 1       | V1              | 225,49              |
| TGN100T40   | 1000  | 400        | 45 x 12         | 4008158012308 | 1             | V1      | 241,70          |                     |
| TGN30T50  | 300   | 500        | 45 x 12         | 4008158012377 | 1             | V1      | 217,74          |                     |
| TGN60T50  | 600   | 500        | 45 x 12         | 4008158012742 | 1             | V1      | 241,70          |                     |
| TGN80T50  | 800   | 500        | 45 x 12         | 4008158012872 | 1             | V1      | 258,15          |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 7,000 N</li> <li>• Heavy-duty design</li> <li>• Tommy bar with rounded ends for simple transfer of force when clamping</li> <li>• Large, stable solid plain rail with fluting</li> <li>• Rail dimensions great than and equal to 40 x 11 are ungalvanized</li> </ul>  | <b>Deep throat screw clamp TGNT with tommy bar</b>                              |            |                 |               |               |         |                 |                     |
|   | TGN30T20K   | 300        | 200             | 35 x 11       | 4008158012346 | 1       | V1              | 83,92               |
|   | TGN40T20K   | 400        | 200             | 35 x 11       | 4008158012414 | 1       | V1              | 89,97               |
|   | TGN40T25K   | 400        | 250             | 40 x 11       | 4008158012445 | 1       | V1              | 113,95              |
|   | TGN60T25K   | 600        | 250             | 40 x 11       | 4008158012681 | 1       | V1              | 127,53              |
|   | TGN80T25K   | 800        | 250             | 40 x 11       | 4008158012810 | 1       | V1              | 140,31              |
|   | TGN40T30K   | 400        | 300             | 45 x 12       | 4008158012483 | 1       | V1              | 133,02              |
|   | TGN60T30K   | 600        | 300             | 45 x 12       | 4008158012711 | 1       | V1              | 149,00              |
|   | TGN80T30K   | 800        | 300             | 45 x 12       | 4008158012841 | 1       | V1              | 160,75              |
|   | TGN40T40K   | 400        | 400             | 45 x 12       | 4008158012506 | 1       | V1              | 195,13              |
|   | TGN60T40K   | 600        | 400             | 45 x 12       | 4008158012735 | 1       | V1              | 211,45              |
|   | TGN80T40K   | 800        | 400             | 45 x 12       | 4008158012865 | 1       | V1              | 227,55              |
|   | TGN30T50K   | 300        | 500             | 45 x 12       | 4008158012384 | 1       | V1              | 219,79              |
|   | TGN60T50K   | 600        | 500             | 45 x 12       | 4008158012759 | 1       | V1              | 243,76              |
|   | TGN80T50K   | 800        | 500             | 45 x 12       | 4008158012889 | 1       | V1              | 260,21              |
|  <ul style="list-style-type: none"> <li>• 20 % more clamping force per spindle rotation with optimised rail profile</li> <li>• Maximum security with linear transfer of force at the sliding arm</li> <li>• Clamping force up to 6,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• High-quality 2-component plastic handle</li> <li>• Pressure plates can be replaced by hand – no need for tools (from 80 mm width)</li> </ul> | <b>Original BESSEY all-steel screw clamp GZ with 2-component plastic handle</b> |            |                 |               |               |         |                 |                     |
|   | GZ10-2K   | 100        | 60              | 15 x 6        | 4008158033785 | 10      | V2              | 20,09               |
|   | GZ12-2K   | 120        | 60              | 15 x 6        | 4008158033808 | 10      | V2              | 25,01               |
|   | GZ16-2K   | 160        | 80              | 17,5 x 6,8    | 4008158033860 | 10      | V2              | 30,15               |
|   | GZ40-8-2K   | 400        | 80              | 17,5 x 6,8    | 4008158033907 | 10      | V2              | 37,33               |
|   | GZ20-2K   | 200        | 100             | 22 x 8,5      | 4008158033921 | 10      | V2              | 40,65               |
|   | GZ25-2K   | 250        | 120             | 24,5 x 9,5    | 4008158034003 | 10      | V2              | 48,98               |
|   | GZ30-12-2K  | 300        | 120             | 24,5 x 9,5    | 4008158034034 | 10      | V2              | 53,09               |
|   | GZ40-12-2K  | 400        | 120             | 24,5 x 9,5    | 4008158034065 | 10      | V2              | 57,43               |
|   | GZ50-12-2K  | 500        | 120             | 24,5 x 9,5    | 4008158034072 | 10      | V2              | 62,00               |
|   | GZ60-12-2K  | 600        | 120             | 24,5 x 9,5    | 4008158034089 | 5       | V2              | 66,11               |
|   | GZ80-12-2K  | 800        | 120             | 24,5 x 9,5    | 4008158034096 | 5       | V2              | 74,11               |
|   | GZ100-12-2K   | 1000       | 120             | 24,5 x 9,5    | 4008158034102 | 5       | V2              | 82,32               |
|   | GZ30-2K   | 300        | 140             | 28 x 11       | 4008158034126 | 10      | V2              | 61,08               |
|   | GZ40-2K   | 400        | 120             | 28 x 11       | 4008158034157 | 10      | V2              | 70,33               |
|   | GZ50-2K   | 500        | 120             | 28 x 11       | 4008158034188 | 5       | V2              | 75,35               |
|   | GZ60-2K   | 600        | 120             | 28 x 11       | 4008158034218 | 5       | V2              | 79,35               |
|   | GZ80-2K   | 800        | 120             | 28 x 11       | 4008158034249 | 5       | V2              | 95,57               |
|   | GZ100-2K  | 1000       | 120             | 28 x 11       | 4008158034270 | 5       | V2              | 107,09              |
|   | GZ125-2K  | 1250       | 120             | 28 x 11       | 4008158034300 | 1       | V2              | 144,31              |










|  | Order no.  | Opening mm | Throat depth mm | Rail mm       | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|--|--|------------|-----------------|---------------|---------------|---------|-----------------|---------------------|
| <b>Original BESSEY all-steel screw clamp GZ with tried-and-tested wooden handle</b>  |  |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• 20 % more clamping force per spindle rotation with optimised rail profile</li> <li>• Maximum security with linear transfer of force at the sliding arm</li> <li>• Clamping force up to 6,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• Ergonomically shaped wood handle</li> <li>• Pressure plates can be replaced by hand – no need for tools (from 80 mm width)</li> </ul>                     | GZ10   | 100        | 60              | 15 x 6        | 4008158033778 | 10      | V2              | 19,29               |
|  | GZ12   | 120        | 60              | 15 x 6        | 4008158033792 | 10      | V2              | 23,98               |
|  | GZ30-6   | 300        | 60              | 15 x 6        | 4008158033839 | 10      | V2              | 29,92               |
|  | GZ16   | 160        | 80              | 17,5 x 6,8    | 4008158033853 | 10      | V2              | 28,89               |
|  | GZ20   | 200        | 100             | 22 x 8,5      | 4008158033914 | 10      | V2              | 39,16               |
|  | GZ30-10  | 300        | 100             | 22 x 8,5      | 4008158033952 | 10      | V2              | 45,67               |
|  | GZ25   | 250        | 120             | 24,5 x 9,5    | 4008158033990 | 10      | V2              | 47,16               |
|  | GZ30-12  | 300        | 120             | 24,5 x 9,5    | 4008158034027 | 10      | V2              | 51,26               |
|  | GZ40-12  | 400        | 120             | 24,5 x 9,5    | 4008158034058 | 10      | V2              | 55,60               |
|  | GZ30   | 300        | 140             | 28 x 11       | 4008158034119 | 10      | V2              | 59,26               |
|  | GZ40   | 400        | 120             | 28 x 11       | 4008158034140 | 10      | V2              | 68,50               |
|  | GZ50   | 500        | 120             | 28 x 11       | 4008158034171 | 5       | V2              | 73,52               |
|  | GZ60   | 600        | 120             | 28 x 11       | 4008158034201 | 5       | V2              | 77,52               |
|  | GZ80   | 800        | 120             | 28 x 11       | 4008158034232 | 5       | V2              | 93,74               |
| GZ100  | 1000   | 120        | 28 x 11         | 4008158034263 | 5             | V2      | 105,28          |                     |
| GZ125  | 1250   | 120        | 28 x 11         | 4008158034294 | 1             | V2      | 142,49          |                     |
| <b>Original BESSEY all-steel screw clamp GZ with tommy bar</b>   |  |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• 20 % more clamping force per spindle rotation with optimised rail profile</li> <li>• Maximum security with linear transfer of force at the sliding arm</li> <li>• Clamping force up to 6,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• Tommy bar with rounded ends for simple transfer of force when clamping</li> <li>• Pressure plates can be replaced by hand – no need for tools</li> </ul> | GZ16K  | 160        | 80              | 17,5 x 6,8    | 4008158033877 | 10      | V2              | 30,15               |
|  | GZ20K  | 200        | 100             | 22 x 8,5      | 4008158033938 | 10      | V2              | 40,65               |
|  | GZ25K  | 250        | 120             | 24,5 x 9,5    | 4008158034010 | 10      | V2              | 48,98               |
|  | GZ30K  | 300        | 140             | 28 x 11       | 4008158034133 | 10      | V2              | 61,08               |
|  | GZ40K  | 400        | 120             | 28 x 11       | 4008158034164 | 10      | V2              | 70,33               |
|  | GZ50K  | 500        | 120             | 28 x 11       | 4008158034195 | 5       | V2              | 75,35               |
|  | GZ60K  | 600        | 120             | 28 x 11       | 4008158034225 | 5       | V2              | 79,35               |
|  | GZ80K  | 800        | 120             | 28 x 11       | 4008158034256 | 5       | V2              | 95,57               |
|  | GZ100K   | 1000       | 120             | 28 x 11       | 4008158034287 | 5       | V2              | 107,09              |
|  | GZ125K   | 1250       | 120             | 28 x 11       | 4008158034317 | 1       | V2              | 144,31              |
|  | <b>Original BESSEY all-steel screw clamp GZ with swivel handle</b> |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 5,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• High-quality 2-component plastic handle</li> <li>• Swivel handle can be folded 90° and rotated 360° without obstruction – even in areas that are difficult to reach</li> <li>• Pressure plates can be replaced by hand – no need for tools</li> </ul>   | GZ25KG   | 250        | 120             | 24,5 x 9,5    | 4008158041384 | 10      | V2              | 53,09               |
|  | GZ30-12KG  | 300        | 120             | 24,5 x 9,5    | 4008158041391 | 10      | V2              | 57,21               |
|  | GZ40-12KG  | 400        | 120             | 24,5 x 9,5    | 4008158041407 | 10      | V2              | 61,32               |
|  | GZ50-12KG  | 500        | 120             | 24,5 x 9,5    | 4008158041414 | 10      | V2              | 65,65               |
|  | GZ60-12KG  | 600        | 120             | 24,5 x 9,5    | 4008158041421 | 5       | V2              | 69,76               |
| <b>Pressure cap strips SKS (2 pcs./bag)</b>  |  |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• For screw clamps</li> <li>• For gentle clamping</li> <li>• May be applied on both sides</li> <li>• Cut them to size</li> </ul>  | SKS10/20   |            |                 |               | 4008158025582 | 1       | V3              | 9,02                |
|  | SKS20/40   |            |                 |               | 4008158025599 | 1       | V3              | 9,25                |
| <b>All-steel screw clamp classiX GS with tried-and-tested wooden handle</b>  |  |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 5,000 N</li> <li>• Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping</li> <li>• Ergonomically shaped wood handle</li> </ul>   | GS10   | 100        | 50              | 11,5 x 5,6    | 4008158024585 | 10      | V2              | 15,87               |
|  | GS12   | 120        | 60              | 13,5 x 6,5    | 4008158024592 | 10      | V2              | 19,63               |
|  | GS16   | 160        | 80              | 16 x 7,5      | 4008158024608 | 10      | V2              | 23,64               |
|  | GS20   | 200        | 100             | 19,5 x 9,5    | 4008158024615 | 10      | V2              | 32,08               |
|  | GS25   | 250        | 120             | 22 x 10,5     | 4008158024622 | 10      | V2              | 38,70               |
|  | GS30   | 300        | 140             | 25 x 12       | 4008158024639 | 10      | V2              | 48,63               |
|  | GS40   | 400        | 120             | 25 x 12       | 4008158024646 | 10      | V2              | 56,18               |
|  | GS50   | 500        | 120             | 25 x 12       | 4008158024653 | 5       | V2              | 60,29               |
|  | GS60   | 600        | 120             | 25 x 12       | 4008158024660 | 5       | V2              | 63,59               |
|  | GS80   | 800        | 120             | 27 x 13       | 4008158024677 | 5       | V2              | 76,84               |
| GS100  | 1000   | 120        | 27 x 13         | 4008158024684 | 5             | V2      | 86,32           |                     |

# BESSEY Price list valid from April 1st, 2025










|   | Order no.   | Opening mm | Throat depth mm | Rail mm | Barcode       | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|---|------------|-----------------|---------|---------------|---------------|-----------------|---------------------|--------|
| <b>All-steel screw clamp classIX GS with tommy bar</b>                              |   |            |                 |         |               |               |                 |                     |        |
|    | • Clamping force up to 5,000 N  | GS16K      | 160             | 80      | 16 x 7,5      | 4008158035284 | 10              | V2                  | 24,89  |
|   | • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping  | GS20K      | 200             | 100     | 19,5 x 9,5    | 4008158035291 | 10              | V2                  | 33,56  |
|   | • Tommy bar with rounded ends for simple transfer of force when clamping  | GS25K      | 250             | 120     | 22 x 10,5     | 4008158035307 | 10              | V2                  | 40,53  |
|   |   | GS30K      | 300             | 140     | 25 x 12       | 4008158035314 | 10              | V2                  | 50,69  |
|   |   | GS40K      | 400             | 120     | 25 x 12       | 4008158035321 | 10              | V2                  | 58,23  |
|   |   | GS50K      | 500             | 120     | 25 x 12       | 4008158035468 | 5               | V2                  | 62,34  |
|   |   | GS60K      | 600             | 120     | 25 x 12       | 4008158035338 | 5               | V2                  | 65,65  |
|   |   | GS80K      | 800             | 120     | 27 x 13       | 4008158035345 | 5               | V2                  | 78,89  |
|   | GS100K  | 1000       | 120             | 27 x 13 | 4008158035352 | 5             | V2              | 88,38               |        |
| <b>OMEGA screw clamp GMZ with 2-component plastic handle</b>                        |   |            |                 |         |               |               |                 |                     |        |
|    | • Clamping force up to 5,000 N  | GM16Z-2K   | 160             | 80      | 16 x 7,5      | 4008158030838 | 10              | V2                  | 31,63  |
|   | • Fixed jaw with patented OMEGA bow for less clamping force loss  | GM20Z-2K   | 200             | 100     | 19,5 x 9,5    | 4008158030852 | 10              | V2                  | 43,05  |
|   | • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping  | GM25Z-2K   | 250             | 120     | 22 x 10,5     | 4008158030876 | 10              | V2                  | 51,95  |
|   | • High-quality 2-component plastic handle   | GM30Z-2K   | 300             | 140     | 25 x 12       | 4008158030890 | 10              | V2                  | 65,08  |
|   | • Pressure plates can be replaced with no need for tools  | GM40Z-2K   | 400             | 120     | 25 x 12       | 4008158030906 | 10              | V2                  | 74,90  |
|   |   | GM50Z-2K   | 500             | 120     | 25 x 12       | 4008158030913 | 5               | V2                  | 80,26  |
|   |   | GM60Z-2K   | 600             | 120     | 25 x 12       | 4008158030920 | 5               | V2                  | 84,71  |
| <b>OMEGA-screw clamp GMZ with tommy bar</b>   |   |            |                 |         |               |               |                 |                     |        |
|   | • Clamping force up to 5,000 N  | GM20ZK     | 200             | 100     | 19,5 x 9,5    | 4008158029443 | 10              | V2                  | 43,05  |
|   | • Fixed jaw with patented OMEGA bow for less clamping force loss  | GM25ZK     | 250             | 120     | 22 x 10,5     | 4008158029467 | 10              | V2                  | 51,95  |
|   | • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping  | GM30ZK     | 300             | 140     | 25 x 12       | 4008158029481 | 10              | V2                  | 65,08  |
|   | • Tommy bar with rounded ends for simple transfer of force when clamping  | GM50ZK     | 500             | 120     | 25 x 12       | 4008158029504 | 5               | V2                  | 80,26  |
|   | • Pressure plates can be replaced with no need for tools  | GM60ZK     | 600             | 120     | 25 x 12       | 4008158029511 | 5               | V2                  | 84,71  |
| <b>Pressure cap strips SKS (2 pcs./bag)</b>   |   |            |                 |         |               |               |                 |                     |        |
|  | • For screw clamps  | SKS10/20   |                 |         |               | 4008158025582 | 1               | V3                  | 9,02   |
|   | • For gentle clamping   | SKS20/40   |                 |         |               | 4008158025599 | 1               | V3                  | 9,25   |
|   | • May be applied on both sides  |            |                 |         |               |               |                 |                     |        |
|   | • Cut them to size  |            |                 |         |               |               |                 |                     |        |
| <b>Lever clamp GH</b>   |   |            |                 |         |               |               |                 |                     |        |
|  | • Greater reserves of power, thanks to optimised rail profile, for even clamping force build-up, especially under maximum utilisation of the clamping range | GH12       | 120             | 60      | 15 x 6        | 4008158034324 | 10              | V2                  | 61,66  |
|   | • Non-slip trigger release  | GH16       | 160             | 80      | 17,5 x 6,8    | 4008158034331 | 10              | V2                  | 67,48  |
|   | • Sintered steel cams – particularly hard-wearing, low friction due to higher surface hardness  | GH20-8     | 200             | 80      | 17,5 x 6,8    | 4008158034348 | 10              | V2                  | 70,10  |
|   | • Quick – up to 5 x faster than regular clamps  | GH20       | 200             | 100     | 22 x 8,5      | 4008158034355 | 10              | V2                  | 77,52  |
|   | • Secure – vibration resistant  | GH25       | 250             | 120     | 24,5 x 9,5    | 4008158034409 | 10              | V2                  | 89,29  |
|   | • Strong – clamping force up to 8,500 N   | GH30-12    | 300             | 120     | 24,5 x 9,5    | 4008158034416 | 10              | V2                  | 93,28  |
|   |   | GH40-12    | 400             | 120     | 24,5 x 9,5    | 4008158034423 | 10              | V2                  | 97,96  |
|   |   | GH30       | 300             | 140     | 28 x 11       | 4008158034430 | 10              | V2                  | 106,06 |
|   |   | GH40       | 400             | 120     | 28 x 11       | 4008158034447 | 10              | V2                  | 111,44 |
|   |   | GH50       | 500             | 120     | 28 x 11       | 4008158034454 | 5               | V2                  | 119,54 |
|   |   | GH60       | 600             | 120     | 28 x 11       | 4008158034461 | 5               | V2                  | 124,11 |
|   | GH80  | 800        | 120             | 28 x 11 | 4008158034478 | 5             | V2              | 138,26              |        |
|   | GH100   | 1000       | 120             | 28 x 11 | 4008158034485 | 5             | V2              | 146,94              |        |
| <b>Lever clamp SGHS, heavy duty</b>   |   |            |                 |         |               |               |                 |                     |        |
|  | • Heavy design  | SG-25HS    | 300             | 140     | 30 x 15       | 4008158007106 | 5               | V2                  | 146,94 |
|   | • Rapid – up to 5 x faster than conventional clamps   | SG-50HS    | 500             | 140     | 30 x 15       | 4008158007120 | 5               | V2                  | 196,15 |
|   | • Secure – vibration resistant  |            |                 |         |               |               |                 |                     |        |
|   | • Strong – clamping force up to 9,500 N   |            |                 |         |               |               |                 |                     |        |

|   | Order no. | Opening mm | Throat depth mm | Rail mm    | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|-----------|------------|-----------------|------------|---------------|---------|-----------------|---------------------|
| <b>Lever clamp classiX GSH</b>  |           |            |                 |            |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Non-slip trigger release</li> <li>• Quick – up to 5 times faster than regular clamps</li> <li>• Secure – unaffected by vibrations</li> <li>• Strong – clamping force up to 7,500 N</li> </ul>  | GSH12     | 120        | 60              | 13,5 x 6,5 | 4008158036595 | 10      | V2              | 50,58               |
|   | GSH16     | 160        | 80              | 16 x 7,5   | 4008158036601 | 10      | V2              | 55,37               |
|   | GSH20     | 200        | 100             | 19,5 x 9,5 | 4008158036618 | 10      | V2              | 63,59               |
|   | GSH25     | 250        | 120             | 22 x 10,5  | 4008158036625 | 10      | V2              | 73,19               |
|   | GSH30     | 300        | 140             | 25 x 12    | 4008158036632 | 10      | V2              | 87,01               |
|   | GSH40     | 400        | 120             | 25 x 12    | 4008158036649 | 10      | V2              | 91,34               |
|   | GSH50     | 500        | 120             | 25 x 12    | 4008158036656 | 5       | V2              | 98,09               |
|   | GSH60     | 600        | 120             | 25 x 12    | 4008158036663 | 5       | V2              | 101,73              |
| <b>Fitters' clamp SLM</b>   |           |            |                 |            |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 8,500 N at tightening torque of 25 Nm</li> <li>• 20 % more clamping force per spindle rotation with optimised rail profile</li> <li>• Maximum safety due to the better linear transfer of force of the sliding arm</li> <li>• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> </ul>   | SL20M     | 200        | 120             | 28 x 11    | 4008158034508 | 5       | V2              | 92,83               |
|   | SL25M     | 250        | 120             | 28 x 11    | 4008158034515 | 5       | V2              | 95,79               |
|   | SL30M     | 300        | 120             | 28 x 11    | 4008158034522 | 5       | V2              | 99,22               |
|   | SL40M     | 400        | 120             | 28 x 11    | 4008158034539 | 5       | V2              | 104,93              |
|   | SL50M     | 500        | 120             | 28 x 11    | 4008158034546 | 5       | V2              | 110,98              |
|   | SL60M     | 600        | 120             | 28 x 11    | 4008158034553 | 5       | V2              | 116,80              |
| <b>High-performance clamp SGM</b>   |           |            |                 |            |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 12,000 N at tightening torque of 40 Nm</li> <li>• 20 % more clamping force per spindle rotation with optimised rail profile</li> <li>• Maximum safety due to the better linear transfer of force of the sliding arm</li> <li>• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> </ul> | SG25M     | 250        | 140             | 34 x 13    | 4008158007229 | 5       | V2              | 109,84              |
|   | SG30M     | 300        | 140             | 34 x 13    | 4008158007281 | 5       | V2              | 112,46              |
|   | SG40M     | 400        | 140             | 34 x 13    | 4008158027067 | 5       | V2              | 126,74              |
|   | SG50M     | 500        | 140             | 34 x 13    | 4008158007328 | 5       | V2              | 141,00              |
|   | SG60M     | 600        | 140             | 34 x 13    | 4008158007342 | 5       | V2              | 148,43              |
|   | SG80M     | 800        | 140             | 34 x 13    | 4008158007366 | 5       | V2              | 162,59              |
|   | SG100M    | 1000       | 140             | 34 x 13    | 4008158007151 | 5       | V2              | 183,02              |
|   | SG125M    | 1250       | 140             | 34 x 13    | 4008158007182 | 1       | V2              | 212,02              |
|   | SG150M    | 1500       | 140             | 34 x 13    | 4008158007205 | 1       | V2              | 240,00              |
| <b>High-performance clamp SGMT, large throat depth</b>  |           |            |                 |            |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 8,500 N at tightening torque of 40 Nm</li> <li>• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> <li>• Opening 200 mm</li> </ul>  | SG30T20M  | 300        | 200             | 30 x 15    | 4008158031316 | 1       | V2              | 129,13              |
|   | SG60T20M  | 600        | 200             | 30 x 15    | 4008158031323 | 1       | V2              | 169,33              |
| <b>High-performance clamp STBM</b>  |           |            |                 |            |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 22,000 N at tightening torque of 70 Nm</li> <li>• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> <li>• With 19 mm hexagonal bolt on the end of the spindle</li> </ul>  | STB30M    | 300        | 175             | 40 x 20    | 4008158007588 | 1       | V2              | 210,77              |
|   | STB40M    | 400        | 175             | 40 x 20    | 4008158007601 | 1       | V2              | 221,95              |
|   | STB50M    | 500        | 175             | 40 x 20    | 4008158007625 | 1       | V2              | 231,43              |
|   | STB60M    | 600        | 175             | 40 x 20    | 4008158007649 | 1       | V2              | 239,55              |
|   | STB80M    | 800        | 175             | 40 x 20    | 4008158007663 | 1       | V2              | 255,29              |
|   | STB100M   | 1000       | 175             | 40 x 20    | 4008158007540 | 1       | V2              | 276,08              |
|   | STB125M   | 1250       | 175             | 40 x 20    | 4008158007557 | 1       | V2              | 337,61              |
|   | STB150M   | 1500       | 175             | 40 x 20    | 4008158007564 | 1       | V2              | 379,74              |
| <b>High-performance clamp STBS</b>  |           |            |                 |            |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 35,000 N at tightening torque of 100 Nm</li> <li>• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> <li>• With 36 mm hexagonal bolt on the end of the spindle</li> <li>• With wedge for fixing the sliding arm</li> </ul>  | STBS30    | 300        | 200             | 50 x 25    | 4008158007700 | 1       | V2              | 448,48              |
|   | STBS50    | 500        | 200             | 50 x 25    | 4008158007717 | 1       | V2              | 487,07              |
|   | STBS100   | 1000       | 200             | 50 x 25    | 4008158007670 | 1       | V2              | 574,53              |
| <b>High-performance clamp STBVC</b>   |           |            |                 |            |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 35,000 N at tightening torque of 105 Nm</li> <li>• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> <li>• With 19 mm hexagonal bolt on the end of the spindle</li> <li>• With wedge for fixing the sliding arm</li> </ul>  | STBVC15   | 150        | 100             | 40 x 20    | 4008158021355 | 1       | V2              | 184,86              |
|   | STBVC25   | 250        | 100             | 40 x 20    | 4008158021362 | 1       | V2              | 202,43              |
|   | STBVC35   | 350        | 100             | 40 x 20    | 4008158021379 | 1       | V2              | 226,07              |










# BESSEY Price list valid from April 1st, 2025










|   |  | Order no.    | Opening mm | Throat depth mm | Rail mm   | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|--|--------------|------------|-----------------|-----------|---------------|---------|-----------------|---------------------|
| <b>Fitters' clamp classiX GSL</b>   |  |              |            |                 |           |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Clamping force up to 7,500 N with a tightening torque of 25 Nm</li> <li>Special heat-resistant pressure plate, can be tilted by up to 35°</li> </ul>  | GSL30        | 300        | 120             | 27 x 13   | 4008158035369 | 5       | V2              | 81,41               |
|   |  | GSL60        | 600        | 120             | 27 x 13   | 4008158035376 | 5       | V2              | 95,79               |
| <b>High-performance clamp classiX GSM</b>   |  |              |            |                 |           |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Clamping force up to 11,000 N with a tightening torque of 40 Nm</li> <li>Special heat-resistant pressure plate, can be tilted by up to 35°</li> </ul>   | GSM25        | 250        | 140             | 30 x 15   | 4008158035383 | 5       | V2              | 90,09               |
|   |  | GSM30        | 300        | 140             | 30 x 15   | 4008158035390 | 5       | V2              | 92,25               |
|   |  | GSM40        | 400        | 140             | 30 x 15   | 4008158035406 | 5       | V2              | 103,91              |
|   |  | GSM50        | 500        | 140             | 30 x 15   | 4008158035413 | 5       | V2              | 115,66              |
|   |  | GSM60        | 600        | 140             | 30 x 15   | 4008158035420 | 5       | V2              | 121,71              |
| <b>KombiKlamp SG-VAD</b>  |  |              |            |                 |           |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Clamping force up to 7,500 N</li> <li>Clamping and spreading of round, oval and angled workpieces</li> <li>Pressure plates can be replaced with no need for tools</li> </ul>  | SG30VAD      | 300        | 120             | 30 x 15   | 4008158032368 | 6       | V2              | 116,69              |
| <b>U-shaped all-steel screw clamp GUZ</b>   |  |              |            |                 |           |               |         |                 |                     |
|   | <ul style="list-style-type: none"> <li>Clamping force up to 4,000 N</li> <li>Double-sided step-over clamping, specially suited for T-profiles and double T-profiles</li> <li>Low weight</li> <li>Tempered stainless steel and fixed bracket for resilient and elastic clamping</li> </ul>  | GU25-12-6ZK  | 250        | 120             | 22 x 10,5 | 4008158027104 | 10      | V2              | 72,15               |
| <b>U-shaped high-performance clamp SGU</b>  |  |              |            |                 |           |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Clamping force up to 12,000 N at tightening torque of 40 Nm</li> <li>Double-sided step-over clamping, specially suited for T-profiles and double T-profiles</li> <li>Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> </ul>  | SGU30-14-10  | 300        | 140             | 30 x 15   | 4008158027043 | 5       | V2              | 151,17              |
| <b>U-shaped high-performance clamp STBU</b>   |  |              |            |                 |           |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Clamping force up to 22,000 N at tightening torque of 80 Nm</li> <li>Double-sided step-over clamping, specially suited for T-profiles and double T-profiles</li> <li>With 19 mm hexagonal bolt on the end of the spindle</li> <li>Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> </ul> | STBU40-17-15 | 500        | 175             | 40 x 20   | 4008158027098 | 1       | V2              | 310,10              |
| <b>U-shaped lever clamp GUH</b>   |  |              |            |                 |           |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Clamping force up to 3,800 N</li> <li>Step-over clamping, specially suited for T profiles</li> <li>Low weight</li> <li>Quick – up to 5 x faster than regular clamps</li> </ul>  | GU25-12-6H   | 250        | 120             | 22 x 10,5 | 4008158027128 | 5       | V2              | 96,70               |
| <b>Claw clamp GRA</b>   |  |              |            |                 |           |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Clamping and spreading force up to 7,500 N</li> <li>Externally-positioned spindle, protected from welding spatter</li> <li>Clear access to work area</li> </ul>   | GRA30-12     | 300        | 120             | 28 x 11   | 4008158035819 | 5       | V2              | 136,55              |
|   |  | GRA60-12     | 600        | 120             | 28 x 11   | 4008158035826 | 5       | V2              | 155,28              |
|   |  | GRA100-12    | 1000       | 120             | 28 x 11   | 4008158035833 | 5       | V2              | 184,62              |
| <b>Pressure piece GRD (2 pcs./bag)</b>  |  |              |            |                 |           |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Spreading from the inside outwards</li> <li>Flat jaw face</li> <li>V-groove for clamping round and oval workpieces</li> </ul>   | GRD          |            |                 |           | 4008158004396 | 10      | V2              | 23,41               |



|   | Order no.   | Opening mm | Throat depth mm | Rail mm | Barcode                 | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|---|------------|-----------------|---------|-------------------------|---------------|-----------------|---------------------|--------|
| <b>Variable high-performance clamps – Complete set SLV</b>                          |   |            |                 |         |                         |               |                 |                     |        |
|    | • Clamping force up to 6,500 N  | SLV100M    | 1000            | 120     | 27 x 13                 | 4008158036366 | 1               | V2                  | 140,44 |
|   | • Tipping is prevented through central positioning on the workpiece   | SLV150M    | 1500            | 120     | 27 x 13                 | 4008158036373 | 1               | V2                  | 172,86 |
|   | • Special heat-resistant pressure plate, can be tilted by up to 35°<br>• Clamp can be fed through an opening in the workpiece/component   | SLV200M    | 2000            | 120     | 27 x 13                 | 4008158036380 | 1               | V2                  | 203,12 |
| <b>Variable high performance clamps – Complete set GSV</b>                          |   |            |                 |         |                         |               |                 |                     |        |
|    | • Clamping force up to 9,000 N<br>• Tipping is prevented through central positioning on the workpiece<br>• Long service life thanks to special heat-resistant pressure plate with sintered steel insert, can be tilted by up to 35°<br>• Clamp can be fed through an opening in the workpiece/component | GSV300M    | 3000            | 140     | 30 x 15                 | 4008158036397 | 1               | V2                  | 376,10 |
| <b>SLV size rails</b>   |   |            |                 |         |                         |               |                 |                     |        |
|    | • 27 x 13 mm profile, cold drawn and galvanised<br>• End fastenings on both sides can be loosened without tools – for rapid changeover<br>• Suitable for all SLV size sliding arms  | 3101731    | 1000            |         | 27 x 13                 | 4008158038650 | 1               | V2                  | 59,03  |
|   |   | 3101732    | 1500            |         | 27 x 13                 | 4008158038667 | 1               | V2                  | 120,34 |
|   |   | 3101733    | 2000            |         | 27 x 13                 | 4008158038674 | 1               | V2                  | 180,51 |
| <b>GSV size rails</b>   |   |            |                 |         |                         |               |                 |                     |        |
|   | • 30 x 15 mm profile, cold drawn and galvanised<br>• End fastenings on both sides can be loosened without tools – for rapid changeover<br>• Suitable for all GSV size sliding arms  | 3101612    | 3000            |         | 30 x 15                 | 4008158036359 | 1               | V2                  | 287,89 |
| <b>Complete sliding arm for SLV sizes</b>   |   |            |                 |         |                         |               |                 |                     |        |
|  | • Three different grip variants/designs<br>• Suitable for all SLV size rails  | 3101426    |                 | 120     | 27 x 13                 | 4008158033228 | 1               | V3                  | 37,90  |
|   |   | 3101337    |                 | 120     | 27 x 13                 | 4008158033556 | 1               | V3                  | 100,70 |
|   |   | 3101338    |                 | 120     | 27 x 13                 | 4008158033563 | 1               | V3                  | 63,59  |
| <b>Complete sliding arm for GSV sizes</b>   |   |            |                 |         |                         |               |                 |                     |        |
|  | • One arm design with three throat depths<br>• Suitable for GSV size rails  | 3101329    |                 | 120     | 30 x 15                 | 4008158033471 | 1               | V3                  | 74,44  |
|   |   | 3101330    |                 | 140     | 30 x 15                 | 4008158033488 | 1               | V3                  | 80,61  |
|   |   | 3101331    |                 | 200     | 30 x 15                 | 4008158033495 | 1               | V3                  | 102,87 |
| <b>Special pressure plate</b>   |   |            |                 |         |                         |               |                 |                     |        |
|  | • Smooth faced (standard version)   | 3100737    |                 |         | suitable for STBS, STBU | 4008158031634 | 1               | V3                  | 38,14  |
|   | • Smooth faced (standard version)   | 3100736    |                 |         |                         | 4008158031668 | 1               | V3                  | 25,35  |
|   | • Rough faced for secure clamping on dirty surfaces   | 3101192    |                 |         |                         | 4008158030968 | 1               | V3                  | 28,43  |
|   | • V-groove face for round, oval and edged workpieces  | 3101193    |                 |         |                         | 4008158030975 | 1               | V3                  | 28,43  |
| <b>C-clamp VC</b>   |   |            |                 |         |                         |               |                 |                     |        |
|  | • Clamping force of up to 15,000 N<br>• Nearly unbreakable and tempered<br>• Tried-and-true BESSEY all-steel quality  | VC2        | 50              | 50      | 19,5 x 9,5              | 4008158019291 | 10              | V2                  | 45,44  |
|   |   | VC3        | 75              | 50      | 22 x 10,5               | 4008158019307 | 10              | V2                  | 51,95  |
|   |   | VC4        | 100             | 60      | 25 x 12                 | 4008158019314 | 10              | V2                  | 67,14  |
|   |   | VC6        | 150             | 75      | 27 x 13                 | 4008158019321 | 10              | V2                  | 88,38  |
|   |   | VC8        | 200             | 90      | 30 x 15                 | 4008158019338 | 5               | V2                  | 111,32 |
|   |   | VC10       | 250             | 100     | 40 x 20                 | 4008158019345 | 5               | V2                  | 141,69 |
| <b>C-clamp SC</b>   |   |            |                 |         |                         |               |                 |                     |        |
|  | • Clamping force up to 22,000 N<br>• Drop forged  | SC40       | 40              | 40      |                         | 4008158019178 | 10              | V2                  | 37,33  |
|   |   | SC60       | 60              | 55      |                         | 4008158019185 | 10              | V2                  | 42,81  |
|   |   | SC80       | 80              | 65      |                         | 4008158019192 | 10              | V2                  | 49,44  |
|   |   | SC100      | 100             | 75      |                         | 4008158019208 | 10              | V2                  | 59,60  |
|   |   | SC120      | 120             | 85      |                         | 4008158019215 | 10              | V2                  | 71,24  |
|   |   | SC150      | 150             | 95      |                         | 4008158019222 | 10              | V2                  | 80,26  |
|   |   | SC200      | 200             | 105     |                         | 4008158019239 | 5               | V2                  | 101,61 |









# BESSEY Price list valid from April 1st, 2025








|   |  | Order no. | Opening mm | Throat depth mm | Rail mm | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|--|-----------|------------|-----------------|---------|---------------|---------|-----------------|---------------------|
| <b>C-clamp CDF-C</b>  |  |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Clamping force up to 18,000 N</li> <li>Drop forged</li> <li>The copper-plated spindle prevents welding splatter from sticking</li> </ul>  | CDF403C   | 75         | 60              |         | 4008158028958 | 6       | V2              | 43,16               |
|   |  | CDF404C   | 105        | 85              |         | 4008158028965 | 6       | V2              | 51,95               |
|   |  | CDF406C   | 150        | 100             |         | 4008158028972 | 6       | V2              | 69,41               |
|   |  | CDF408C   | 205        | 125             |         | 4008158028989 | 6       | V2              | 87,79               |
|   |  | CDF410C   | 50-245     | 150             |         | 4008158028996 | 4       | V2              | 107,90              |
| <b>Parallel grip GRZ</b>  |  |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Parallel jaw faces</li> <li>Prism recess for small round parts</li> <li>Includes pressure caps for gentle clamping of sensitive surfaces</li> </ul>   | GRZ10     | 100        | 65              |         | 4008158009711 | 10      | V3              | 86,77               |
|   |  | GRZ20     | 200        | 65              |         | 4008158009728 | 10      | V3              | 95,22               |
| <b>C-grip GRZC</b>  |  |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>For step-over clamping from both sides</li> </ul>   | GRZC      | 110        | 80              |         | 4008158009636 | 10      | V3              | 101,16              |
| <b>Pipe grip GRZRO</b>  |  |           |            |                 |         |               |         |                 |                     |
|   | <ul style="list-style-type: none"> <li>Ideal for holding round objects of constant diameter</li> <li>Includes pressure caps</li> <li>Gentle clamping of sensitive surfaces</li> <li>Suitable for tack welding, heat-resistant up to 200° C</li> </ul>  | GRZRO     |            | 65              |         | 4008158009667 | 10      | V3              | 123,20              |
| <b>Earth (ground) clamp LP / TP with tried-and true wooden handle</b>               |  |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>With malleable cast iron arms</li> <li>Ergonomically shaped wood handle</li> <li>Grounding connection hole in the upper part</li> </ul>   | LP-1      | 150        | 60              | 20 x 5  | 4008158004907 | 10      | V1              | 23,52               |
|   |  | TP-1      | 150        | 80              | 25 x 6  | 4008158015422 | 10      | V1              | 29,24               |
| <b>Earth (ground) clamp LP / TP with thumb screw</b>                                |  |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>With malleable cast iron arms</li> <li>Practical thumb screw</li> <li>Grounding connection hole in the upper part</li> <li>TP-...F-RK: Cable strain relief at rail end / ring internal diameter 30 mm</li> </ul>  | LP-1F     | 150        | 60              | 20 x 5  | 4008158004914 | 10      | V1              | 23,74               |
|   |  | TP-1F     | 150        | 80              | 25 x 6  | 4008158015439 | 10      | V1              | 31,17               |
|   |  | TP-2F     | 150        | 60              | 30 x 8  | 4008158031743 | 20      | V1              | 39,16               |
|   |  | TP-1F-RK  | 150        | 80              | 25 x 6  | 4008158032252 | 10      | V1              | 34,02               |
|   |  | TP-2F-RK  | 150        | 60              | 30 x 8  | 4008158032269 | 20      | V1              | 41,79               |
| <b>Earth (ground) clamp TP with tommy bar</b>                                       |  |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>With malleable cast iron arms</li> <li>Tommy bar with rounded ends for simple transfer of force when clamping</li> <li>Grounding connection hole in the upper part</li> </ul>   | TP-1K     | 150        | 80              | 25 x 6  | 4008158015446 | 10      | V1              | 31,17               |
| <b>Earth (ground) clamp CP</b>  |  |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>With C-shaped malleable cast iron arms</li> </ul>   | CP-F      | 50         | 30              |         | 4008158010236 | 40      | V1              | 13,13               |
| <b>Multi angle pad VAD (2 pcs./bag)</b>   |  |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>For adaptation to round, oval and angular workpieces in particular</li> <li>Infinite angle adjustment from 60° inner to 60° outer</li> <li>Suitable for original BESSEY malleable cast iron screw clamps TG as well as GZ and GMZ from 100 mm throat depth and clamping elements for welding tables TWV and TW</li> </ul> | VAD       |            |                 |         | 4008158004945 | 1       | V3              | 70,10               |

|   | Order no.   | Opening mm     | Throat depth mm | Rail mm | Barcode       | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|---|----------------|-----------------|---------|---------------|---------------|-----------------|---------------------|--------|
| <b>Edge clamp KT</b>  |   |                |                 |         |               |               |                 |                     |        |
|    | • Practical accessory for clamping edges and difficult to reach areas<br>• Suitable for conventional screw clamps with a max. rail thickness of 13 mm   | KT5-1CP        |                 |         | 4008158026176 | 1             | V1              | 18,27               |        |
|   |   | KT5-2          |                 |         | 4008158004587 | 1             | V1              | 29,24               |        |
| <b>Welders' angle clamps WSM</b>  |   |                |                 |         |               |               |                 |                     |        |
|    | • Automatic adjustment to workpieces of various thicknesses<br>• Sturdy jaws and base plate made from high-quality cast iron<br>• The copper-plated spindle prevents welding splatter from sticking<br>• Precise 90°-angles   | WSM9           | 2 x 90          |         | 4008158016832 | 1             | V3              | 237,59              |        |
|   |   | WSM12          | 2 x 120         |         | 4008158016825 | 1             | V3              | 269,11              |        |
| <b>Welding clamp set SM 10</b>  |   |                |                 |         |               |               |                 |                     |        |
|    | • Clamping aid for clamping components of different thicknesses at any chosen angle<br>• Sturdy body and base plate made from high-quality cast iron<br>• The copper-plated spindle prevents welding splatter from sticking<br>• Angle range: 5°-180°   | SM10-SET       | 100             |         | 4008158007502 | 1             | V3              | 408,97              |        |
| <b>Clamping element with variable throat depth TWV</b>                              |   |                |                 |         |               |               |                 |                     |        |
|   | • TWV16: Clamping force up to 2,500 N, TWV28: Clamping force up to 5,500 N<br>• Precise, individual clamping<br>• Tempered profile and sliding arm for sprung and elastic clamping<br>• Infinitely adjustable throat depth<br>• Various design versions:<br>• High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement<br>• Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping | TWV16-20-15-2K | 200             | 30-150  | 22 x 8,5      | 4008158038759 | 1               | V3                  | 75,93  |
|   |   | TWV16-20-15K   | 200             | 30-150  | 22 x 8,5      | 4008158038773 | 1               | V3                  | 75,93  |
|   |   | TWV16-20-15H   | 200             | 60-150  | 22 x 8,5      | 4008158038766 | 1               | V3                  | 104,69 |
|   |   | TWV28-30-17-2K | 300             | 40-175  | 28 x 11       | 4008158036823 | 1               | V3                  | 88,94  |
|   |   | TWV28-30-17K   | 300             | 40-175  | 28 x 11       | 4008158036847 | 1               | V3                  | 88,94  |
|   |   | TWV28-30-17H   | 300             | 110-175 | 28 x 11       | 4008158036854 | 1               | V3                  | 122,17 |
| <b>Clamping element with fixed throat depth TW</b>                                  |   |                |                 |         |               |               |                 |                     |        |
|  | • TW16: Clamping force up to 3,000 N, TW28: Clamping force up to 5,000 N<br>• Precise, individual clamping<br>• Tempered profile and sliding arm for sprung and elastic clamping<br>• Various design versions:<br>• High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement<br>• Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping   | TW16-20-10-2K  | 200             | 100     | 22 x 8,5      | 4008158038681 | 1               | V3                  | 46,47  |
|   |   | TW16-20-10K    | 200             | 100     | 22 x 8,5      | 4008158038704 | 1               | V3                  | 46,47  |
|   |   | TW16-20-10H    | 200             | 100     | 22 x 8,5      | 4008158038698 | 1               | V3                  | 82,66  |
|   |   | TW22-20-10-2K  | 200             | 100     | 22 x 8,5      | 4008158041629 | 1               | V3                  | 46,47  |
|   |   | TW28-30-12-2K  | 300             | 120     | 28 x 11       | 4008158036816 | 1               | V3                  | 54,35  |
|   |   | TW28-30-14-2K  | 300             | 140     | 28 x 11       | 4008158036861 | 1               | V3                  | 60,17  |
|   |   | TW28-30-12K    | 300             | 120     | 28 x 11       | 4008158036878 | 1               | V3                  | 54,35  |
|   |   | TW28-30-14K    | 300             | 140     | 28 x 11       | 4008158036885 | 1               | V3                  | 60,17  |
|   |   | TW28-30-12H    | 300             | 120     | 28 x 11       | 4008158036892 | 1               | V3                  | 97,50  |
|   |   | TW28-30-14H    | 300             | 140     | 28 x 11       | 4008158036953 | 1               | V3                  | 103,32 |
| <b>Clamping element with special pressure plate TWM28</b>                           |   |                |                 |         |               |               |                 |                     |        |
|  | • Clamping force up to 6,500 N<br>• Precise, individual clamping<br>• Tempered profile and sliding arm for sprung and elastic clamping<br>• Tempered spindle – particularly sturdy and wear-resistant – for noticeably improved service life<br>• Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°  | TWM28-30-12    | 300             | 120     | 28 x 11       | 4008158036809 | 1               | V3                  | 96,36  |
| <b>Special pressure plate for TWM28</b>   |   |                |                 |         |               |               |                 |                     |        |
|  | • Smooth faced (standard version)   | 3100736        |                 |         | 4008158031668 | 1             | V3              | 25,35               |        |
|  | • Rough faced for secure clamping on dirty surfaces   | 3101192        |                 |         | 4008158030968 | 1             | V3              | 28,43               |        |
|  | • V-groove face for round, oval and edged workpieces  | 3101193        |                 |         | 4008158030975 | 1             | V3              | 28,43               |        |






NEW

# BESSEY Price list valid from April 1st, 2025



|   | Order no.   | Opening mm   | Throat depth mm | Rail mm | Barcode | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|---|--------------|-----------------|---------|---------|---------------|-----------------|---------------------|--------|
| <b>Clamping element with gripping arm TW28GRS</b>                                   |   |              |                 |         |         |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>Clamping force up to 5,000 N</li> <li>The spindle is located on the outside for free access to the work area and to protect against welding spatter</li> <li>Special, sturdy V-grooved pressure plate, ideal even for clamping round or square workpieces</li> <li>Pivotable and infinitely adjustable in terms of height</li> <li>Particularly suited to clamping with the tightest of space constraints, in narrow openings as well as for short projections</li> </ul>  | TW28GRS30-12 | 300             | 120     | 28 x 11 | 4008158036830 | 1               | V3                  | 132,67 |
| <b>Vario table clamping attachment TWVAD (2 pcs./bag)</b>                           |   |              |                 |         |         |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>Specifically adapted to round, oval and square workpieces</li> <li>Angle infinitely adjustable from 60° internal to 60° external</li> </ul>  | TW16VAD      |                 |         |         | 4008158038728 | 1               | V3                  | 44,07  |
|    | <ul style="list-style-type: none"> <li>Various design versions:</li> <li>TW16VAD/TW28VAD – version with bolt – for rapidly aligning and fixing the workpiece to the welding table</li> </ul>  | TW28VAD      |                 |         |         | 4008158036908 | 1               | V3                  | 45,55  |
|    | <ul style="list-style-type: none"> <li>TWWAD – version without bolt – for variable movement on the welding table</li> </ul>   | TWWAD        |                 |         |         | 4008158036915 | 1               | V3                  | 34,14  |
| <b>Toggle clamp adapter TWA-STC</b>   |   |              |                 |         |         |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>Accessory for BESSEY STC toggle clamp with horizontal base plate</li> <li>With bolt – for use directly on the welding table</li> <li>Without bolt – for screwing to the extension TWX</li> </ul>   | TW16A-STC    |                 |         |         | 4008158038711 | 1               | V3                  | 27,51  |
|   |   | TW28A-STC    |                 |         |         | 4008158036922 | 1               | V3                  | 28,78  |
| <b>Extension TWX</b>  |   |              |                 |         |         |               |                 |                     |        |
|  | <ul style="list-style-type: none"> <li>Accessory for BESSEY toggle clamp adapter TWA-STC, TWVAD and TW28AV</li> <li>Lowering of round workpieces is infinitely adjustable using the adjusting ring in the table</li> </ul>  | TW16X        | 300             |         |         | 4008158038735 | 1               | V3                  | 22,50  |
|   |   | TW28X        | 300             |         |         | 4008158036939 | 1               | V3                  | 36,32  |
| <b>Tilting adapter TW28AV</b>   |   |              |                 |         |         |               |                 |                     |        |
|  | <ul style="list-style-type: none"> <li>Clamping force up to 3,000 N</li> <li>Accessory for BESSEY extension TW28X</li> <li>Pivoting spindles with stepless adjustment from -52° to +52°</li> <li>Lockable trapezoidal nut for secure fastening of the workpiece</li> <li>High quality, 2-component plastic grip with long spindle</li> </ul>  | TW28AV       | 160             |         |         | 4008158038742 | 1               | V3                  | 82,66  |
| <b>BAS-C compact clamp, fixing hole open</b>  |   |              |                 |         |         |               |                 |                     |        |
|  | <ul style="list-style-type: none"> <li>Clamping force up to 16,000 N</li> <li>Space-saving construction, thus up to 30 % smaller than comparable competitive models</li> <li>Housing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durable</li> <li>Available in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spaces</li> <li>BAS-C with open fixing hole and BAS-CB with closed fixing hole for M 10 / M 12</li> </ul> | BAS-C9-4     | 88              | 40      |         | 4008158021812 | 1               | V3                  | 323,80 |
|   |   | BAS-C10-6    | 97              | 60      |         | 4008158021805 | 1               | V3                  | 335,34 |
|   |   | BSP-C10-6    | 97              | 60      |         | 4008158021829 | 1               | V3                  | 334,42 |

|  | Order no.   | Opening mm | Throat depth mm | Rail mm | Barcode    | PU qty.       | Dis-count group | Price per piece EUR |        |
|--|---|------------|-----------------|---------|------------|---------------|-----------------|---------------------|--------|
| <b>BAS-CB compact clamp, fixing hole closed</b>  |   |            |                 |         |            |               |                 |                     |        |
|  <p>BAS-CB9-4<br/>BAS-CB10-6<br/>BSP-CB10-6</p> | <ul style="list-style-type: none"> <li>Clamping force up to 16,000 N</li> <li>Space-saving construction, thus up to 30 % smaller than comparable competitive models</li> <li>Housing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durable</li> <li>Available in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spaces</li> <li>BAS-C with open fixing hole and BAS-CB with closed fixing hole for M 10 / M 12</li> </ul>   | BAS-CB9-4  | 88              | 40      |            | 4008158021843 | 1               | V3                  | 323,80 |
|  |   | BAS-CB10-6 | 97              | 60      |            | 4008158021836 | 1               | V3                  | 335,34 |
|  |   | BSP-CB10-6 | 97              | 60      |            | 4008158021850 | 1               | V3                  | 334,42 |
| <b>Base unit BASO</b>  |   |            |                 |         |            |               |                 |                     |        |
|   | <ul style="list-style-type: none"> <li>80 mm extension</li> <li>Stackable</li> <li>Fastening hole open, including cheese head screw</li> <li>Suitable for all BESSEY BAS clamps</li> </ul>  | BASO       | 80              |         |            | 4008158019031 | 1               | V3                  | 102,19 |
| <b>Hold down table clamps BS</b>   |   |            |                 |         |            |               |                 |                     |        |
|   | <ul style="list-style-type: none"> <li>Clamping force up to 10,000 N</li> <li>Tilting and infinitely height-adjustable</li> <li>For drilling and light milling work</li> <li>Lever mechanism for rapid clamping and release</li> </ul>  | BS2N       | 200             | 100     | 19,5 x 9,5 | 4008158018133 | 1               | V3                  | 153,79 |
|  |   | BS3N       | 200             | 120     | 22 x 10,5  | 4008158018140 | 1               | V3                  | 174,69 |
|  |   | BS4N       | 200             | 120     | 28 x 11    | 4008158018157 | 1               | V3                  | 191,01 |
|  |   | BS5N       | 240             | 140     | 30 x 15    | 4008158018164 | 1               | V3                  | 223,90 |
|  |   | BS6N       | 500             | 140     | 30 x 15    | 4008158031729 | 1               | V3                  | 333,51 |
| <b>Claw machine clamp GRS</b>  |   |            |                 |         |            |               |                 |                     |        |
|   | <ul style="list-style-type: none"> <li>Clamping force up to 7,500 N</li> <li>Swivelling, vertically infinitely adjustable clamp</li> <li>Externally-positioned spindle to allow unobstructed access to the work area and clamping in confined spaces</li> <li>For drilling and light milling work</li> </ul>  | GRS20-12   | 200             | 123-140 | 28 x 11    | 4008158035840 | 1               | V3                  | 192,51 |
| <b>Hold down table clamps BSG</b>  |   |            |                 |         |            |               |                 |                     |        |
|   | <ul style="list-style-type: none"> <li>Clamping force up to 12,000 N</li> <li>For fastening to tables and other equipment</li> <li>Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> </ul>  | BSG21-14   | 210             | 140     | 30 x 15    | 4008158027135 | 1               | V3                  | 150,82 |
| <b>Vertical toggle clamp with open arm and horizontal base plate STC-VH</b>  |   |            |                 |         |            |               |                 |                     |        |
|   | <ul style="list-style-type: none"> <li>Lever is in vertical clamping position</li> <li>Automatic, seamless adjustment of the clamping height up to 35 mm with almost constant clamping force – without manual changing of the pressing screw position</li> <li>Adjustable clamping force up to 2,500 N, based on the adjusting screw in the joint</li> <li>Sturdy, tempered sheet steel for longer service life</li> <li>Base plate hole pattern suitable for millimetres and inches</li> <li>High-quality, oil-resistant two-component plastic handle</li> </ul>   | STC-VH20   | 35              |         |            | 4008158036984 | 6               | V3                  | 31,05  |
|  |   | STC-VH50   | 40              |         |            | 4008158036991 | 6               | V3                  | 33,23  |
| <b>Horizontal toggle clamp with open arm and horizontal base plate STC-HH</b>  |   |            |                 |         |            |               |                 |                     |        |
|   | <ul style="list-style-type: none"> <li>In the clamped position, the lever is horizontal</li> <li>Automatic and infinitely variable adjustment of the clamping height up to 35 mm while clamping force remains unchanged – without having to make manual changes to the position of the pressure screws</li> <li>Clamping force is variable up to 2,500 N depending on the adjustment of the set screw in the cantilevered joint</li> <li>Sturdy, tempered metal sheets for a long service life</li> <li>Hole pattern on the base plate designed to facilitate fast and secure clamping set-up for metric and imperial</li> <li>High-quality oil resistant two-component plastic handle</li> </ul> | STC-HH20   | 35              |         |            | 4008158036212 | 6               | V3                  | 30,49  |
|  |   | STC-HH20SB | 35              |         |            | 4008158036748 | 3               | V3                  | 31,63  |
|  |   | STC-HH50   | 40              |         |            | 4008158035734 | 6               | V3                  | 33,23  |
|  |   | STC-HH50SB | 40              |         |            | 4008158036755 | 3               | V3                  | 34,37  |
|  |   | STC-HH70   | 60              |         |            | 4008158035741 | 6               | V3                  | 34,14  |
|  |   | STC-HH70SB | 60              |         |            | 4008158036762 | 3               | V3                  | 35,28  |

# BESSEY Price list valid from April 1st, 2025







|   | Order no.     | Opening mm | Throat depth mm | Rail mm | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|---------------|------------|-----------------|---------|---------------|---------|-----------------|---------------------|
| <b>Push/pull clamp with horizontal base plate STC-IHH</b>   |               |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Moving the handle moves the push-pull rod</li> <li>• Automatic and infinitely variable adjustment of the clamping height up to 13 mm while clamping force remains unchanged – without having to make manual changes to the position of the pressure screws</li> <li>• Adjustable clamping force up to 2,500 N, based on the adjusting screw in the joint</li> <li>• Sturdy, tempered metal sheets for a long service life</li> <li>• Base plate hole pattern suitable for millimetres and inches</li> <li>• High-quality oil resistant two-component plastic handle</li> </ul>   | STC-IHH15     | 25         |                 |         | 4008158036243 | 6       | V3              | 31,17               |
|   | STC-IHH25     | 35         |                 |         | 4008158035758 | 6       | V3              | 34,94               |
|   | STC-IHH25SB   | 35         |                 |         | 4008158036779 | 3       | V3              | 36,08               |
| <b>STC accessory set for multifunction tables</b>   |               |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm</li> </ul>  | STC-HH50-T20  | 40         |                 |         | 4008158040301 | 1       | V3              | 46,47               |
|   | STC-HH70-T20  | 60         |                 |         | 4008158040318 | 1       | V3              | 47,39               |
|   | STC-IHH25-T20 | 35         |                 |         | 4008158040325 | 1       | V3              | 48,18               |
|   | STC-VH50-T20  | 40         |                 |         | 4008158040332 | 1       | V3              | 46,47               |
| <b>Adapter for multifunction tables STC-SET-T20</b>   |               |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm</li> </ul>   | STC-SET-T20   |            |                 |         | 4008158040288 | 10      | V3              | 13,25               |
| <b>Vario K Body REVO parallel clamp KREV</b>  |               |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 8,000 N</li> <li>• Very large parallel clamping surfaces with 3 removable pressure caps</li> <li>• Metal-reinforced plastic housing and optimised sliding arm with double slide protection for more power and safety: The set clamping force is maintained and the sliding arm cannot unintentionally slip in the unclamped condition</li> <li>• Can be converted without tools for spreading tasks</li> <li>• High-quality 2-component symmetrical plastic handle with hexagon socket for the comfortable application of the clamping force (max. torque 17 Nm)</li> <li>• With continuously adjustable and fixable upper section for optimum positioning on the workpiece</li> </ul> | KREV100-2K    | 1000       | 95              | 29 x 9  | 4008158040202 | 2       | V3              | 110,19              |
|   | KREV150-2K    | 1500       | 95              | 29 x 9  | 4008158040219 | 2       | V3              | 135,30              |
|   | KREV200-2K    | 2000       | 95              | 29 x 9  | 4008158040226 | 2       | V3              | 160,30              |
|   | KREV250-2K    | 2500       | 95              | 29 x 9  | 4008158040233 | 2       | V3              | 185,31              |
| <b>K Body REVO parallel clamp KRE</b>   |               |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 8,000 N</li> <li>• Very large parallel clamping surfaces with 3 removable pressure caps</li> <li>• Metal-reinforced plastic housing and optimised sliding arm with double slide protection for more power and safety: The set clamping force is maintained and the sliding arm cannot unintentionally slip in the unclamped condition</li> <li>• Can be converted without tools for spreading tasks</li> <li>• High-quality 2-component symmetrical plastic handle with hexagon socket for the comfortable application of the clamping force (max. torque 17 Nm)</li> </ul>   | KRE30-2K      | 300        | 95              | 29 x 9  | 4008158040127 | 2       | V3              | 65,88               |
|   | KRE60-2K      | 600        | 95              | 29 x 9  | 4008158040134 | 2       | V3              | 81,18               |
|   | KRE80-2K      | 800        | 95              | 29 x 9  | 4008158040141 | 2       | V3              | 92,59               |
|   | KRE100-2K     | 1000       | 95              | 29 x 9  | 4008158040158 | 2       | V3              | 102,87              |
|   | KRE125-2K     | 1250       | 95              | 29 x 9  | 4008158040165 | 2       | V3              | 115,66              |
|   | KRE150-2K     | 1500       | 95              | 29 x 9  | 4008158040172 | 2       | V3              | 127,65              |
|   | KRE200-2K     | 2000       | 95              | 29 x 9  | 4008158040189 | 2       | V3              | 152,31              |
|   | KRE250-2K     | 2500       | 95              | 29 x 9  | 4008158040196 | 2       | V3              | 178,23              |











|   | Order no.   | Opening mm | Throat depth mm | Rail mm | Barcode    | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|---|------------|-----------------|---------|------------|---------------|-----------------|---------------------|--------|
| <b>K Body REVO clamp Set KRE-SET-A</b>  |   |            |                 |         |            |               |                 |                     |        |
|    | • Includes:<br>4x KRE100-2K<br>2 x KR-AS<br>1 x KP<br>1 x KBX20<br>4 x TK6  | KRE-SET-A  | 1000            | 95      | 29 x 9     | 4010220024553 | 1               | V3                  | 527,04 |
| <b>Variable jaw KRE-VO</b>  |   |            |                 |         |            |               |                 |                     |        |
|    | • Steplessly adjustable and fixable upper section for improved workpiece positioning<br>• Very large parallel clamping surfaces<br>• With 2 pressure caps to protect delicate surfaces<br>• Can be converted to spreading function with no need for tools   | KRE-VO     |                 |         |            | 4008158040240 | 12              | V3                  | 25,69  |
| <b>Framing set KP</b>   |   |            |                 |         |            |               |                 |                     |        |
|   | • KP Framing System (from 30 cm to 250 cm/12–98) with four 90° KP Blocks<br>• Separately adjustable clamping force with 2 inserted clamps per corner<br>• Lightweight / easy to assemble<br>• On carded hang pack   | KP         |                 |         |            | 4008158004549 | 12              | V3                  | 36,88  |
| <b>Tilting K Body clamp adapter KR-AS (2 pcs./bag)</b>                              |   |            |                 |         |            |               |                 |                     |        |
|  | • Adapter with tilting clamping jaws with a tilt range of -15° to +15°<br>• Clamping on sloping and parallel surfaces<br>• On carded hang pack  | KR-AS      |                 |         |            | 4008158032542 | 12              | V3                  | 17,01  |
| <b>K Body parallel clamp extender KBX</b>   |   |            |                 |         |            |               |                 |                     |        |
|  | • Connect any two K Body parallel clamps to increase the clamping capacity. The connector is made of robust aluminum.<br>• On carded hang pack  | KBX20      |                 |         |            | 4008158034997 | 12              | V3                  | 24,09  |
| <b>Table clamp</b>  |   |            |                 |         |            |               |                 |                     |        |
|  | • Especially for DIY applications and domestic appliances<br>• Special accessory for angle clamps WS 3/WS 6, screw clamp S 10 and K Body REVO parallel clamps KRE/KREV and KR/KRV to hold them to a work surface edge   | TK6        | 60              | 22      |            | 4008158015255 | 50              | V3                  | 5,14   |
|   |   | RB269      | 60              | 28      |            | 4008158026077 | 25              | V3                  | 10,85  |
|   |   | LM10/5R8   | 100             | 50      |            | 4008158032238 | 50              | V3                  | 24,89  |
|   |   | LM15/5R8   | 150             | 50      |            | 4008158032245 | 50              | V3                  | 25,69  |
| <b>Lightweight parallel clamp UK UniKlapp</b>                                       |   |            |                 |         |            |               |                 |                     |        |
|  | • Clamping force up to 1,500 N<br>• Parallel jaw faces with extra-large contact surfaces<br>• Clamping of various shapes, along the whole length of the rail<br>• Universally applicable<br>• Light and easy-to-handle<br>• No need for tools for switching between clamping and spreading<br>• On carded hang pack | UK16       | 160             | 80      | 20 x 5     | 4008158027197 | 6               | V3                  | 25,45  |
|   |   | UK30       | 300             | 80      | 20 x 5     | 4008158027203 | 6               | V3                  | 25,80  |
|   |   | UK60       | 600             | 80      | 20 x 5     | 4008158027210 | 6               | V3                  | 27,41  |
|   |   | UK80       | 800             | 80      | 20 x 5     | 4008158405346 | 6               | V3                  | 31,97  |
|   |   | UK100      | 1000            | 80      | 20 x 5     | 4008158035772 | 6               | V3                  | 33,69  |
| <b>Area pressure clamps FK</b>  |   |            |                 |         |            |               |                 |                     |        |
|  | • Clamping force up to 5,000 N<br>• 2 large, tilting jaw faces<br>• For workpieces with a sloping contact surface<br>• Large-area clamping of all workpieces from both sides  | FK16-8     | 160             | 80      | 16 x 7,5   | 4008158000909 | 10              | V3                  | 42,59  |
|   |   | FK20-10    | 200             | 100     | 19,5 x 9,5 | 4008158000923 | 10              | V3                  | 54,13  |
|   |   | FK40-10    | 400             | 100     | 19,5 x 9,5 | 4008158000930 | 5               | V3                  | 61,20  |

NEW








# BESSEY Price list valid from April 1st, 2025










|   | Order no.   | Opening mm  | Throat depth mm | Rail mm       | Barcode    | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|---|-------------|-----------------|---------------|------------|---------------|-----------------|---------------------|--------|
| <b>Box clamp KS</b>   |   |             |                 |               |            |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>Clamping force up to 5,000 N</li> <li>Infinitely adjustable clamping jaws</li> <li>Clamp on angled and parallel surfaces</li> </ul>  | KS100       | 200-1000        | 16            |            | 4008158032054 | 1               | V3                  | 138,26 |
|   |   | KS150       | 200-1500        | 16            |            | 4008158032061 | 1               | V3                  | 154,37 |
|   | • Extension   | KSV         | 1000            |               |            | 4008158032078 | 1               | V3                  | 69,76  |
| <b>GearKlamp GK</b>   |   |             |                 |               |            |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>High-quality two-component plastic handle positioned around the rail, so clamp can be used in tight spaces</li> <li>Clamping force up to 2,000 N</li> <li>Easy-to-move trapezoidal thread spindle with swivelling pressure plate</li> <li>Quick-release shift button to quickly adjust sliding bar</li> <li>On carded hang-pack</li> </ul>   | GK15        | 150             | 60            | 19 x 6     | 4008158040844 | 6               | V3                  | 31,40  |
|   |   | GK30        | 300             | 60            | 19 x 6     | 4008158040813 | 6               | V3                  | 34,14  |
|   |   | GK45        | 450             | 60            | 19 x 6     | 4008158040820 | 6               | V3                  | 36,65  |
|   |   | GK60        | 600             | 60            | 19 x 6     | 4008158040837 | 6               | V3                  | 40,76  |
| <b>One-handed clamp EHZ with 2-component handle</b>                                 |   |             |                 |               |            |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>Clamping force of up to 3,500 N</li> <li>Clamp and fix in place quickly and simply with just one hand</li> <li>With protection caps on the clamping surfaces</li> <li>On carded hang pack</li> </ul>   | EHZ30-2K    | 300             | 100           | 19,5 x 9,5 | 4008158030661 | 6               | V2                  | 55,26  |
|   |   | EHZ60-2K    | 600             | 100           | 19,5 x 9,5 | 4008158030692 | 6               | V2                  | 66,91  |
| <b>One-handed clamp with rotating handle EZ360</b>                                  |   |             |                 |               |            |               |                 |                     |        |
|   | <ul style="list-style-type: none"> <li>Innovative 360° rotating mechanism allows the handle unit to be placed around the rail</li> <li>12-step latching mechanism to securely hold the selected handle position</li> <li>Large clamping surfaces with removable protective caps</li> <li>Clamping force up to 1,400 N</li> <li>Can be repositioned for spreading – without tools thanks to simple release mechanism by push-button on the top part</li> <li>One-handed operation with little effort required</li> <li>On carded hang pack</li> </ul>        | EZ360-15    | 150             | 80            | 18 x 5     | 4008158041988 | 6               | V3                  | 31,57  |
|   |   | EZ360-30    | 300             | 80            | 18 x 5     | 4008158041995 | 6               | V3                  | 34,02  |
|   |   | EZ360-45    | 450             | 80            | 18 x 5     | 4008158042008 | 6               | V3                  | 36,92  |
|   |   | EZ360-60    | 600             | 80            | 18 x 5     | 4008158042015 | 6               | V3                  | 40,34  |
| <b>One-handed clamp EZ</b>  |   |             |                 |               |            |               |                 |                     |        |
|  | <ul style="list-style-type: none"> <li>Clamping force up to 2,700 N</li> <li>Conversion for spreading – tool-free with EZM, EZL, EZXL thanks to simple release mechanism at the touch of a button on the top section</li> <li>Ergonomically shaped 2-component plastic handle with pump mechanism and integrated release lever behind the rail</li> <li>Protective caps with cross prism on the top for securely holding round, pointed and angular parts</li> <li>One-handed operation with little effort required</li> <li>On carded hang pack</li> </ul> | EZS11-4SET  | 110             | 40            | 7 x 2,5    | 4008158041117 | 10              | V3                  | 17,36  |
|   |   | EZM15-6     | 150             | 60            | 14 x 5     | 4008158041124 | 6               | V3                  | 18,16  |
|   |   | EZM30-6     | 300             | 60            | 14 x 5     | 4008158041131 | 6               | V3                  | 20,21  |
|   |   | EZL15-8     | 150             | 80            | 18 x 5     | 4008158041148 | 6               | V3                  | 24,89  |
|   |   | EZL30-8     | 300             | 80            | 18 x 5     | 4008158041155 | 6               | V3                  | 27,51  |
|   |   | EZL45-8     | 450             | 80            | 18 x 5     | 4008158041162 | 6               | V3                  | 29,46  |
|   |   | EZL60-8     | 600             | 80            | 18 x 5     | 4008158041179 | 6               | V3                  | 33,23  |
|   |   | EZM-EZL-SET | 150             | 60            | 14 x 5     | 4008158041377 | 4               | V3                  | 91,34  |
|   |   |             | 300             | 80            | 18 x 5     |               |                 |                     |        |
|   |   | EZXL30-9    | 300             | 90            | 22 x 8     | 4008158041209 | 6               | V3                  | 38,14  |
|   |   | EZXL60-9    | 600             | 90            | 22 x 8     | 4008158041223 | 6               | V3                  | 45,89  |
| EZXL90-9  | 900   | 90          | 22 x 8          | 4008158041230 | 6          | V3            | 52,17           |                     |        |
| <b>Installation kit for EZ-TD decking boards EZ-TD</b>                              |   |             |                 |               |            |               |                 |                     |        |
|  | <ul style="list-style-type: none"> <li>Accessories for BESSEY EZ360 and EZL one-hand clamps (from 300 mm span)</li> <li>For fast and precise spreading of decking boards up to 20 cm wide</li> <li>For 6, 7, 8 and 10 mm (1/4", 9/32", 5/16" and 3/8") spacing between decking boards</li> <li>Tool-free assembly</li> <li>On carded hang pack</li> <li>Content: <ul style="list-style-type: none"> <li>4 x special protective cap</li> <li>10 x spacer</li> </ul> </li> </ul>  | EZ-TD       |                 |               |            | 4008158050805 | 6               | V3                  | 15,24  |

NEW











|  | Order no. | Opening mm | Throat depth mm | Rail mm | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|--|-----------|------------|-----------------|---------|---------------|---------|-----------------|---------------------|
| <b>One-handed clamp EZS</b>  |           |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 2,000 N</li> <li>• No tools required for spreading thanks to intelligent release mechanism in upper section</li> <li>• Ergonomically shaped 2-component plastic handle behind the rail</li> <li>• On carded hang pack</li> </ul>   | EZS15-8   | 150        | 80              | 19 x 6  | 4008158034584 | 6       | V3              | 29,69               |
|  | EZS30-8   | 300        | 80              | 19 x 6  | 4008158034591 | 6       | V3              | 33,10               |
|  | EZS45-8   | 450        | 80              | 19 x 6  | 4008158034607 | 6       | V3              | 35,62               |
|  | EZS60-8   | 600        | 80              | 19 x 6  | 4008158034614 | 6       | V3              | 39,97               |
|  | EZS90-8   | 900        | 80              | 19 x 6  | 4008158035000 | 6       | V3              | 45,21               |
| <b>One-handed clamp DuoKlamp DUO</b>   |           |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 1,200 N</li> <li>• Change from clamping to spreading by switching, not converting</li> <li>• Handle with pump lever parallel to the rail</li> <li>• Convenient one-handed operation, with little effort required</li> <li>• All-round clamping – in front of, behind and at the side of the rail</li> <li>• On carded hang pack</li> </ul> | DUO16-8   | 160        | 85              | 20 x 5  | 4008158028521 | 6       | V3              | 30,15               |
|  | DUO30-8   | 300        | 85              | 20 x 5  | 4008158028538 | 6       | V3              | 33,34               |
|  | DUO45-8   | 450        | 85              | 20 x 5  | 4008158028545 | 6       | V3              | 36,31               |
|  | DUO65-8   | 650        | 85              | 20 x 5  | 4008158028552 | 6       | V3              | 40,42               |
| <b>Rafter clamp SPZ</b>  |           |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 12,000 N</li> <li>• For all roofing and timber frame constructions</li> <li>• SPZ 80 K with 17 mm hexagonal bolt and heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°</li> </ul>  | SPZ60K    | 600        | 120             | 27 x 13 | 4008158026930 | 5       | V2              | 122,39              |
|  | SPZ80K    | 800        | 140             | 30 x 15 | 4008158027425 | 2       | V2              | 191,47              |
| <b>Special pressure plate for SPZ80K</b>   |           |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Smooth faced (standard version)</li> <li>• Rough faced for secure clamping on dirty surfaces</li> <li>• V-groove face for round, oval and edged workpieces</li> </ul>   | 3100736   |            |                 |         | 4008158031668 | 1       | V3              | 25,35               |
|  | 3101192   |            |                 |         | 4008158030968 | 1       | V3              | 28,43               |
|  | 3101193   |            |                 |         | 4008158030975 | 1       | V3              | 28,43               |
| <b>High-tech lever clamp KliKlamp KLI</b>  |           |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 1,200 N</li> <li>• Feather light yet ultra strong</li> <li>• Sturdy fixed and sliding arms made from lightweight magnesium</li> <li>• Quick and vibration free clamping</li> <li>• On carded hang pack</li> </ul>  | KLI12     | 120        | 80              | 20 x 5  | 4008158027227 | 6       | V3              | 27,74               |
|  | KLI16     | 160        | 80              | 20 x 5  | 4008158027234 | 6       | V3              | 28,65               |
|  | KLI20     | 200        | 80              | 20 x 5  | 4008158027241 | 6       | V3              | 29,34               |
|  | KLI25     | 250        | 80              | 20 x 5  | 4008158027258 | 6       | V3              | 30,71               |
|  | KLI30     | 300        | 80              | 20 x 5  | 4008158028743 | 6       | V3              | 31,63               |
|  | KLI40     | 400        | 80              | 20 x 5  | 4008158028750 | 10      | V3              | 34,02               |
| <b>High-tech lever clamp KliKlamp set in systainer KLI-S</b>   |           |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Practical systainer T-Loc, stackable</li> <li>• Ideal for assembly work</li> </ul>  | KLI-S     |            |                 |         | 4008158027296 | 1       | V3              | 545,19              |
| <b>High-tech lever clamp KliKlamp counter display KLI-D</b>  |           |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Professional sales display</li> <li>• Optimum presentation of the KliKlamp</li> </ul>   | KLI-D     |            |                 |         | 4008158027302 | 1       | V3              | 469,03              |
| <b>Light duty bar clamp U-style LMU</b>  |           |            |                 |         |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 1,500 N</li> <li>• Step-over clamping</li> <li>• Comes with two protective caps</li> <li>• Small and easy to handle</li> <li>• Light weight</li> </ul>   | LMU10/5   | 100        | 50              | 15 x 5  | 4008158032559 | 24      | V1              | 9,82                |
|  | LMU15/5   | 150        | 50              | 15 x 5  | 4008158032566 | 24      | V1              | 10,17               |
|  | LMU20/5   | 200        | 50              | 15 x 5  | 4008158032573 | 24      | V1              | 10,62               |

# BESSEY Price list valid from April 1st, 2025







|   | Order no. | Opening mm | Throat depth mm | Rail mm       | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|-----------|------------|-----------------|---------------|---------------|---------|-----------------|---------------------|
| <b>Die-cast zinc screw clamp LM</b>   |           |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Clamping force up to 1,500 N</li> <li>• Clamping arms manufactured in toughened die cast zinc black powder coated to prevent chemical corrosion</li> <li>• Comes with protective cap</li> <li>• Small and easy to handle</li> <li>• Light weight</li> </ul>  | LM10/5    | 100        | 50              | 15 x 5        | 4008158004600 | 10      | V1              | 11,64               |
|   | LM15/5    | 150        | 50              | 15 x 5        | 4008158004723 | 10      | V1              | 11,99               |
|   | LM20/5    | 200        | 50              | 15 x 5        | 4008158005485 | 10      | V1              | 12,10               |
|   | LM25/5    | 250        | 50              | 15 x 5        | 4008158005607 | 10      | V1              | 13,70               |
|   | LM30/5    | 300        | 50              | 15 x 5        | 4008158005898 | 10      | V1              | 13,81               |
|   | LM15/8    | 150        | 80              | 20 x 5        | 4008158004853 | 10      | V1              | 19,29               |
|   | LM20/8    | 200        | 80              | 20 x 5        | 4008158006147 | 10      | V1              | 20,21               |
|   | LM25/8    | 250        | 80              | 20 x 5        | 4008158005676 | 10      | V1              | 21,12               |
|   | LM30/8    | 300        | 80              | 20 x 5        | 4008158005966 | 10      | V1              | 21,59               |
|   | LM20/10   | 200        | 100             | 25 x 6        | 4008158005430 | 10      | V1              | 31,97               |
|   | LM25/10   | 250        | 100             | 25 x 6        | 4008158006246 | 10      | V1              | 33,00               |
|   | LM30/10   | 300        | 100             | 25 x 6        | 4008158005829 | 10      | V1              | 34,25               |
|   | LM40/10   | 400        | 100             | 25 x 6        | 4008158006031 | 10      | V1              | 36,65               |
|   | LM50/10   | 500        | 100             | 25 x 6        | 4008158006321 | 10      | V1              | 38,82               |
| LM60/10   | 600       | 100        | 25 x 6          | 4008158006413 | 10            | V1      | 41,79           |                     |
| LM80/10   | 800       | 100        | 25 x 6          | 4008158006475 | 10            | V1      | 45,44           |                     |
| <b>Wood Klemmy HKL</b>  |           |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Upper and lower arms and lever made from high-quality hardwood</li> <li>• Cork pads for gentle clamping</li> </ul>  | HKL20     | 200        | 110             | 20 x 5        | 4008158026831 | 10      | V1              | 16,21               |
|   | HKL30     | 300        | 110             | 20 x 5        | 4008158026848 | 10      | V1              | 17,92               |
|   | HKL40     | 400        | 110             | 20 x 5        | 4008158026855 | 10      | V1              | 20,09               |
|   | HKL60     | 600        | 110             | 20 x 5        | 4008158026862 | 10      | V1              | 22,83               |
|   | HKL80     | 800        | 110             | 20 x 5        | 4008158026879 | 10      | V1              | 24,09               |
|   | HKL100    | 1000       | 110             | 20 x 5        | 4008158026886 | 10      | V1              | 25,91               |
| <b>Aluminium mini clamp AM</b>  |           |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Ideal for modelling and hobbyists</li> <li>• Low weight of just 55 g</li> </ul>  | AM4       | 47         | 34              |               | 4008158001449 | 100     | V3              | 6,62                |
| <b>Parallel screw clamp PA</b>  |           |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Twin spindles</li> <li>• Precisely parallel positioning of the jaw faces</li> </ul>  | PA28      | 36         | 19              |               | 4008158005362 | 50      | V3              | 13,81               |
|   | PA40      | 46         | 26              |               | 4008158005386 | 50      | V3              | 16,55               |
|   | PA55      | 60         | 35              |               | 4008158006802 | 50      | V3              | 20,55               |
|   | PA70      | 87         | 50              |               | 4008158006826 | 20      | V3              | 28,32               |
|   | PA105     | 116        | 72              |               | 4008158005348 | 20      | V3              | 38,14               |
| <b>Mini Vice S 10</b>   |           |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Low weight</li> <li>• Parallel clamping with guide rods</li> <li>• Clamping at an angle without guide rods (max. 25°)</li> <li>• Easy to attach, with 2 table clips supplied</li> <li>• On carded hang pack</li> </ul>   | S10-ST    | 100        |                 |               | 4008158001401 | 10      | V3              | 30,71               |
| <b>Table clamp</b>  |           |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Especially for DIY applications and domestic appliances</li> <li>• Special accessory for angle clamps WS 3/WS 6, screw clamp S 10 and K Body REVO parallel clamps KRE/KREV and KR/KRV to hold them to a work surface edge</li> </ul>   | TK6       | 60         | 22              |               | 4008158015255 | 50      | V3              | 5,14                |
|   | RB269     | 60         | 28              |               | 4008158026077 | 25      | V3              | 10,85               |
|   | LM10/5R8  | 100        | 50              |               | 4008158032238 | 50      | V3              | 24,89               |
|   | LM15/5R8  | 150        | 50              |               | 4008158032245 | 50      | V3              | 25,69               |
| <b>One-handed table clamp EZR (2 pcs./package)</b>  |           |            |                 |               |               |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• For fixing guide rails of the brands Festool, Protool, Metabo, Makita, Hitachi/Hikoki, Dewalt etc. (groove dimensions 12 x 6.5 mm to 12 x 8 mm) as well as of the brands Bosch and Mafell thanks to slide-on adapter (groove dimensions 12 x 1.8 mm)</li> <li>• For clamping in profiles as well as on work tables</li> <li>• Can be used as a normal one-handed clamp for clamping - also overlapping - and spreading</li> <li>• Clamping force up to 750 N</li> <li>• Ergonomically shaped 2-part plastic handle with pump lever behind the rail</li> <li>• On carded hang pack</li> </ul> | EZR15ET   | 150        | 60              | 14 x 5        | 4008158042992 | 8       | V3              | 51,89               |

|   | Order no.  | Opening mm | Throat depth mm | Rail mm | Barcode    | PU qty.       | Dis-count group | Price per piece EUR |       |
|---|--|------------|-----------------|---------|------------|---------------|-----------------|---------------------|-------|
| <b>All-steel table clamp GTR</b>  |  |            |                 |         |            |               |                 |                     |       |
|    | <ul style="list-style-type: none"> <li>Specially forged fixed arm for 12 x 8 mm grooves</li> <li>For secure fastening of guide rails from Festool, Protool, Metabo, Makita, Hitachi/Hikoki, etc. and for clamping in profiles as well as work tables• Clamping force up to 1,800 N</li> <li>Ergonomically shaped wooden handle</li> <li>GTR12SET: On carded hang pack</li> </ul>   | GTR12      | 120             | 60      | 13,5 x 6,5 | 4008158018126 | 10              | V2                  | 20,55 |
|   |  | GTR12SET   | 120             | 60      | 13,5 x 6,5 | 4008158039374 | 5               | V2                  | 41,10 |
|   |  | GTR16B6    | 160             | 60      | 13,5 x 6,5 | 4008158037165 | 10              | V2                  | 22,27 |
|   |  | GTR30B6    | 300             | 60      | 13,5 x 6,5 | 4008158038780 | 10              | V2                  | 25,11 |
| <b>All-steel table clamp GTRH with lever handle</b>                                 |  |            |                 |         |            |               |                 |                     |       |
|    | <ul style="list-style-type: none"> <li>Specially forged fixed arm for 12 x 8 mm grooves</li> <li>For secure fastening of guide rails from Festool, Protool, Metabo, Makita, Hitachi/Hikoki, etc. and for clamping in profiles as well as work tables</li> <li>Rapid – up to 5 times faster than conventional clamps</li> <li>Secure – unaffected by vibrations</li> <li>Strong – clamping force up to 2.400 N</li> </ul> | GTR16S6H   | 160             | 60      | 13,5 x 6,5 | 4008158035277 | 10              | V2                  | 53,78 |
| <b>Spring clamp VarioClippix XV</b>   |  |            |                 |         |            |               |                 |                     |       |
|    | <ul style="list-style-type: none"> <li>Variable opening width up to 100 mm, yet can be operated with one hand</li> <li>Lightweight, functional and easy to handle</li> <li>Extremely sturdy</li> <li>On carded hang pack</li> </ul>  | XV3-50     | 55              | 37      |            | 4008158028569 | 12              | V3                  | 7,99  |
|   |  | XV5-100    | 100             | 50      |            | 4008158028576 | 12              | V3                  | 10,17 |
| <b>Spring clamp VarioClippix XV</b>   |  |            |                 |         |            |               |                 |                     |       |
|   | <ul style="list-style-type: none"> <li>Variable opening width up to 170 mm, yet can be operated with one hand</li> <li>Lightweight, functional and easy to handle</li> <li>Extremely sturdy</li> <li>On carded hang pack</li> </ul>  | XV5-170    | 170             | 50      |            | 4008158031453 | 12              | V3                  | 11,08 |
| <b>Spring clamp Clippix XC</b>  |  |            |                 |         |            |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>Lightweight, functional and easy to handle</li> <li>Extremely sturdy</li> <li>XC1-SET – On carded hang pack</li> </ul>  | XC1        | 20              | 20      |            | 4008158031392 | 10              | V3                  | 1,71  |
|   |  | XC1-SET    | 20              | 20      |            | 4008158031408 | 12              | V3                  | 6,97  |
|   |  | XC2        | 25              | 30      |            | 4008158028583 | 10              | V3                  | 2,52  |
|   |  | XC3        | 35              | 37      |            | 4008158028590 | 10              | V3                  | 3,65  |
|   |  | XC5        | 50              | 50      |            | 4008158028606 | 10              | V3                  | 5,36  |
|   |  | XC7        | 75              | 70      |            | 4008158028613 | 10              | V3                  | 7,08  |
| <b>Needle nose spring clamp Clippix XCL</b>   |  |            |                 |         |            |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>Long, pointed clamping arm for working in tight spaces</li> <li>Large throat depth for clamping in borderless areas</li> <li>Soft, slip-proof grip pads</li> <li>XCL2-SET – On carded hang pack</li> </ul>  | XCL2       | 55              | 60      |            | 4008158031422 | 10              | V3                  | 3,99  |
|   |  | XCL2-SET   | 55              | 60      |            | 4008158031446 | 10              | V3                  | 6,84  |
|   |  | XCL5       | 70              | 110     |            | 4008158031439 | 10              | V3                  | 5,94  |
| <b>Spring clamp XM</b>  |  |            |                 |         |            |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>Tips and handles made of PVC prevent marring</li> <li>Heavy duty springs for firm grip and powerful clamping</li> <li>Corrosion resistant nickel plated</li> </ul>  | XM3EU      | 25              | 32      |            | 4008158041063 | 48              | V3                  | 3,30  |
|   |  | XM5EU      | 50              | 57      |            | 4008158041070 | 24              | V3                  | 4,91  |
|   |  | XM7EU      | 75              | 85      |            | 4008158041568 | 10              | V3                  | 7,88  |
| <b>Ratchet clamp XCR</b>  |  |            |                 |         |            |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>Ideal for light clamping work that requires a greater throat depth and for workpiece-friendly clamping</li> <li>Comfortable handling thanks to ergonomic 2-component plastic handle and one-hand operation</li> <li>Quick opening and closing thanks to robust ratchet mechanism</li> <li>Twice as strong compared to conventional spring clamps</li> </ul>                       | XCR2       | 55              | 50      |            | 4008158041728 | 6               | V3                  | 12,10 |
|   |  | XCR4       | 100             | 75      |            | 4008158041735 | 4               | V3                  | 14,50 |
| <b>Band clamp BAN 700</b>   |  |            |                 |         |            |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>Even pressure on mitre joints</li> <li>Crank handle can be relocated for right and left-handed users</li> <li>Contains: 1 band clamp, 4 Vario corners</li> <li>On carded hang pack</li> </ul>   | BAN700     |                 |         |            | 4008158023250 | 5               | V3                  | 53,78 |

# BESSEY Price list valid from April 1st, 2025








|   |   | Order no. | Opening mm | Throat depth mm | Rail mm | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|---|-----------|------------|-----------------|---------|---------------|---------|-----------------|---------------------|
| <b>Band clamp BAN 400</b>   |   |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Clamp right-angled workpieces with 4 plastic corners</li> <li>Even pressure at all 4 corners</li> <li>On carded hang pack</li> </ul>   | BAN400    |            |                 |         | 4008158031460 | 12      | V3              | 35,85               |
| <b>Vario corners BVE (6 pcs./bag)</b>   |   |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Infinite angle adjustment from 60-180°</li> <li>On carded hang pack</li> </ul>   | BVE       |            |                 |         | 4008158023267 | 6       | V3              | 15,99               |
| <b>Angle clamp WS</b>   |   |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Automatic adjustment to variously-sized workpieces</li> <li>Quick – clamp with a spindle</li> <li>Stable body</li> <li>For attaching with table clamp – available as an accessory</li> <li>WS 3 – on carded hang pack</li> </ul>               | WS3       | 2 x 55     |                 |         | 4008158010427 | 10      | V3              | 67,14               |
|   |   | WS6       | 2 x 100    |                 |         | 4008158010410 | 4       | V3              | 96,36               |
| <b>Angle clamp WS</b>   |   |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Clamp variously-sized workpieces with 2 spindles</li> <li>For light clamping work</li> <li>Made from die-cast zinc</li> <li>On carded hang pack</li> </ul>   | WS1       | 2 x 73     |                 |         | 4008158028255 | 12      | V3              | 10,62               |
| <b>Mitre clamping system MCX</b>  |   |           |            |                 |         |               |         |                 |                     |
|   | <ul style="list-style-type: none"> <li>Mitre system for 22.5°, 30°, 45° and 60° angles</li> <li>Even pressure on the mitre</li> <li>Angle adapter can be changed without tools</li> <li>Practical accessory for BESSEY screw clamps TG,GZ, GMZ, EHZ, EZS, DUO and EZL/EZXL</li> </ul> | MCX       | 100        |                 |         | 4008158032030 | 1       | V3              | 42,81               |
| <b>One-handed edge clamp EKT</b>  |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>For rapid one-handed operation</li> <li>Low weight</li> <li>Opening up to 55 mm</li> </ul>   | EKT55     | 10-55      | 45              |         | 4008158026473 | 1       | V3              | 76,84               |
| <b>Edge clamp Kantenfix KF</b>  |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>For quick one-handed operation</li> <li>Widths up to 80 mm</li> </ul>  | KF2       | 10-40      | 80              |         | 4008158031880 | 4       | V3              | 75,35               |
|   |   | KF4       | 10-80      | 110             |         | 4008158031897 | 4       | V3              | 162,24              |
| <b>Edge clamp KT</b>  |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Practical accessory for clamping edges and difficult to reach areas</li> <li>Suitable for conventional screw clamps with a max. rail thickness of 13 mm</li> </ul>   | KT5-1CP   |            |                 |         | 4008158026176 | 40      | V1              | 18,27               |
|   |   | KT5-2     |            |                 |         | 4008158004587 | 20      | V1              | 29,24               |
| <b>C-frame edge clamp KT</b>  |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Three-spindle C-frame clamp</li> <li>Extra strong, with forged frame</li> <li>Universally applicable within the fields of wood and metal processing</li> <li>Suitable for welding</li> </ul>   | KT8-3     | 80         | 80              |         | 4008158017600 | 5       | V3              | 107,21              |
| <b>Panel carrier KFP</b>  |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Load-bearing capacity 75 kg</li> <li>For the safe lifting and carrying of panels such as wood sheets, chipboard panels, glass and plexiglass</li> <li>High-friction rubber coating on the moving clamping jaws</li> </ul>                      | KFP       | 10-65      |                 |         | 4008158031903 | 2       | V3              | 141,46              |












|   | Order no.  | Opening mm     | Throat depth mm | Rail mm | Barcode       | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|--|----------------|-----------------|---------|---------------|---------------|-----------------|---------------------|--------|
| <b>Workbench adapter TW16AW</b>   |  |                |                 |         |               |               |                 |                     |        |
|    | • Accessories for BESSEY TWV and TW clamping elements with 16 hole system<br>• Suitable for all common workbenches with a hole system<br>• Can be used without tools<br>• The stud pin can be changed to use other hole systems  | TW16AW19       |                 |         | 4008158039633 | 10            | V3              | 15,18               |        |
|   |  | TW16AW20       |                 |         | 4008158040059 | 10            | V3              | 16,55               |        |
|   |  | TW16AW30       |                 |         | 4008158040097 | 10            | V3              | 19,63               |        |
| <b>Clamping element with variable throat depth TWV</b>                              |  |                |                 |         |               |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>Clamping force up to 2,500 N</li> <li>Precise, individual clamping</li> <li>Tempered profile and sliding arm for sprung and elastic clamping</li> <li>Infinitely adjustable throat depth</li> <li>Various design versions: <ul style="list-style-type: none"> <li>High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement</li> <li>Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping</li> </ul> </li> </ul>  | TWV16-20-15-2K | 200             | 30-150  | 22 x 8,5      | 4008158038759 | 1               | V3                  | 75,93  |
|    |  | TWV16-20-15K   | 200             | 30-150  | 22 x 8,5      | 4008158038773 | 1               | V3                  | 75,93  |
|    |  | TWV16-20-15H   | 200             | 60-150  | 22 x 8,5      | 4008158038766 | 1               | V3                  | 104,69 |
| <b>Clamping element with fixed throat depth TW</b>                                  |  |                |                 |         |               |               |                 |                     |        |
|   | <ul style="list-style-type: none"> <li>Clamping force up to 3,000 N</li> <li>Precise, individual clamping</li> <li>Tempered profile and sliding arm for sprung and elastic clamping</li> <li>Various design versions: <ul style="list-style-type: none"> <li>High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement</li> <li>Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping</li> </ul> </li> <li>TW22: Compatible with Barth and Beck lift tables</li> </ul>  | TW16-20-10-2K  | 200             | 100     | 22 x 8,5      | 4008158038681 | 1               | V3                  | 46,47  |
|   |  | TW16-20-10K    | 200             | 100     | 22 x 8,5      | 4008158038704 | 1               | V3                  | 46,47  |
|   |  | TW16-20-10H    | 200             | 100     | 22 x 8,5      | 4008158038698 | 1               | V3                  | 82,66  |
|   |  | TW22-20-10-2K  | 200             | 100     | 22 x 8,5      | 4008158041629 | 1               | V3                  | 46,47  |
| <b>Horizontal fixture clamp WNS-SET-MFT</b>   |  |                |                 |         |               |               |                 |                     |        |
|  | <ul style="list-style-type: none"> <li>Clamping force up to 750 N</li> <li>For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm</li> <li>Quick fixing thanks to clamping levers on the side</li> <li>Makes full-surface working of the workpiece possible – even round and flat parts</li> <li>Patented pull-down mechanism prevents the workpiece from lifting from the table surface when clamping – even without fastening screws</li> <li>BH-MFT can also be used as a universal limit stop for workpieces</li> <li>Includes: <ul style="list-style-type: none"> <li>2 x horizontal fixture clamp</li> <li>2 x bench dog</li> <li>4 x knurled nut</li> </ul> </li> </ul> | WNS-SET-MFT    |                 |         |               | 4008158041872 | 8               | V3                  | 85,64  |










**NEW**






# BESSEY Price list valid from April 1st, 2025

|   | Order no.   | Opening mm       | Throat depth mm | Rail mm | Barcode       | PU qty.       | Dis-count group | Price per piece EUR |       |
|---|---|------------------|-----------------|---------|---------------|---------------|-----------------|---------------------|-------|
| <b>Bench dog for multifunctional tables BH-MFT</b>                                  |   |                  |                 |         |               |               |                 |                     |       |
|    | <ul style="list-style-type: none"> <li>• Accessory for BESSEY horizontal pull-down clamps WNS-SET-MFT</li> <li>• For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm</li> <li>• Can also be used as a universal limit stop for workpieces</li> <li>• Includes:<br/>4 x bench dog<br/>4 x knurled nut</li> </ul>  | BH-MFT           |                 |         | 4008158041902 | 50            | V3              | 14,72               |       |
| <b>Clamping element for multifunction tables TW-KLI (2 pcs./bag)</b>                |   |                  |                 |         |               |               |                 |                     |       |
|    | <ul style="list-style-type: none"> <li>• Clamping force up to 500 N</li> <li>• For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm</li> <li>• Stable sliding arm made of light magnesium for rapid, vibration-proof clamping</li> <li>• Profile made of cold-drawn quality steel for flexible and elastic clamping</li> <li>• On carded hang pack</li> </ul>   | TW20-15-8KLI-SET | 150             | 80      | 20 x 5        | 4008158042336 | 10              | V3                  | 69,42 |
| <b>Toggle clamp systainer STC-S-MFT</b>   |   |                  |                 |         |               |               |                 |                     |       |
|   | <ul style="list-style-type: none"> <li>• Multi-functional systainer for installation technicians</li> <li>• With wood insert including 20 holes</li> <li>• And 3 different clamping options</li> </ul>  | STC-S-MFT        |                 |         | 4008158040691 | 1             | V3              | 434,55              |       |
| <b>Adapter for multifunction tables STC-SET-T20</b>                                 |   |                  |                 |         |               |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>• For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm</li> </ul>   | STC-SET-T20      |                 |         | 4008158040288 | 10            | V3              | 13,25               |       |
| <b>STC accessory set for multifunction tables</b>                                   |   |                  |                 |         |               |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>• For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm</li> </ul>  | STC-HH50-T20     | 40              |         | 4008158040301 | 1             | V3              | 46,47               |       |
|   |   | STC-HH70-T20     | 60              |         | 4008158040318 | 1             | V3              | 47,39               |       |
|   |   | STC-IHH25-T20    | 35              |         | 4008158040325 | 1             | V3              | 48,18               |       |
|   |   | STC-VH50-T20     | 40              |         | 4008158040332 | 1             | V3              | 46,47               |       |
| <b>Seaming tool PS 130, big and strong</b>  |   |                  |                 |         |               |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>• For clamping and positioning large and potentially heavy components with a smooth surface, such as artificial stone, ceramic, granite, Corian®, plastic, sheet metal and glass</li> <li>• Manual vacuum pumps for maximum suction power, and therefore a maximum level of horizontal clamping force up to 1,200 N</li> <li>• Marking ring on the pump lever to permanently check for a reliable vacuum</li> <li>• Practical quick adjustment function for rapid adjustment of the distance between the two suction cups</li> </ul> | PS130            | 5-130           |         | 4008158035765 | 1             | V3              | 689,16              |       |
| <b>Seaming tool PS 55</b>   |   |                  |                 |         |               |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>• For clamping and positioning components with a smooth surface, such as ceramic, granite, Corian®, plastic, sheet metal and glass, which require low clamping forces (up to 260 N)</li> <li>• Clamping levers on the suction cups ensure rapid handling</li> <li>• Cam lever to compensate for differing heights at the joint</li> </ul>  | PS55             | 10-55           |         | 4008158027050 | 1             | V3              | 292,63              |       |



|   |   | Order no. | Opening mm | Throat depth mm | Rail mm | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|---|-----------|------------|-----------------|---------|---------------|---------|-----------------|---------------------|
| <b>Door frame clamp TU</b>  |   |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Gently and precisely braces and supports door casing during foam filling of wall joint</li> <li>Telescopic square anodised aluminium tubing with mm scale and adjusting screw for precision work</li> <li>Cross-shaped pressure plate with interchangeable clamping elements for frame depths of 6 to 13 cm or 13 to 30 cm</li> <li>Removable clamping bracket with increased clamping surfaces and removable brackets to insert the door frame securely and easily</li> </ul> | TU        | 565-1010   |                 |         | 4008158001302 | 2       | V3              | 90,20               |
| <b>Door frame clamp set TU-TRAGE</b>  |   |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>In a nylon wheeled case or safe and dustfree storage and for easy transport</li> <li>Content: 6 (3 sets) door frame clamps for a total of 3 doors</li> </ul>   | TU-TRAGE  |            |                 |         | 4008158001319 | 1       | V3              | 560,37              |
| <b>Door frame brace extension TUX</b>   |   |           |            |                 |         |               |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>Accessories to increase the opening width of the TU door frame brace</li> <li>This enables extra-wide doors to be installed</li> <li>It can be used without tools in just a few steps</li> </ul>   | TUX       | 1040-1960  |                 |         | 4008158039398 | 1       | V3              | 34,25               |
| <b>Door frame straightening clamp TFM</b>   |   |           |            |                 |         |               |         |                 |                     |
|   | <ul style="list-style-type: none"> <li>For quick, precise aligning and fixing of door frames</li> <li>The intelligent companion for the BESSEY door frame clamp TU and TMS</li> </ul>   | TFM-2K    |            | 70              |         | 4008158040714 | 2       | V3              | 37,90               |
| <b>Angle door frame straightening clamp WTR</b>                                     |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>For neatly fixed and stabilised frame corners</li> <li>For mounting at a precise 90° angle</li> </ul>  | WTR       | 8-30       |                 |         | 4008158026947 | 2       | V3              | 97,40               |
| <b>Door frame assembly device TMS</b>   |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Gently and precisely braces and supports door casing during foam filling of wall joint</li> <li>Telescopic round aluminium tube with adjusting screw for precision work</li> <li>With clamping elements on the clamping faces in order to secure struts in frames and to hold them at precise distances</li> <li>On carded hang pack</li> </ul>  | TMS       | 560-1010   |                 |         | 4008158026794 | 2       | V3              | 44,07               |
| <b>Window installation clamp FRK</b>  |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Permits rapid, precise straightening and fixing of window frames</li> </ul>  | FRK85     | 40-85      |                 |         | 4008158022321 | 4       | V3              | 55,72               |
| <b>Pipe clamping set BPC</b>  |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Suitable for steel pipes DN 20/R3/4 or DN 15/R1/2</li> <li>Outer diameter 26.9 mm or 21.3 mm</li> <li>Infinitely-adjustable clamping width</li> <li>With stand</li> <li>On carded hang pack</li> </ul>   | BPC-H12   |            | 40              |         | 4008158032382 | 4       | V3              | 33,79               |
|   |   | BPC-H34   |            | 42              |         | 4008158032375 | 4       | V3              | 37,33               |
| <b>Sash clamps TB with T-profile 40 x 40 x 5 mm</b>                                 |   |           |            |                 |         |               |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>Clamping force up to 14,000 N</li> <li>With attached locking bolt</li> <li>Tommy bar</li> <li>Sturdy thanks to T-profile</li> </ul>  | TB100     | 1000       |                 |         | 4008158007984 | 1       | V3              | 128,45              |
|   |   | TB120     | 1200       |                 |         | 4008158007991 | 1       | V3              | 134,62              |
|   |   | TB150     | 1500       |                 |         | 4008158008004 | 1       | V3              | 145,35              |
|   |   | TB210     | 2100       |                 |         | 4008158008028 | 1       | V3              | 174,23              |
|   |   | TB250     | 2500       |                 |         | 4008158008035 | 1       | V3              | 200,60              |

# BESSEY Price list valid from April 1st, 2025







|   | Order no.   | Opening mm | Throat depth mm | Rail mm | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|---|------------|-----------------|---------|---------------|---------|-----------------|---------------------|
| <b>Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm</b>                        |   |            |                 |         |               |         |                 |                     |
|    | • Clamping force up to 9,900 N<br>• Easily adjustable pressure plates<br>• Crank handle<br>• Very sturdy thanks to I-profile  | TL60       | 600             |         | 4008158040745 | 2       | V3              | 51,26               |
|   |   | TL90       | 900             |         | 4008158040752 | 2       | V3              | 64,62               |
|   |   | TL120      | 1200            |         | 4008158040769 | 2       | V3              | 77,65               |
|   |   | TL180      | 1800            |         | 4008158040776 | 2       | V3              | 105,95              |
| <b>Spacer AV2 (4 pcs./bag)</b>  |   |            |                 |         |               |         |                 |                     |
|    | • Quickly and infinitely adjustable for wall distances of 5 to 20 mm<br>• Spacer for floating laminate and parquet flooring installations<br>• Wide contact and support area for avoiding pressure points on the floorboards and plaster<br>• Easy to remove by simply turning back<br>• Very light and compact   | AV2        | 20              |         | 4008158035895 | 12      | V3              | 12,44               |
| <b>Spacer PVA</b>   |   |            |                 |         |               |         |                 |                     |
|    | • Infinitely adjustable for wall distances of 7 to 35 mm<br>• Front and lateral support when gluing solid wood floorings<br>• Pull-down function dependent on the inclined angle of the spindle, with movable mounted pressure plate with protective cap<br>• Extra wide contact area of 130 mm prevents edge damage to the floorboards   | PVA        | 35              |         | 4008158021164 | 6       | V3              | 34,02               |
| <b>Flooring and clamping system SVH/SVG</b>   |   |            |                 |         |               |         |                 |                     |
|   | • For laying parquet, laminated and panel flooring  | SVH400     | 4000            |         | 4008158023274 | 1       | V3              | 35,28               |
|   | • SVH with spacer and band of high-strength polyester   | SVH760     | 7600            |         | 4008158032108 | 1       | V3              | 52,98               |
|   | • SVH 400 and SVG – on carded hang pack   | SVG        | 4000            |         | 4008158026817 | 1       | V3              | 28,98               |
| <b>Telescopic drywall support STE with pump grip</b>                                |   |            |                 |         |               |         |                 |                     |
|  | • Resilient up to a maximum of 350 kg when the telescopic rod is fully retracted  | STE90      |                 |         | 4008158041841 | 2       | V3              | 50,06               |
|   | • Extremely stable construction due to highly durable steel pipes and non-slip PVC contact surfaces (9 x 7 cm)  | STE250     |                 |         | 4008158041254 | 2       | V3              | 55,94               |
|   | • Single-handed operation thanks to 2-component plastic handle with pump mechanism  | STE300     |                 |         | 4008158041261 | 2       | V3              | 61,20               |
|   | • Quick-slide button for rapid extension and retraction of the telescopic bar<br>• Controllable holding force by turning the support on the grip<br>• Application also on slopes due to continuously swivelling contact surfaces from -45° to +45°<br>•  STE250, STE300, STE370: GS-certified for quality and safety | STE370     |                 |         | 4008158041278 | 2       | V3              | 65,20               |
| <b>Telescopic drywall support ST</b>  |   |            |                 |         |               |         |                 |                     |
|  | • Resilient up to a maximum of 150 kg when the telescopic rod is fully retracted  | ST125      |                 |         | 4008158031590 | 2       | V3              | 31,51               |
|   | • Stable construction due to special steel pipes and anti-slip PVC contact surfaces (8,5 x 6,5 cm)  | ST250      |                 |         | 4008158040110 | 2       | V3              | 38,36               |
|   | • Application also on slopes due to continuously swivelable contact surfaces of -45° to +45°<br>• Easy, safe handling due to a telescoping and locking inner pipe as well as an outer pipe that can be turned by the foam grip<br>•  GS-certified for quality and safety   | ST290      |                 |         | 4008158031583 | 2       | V3              | 41,79               |
| <b>Multi-function/laser fixture STE-LH</b>  |   |            |                 |         |               |         |                 |                     |
|  | • Accessory with 1/4 thread for holding a laser, camera etc<br>• Can be used without tools on round (0-45 mm) and angular (0-55 mm) support parts such as ceiling and assembly supports, profiles, ladders<br>• L-shaped rotating fixture with 2 rotation axes: 360° next to fixing clamp, 180° at threaded connection<br>• On carded hang pack   | STE-LH     |                 |         | 4008158041469 | 8       | V3              | 19,87               |

|   | Order no.   | Opening mm | Throat depth mm | Rail mm | Barcode       | PU qty. | Dis-count group | Price per piece EUR |
|---|---|------------|-----------------|---------|---------------|---------|-----------------|---------------------|
| <b>Support plate STE-SP35</b>   |   |            |                 |         |               |         |                 |                     |
|    | STE-SP35  |            |                 |         | 4008158041452 | 20      | V3              | 17,36               |
|   | <ul style="list-style-type: none"> <li>• Light aluminium profile with non-slip cellular rubber</li> <li>• For increasing the support surface of BESSEY ceiling and assembly supports ST (only in conjunction with replacement contact surface 3101952) and STE</li> <li>• Secure fastening onto the contact surfaces thanks to star grip screws</li> <li>• On carded hang pack</li> </ul>   |            |                 |         |               |         |                 |                     |
| <b>Replacement contact surface</b>  |   |            |                 |         |               |         |                 |                     |
|    | 3101952   |            |                 |         | 4008158041544 | 1       | V3              | 12,33               |
| <b>Ceiling tripod attachment STE-DS</b>   |   |            |                 |         |               |         |                 |                     |
|    | STE-DS  |            |                 |         | 4008158041865 | 1       | V3              | 21,92               |
|   | <ul style="list-style-type: none"> <li>• Accessory for ceiling supports with an outer diameter of the telescopic inner tube of 25 mm and 28 mm</li> <li>• For increasing the support surface</li> <li>• Even pressure thanks to the three-winged contact surfaces</li> <li>• Quick, tool-free installation</li> <li>• Safe to use as tipping of the contact surface is prevented by the all-round fixing of the steel pipe</li> <li>• On carded hang pack</li> </ul>  |            |                 |         |               |         |                 |                     |
| <b>Construction tripod STE-BS</b>   |   |            |                 |         |               |         |                 |                     |
|  | STE-BS  |            |                 |         | 4008158041858 | 1       | V3              | 56,97               |
|   | <ul style="list-style-type: none"> <li>• Accessory for ceiling supports with an outer pipe diameter of 29 mm and 32 mm</li> <li>• Stable stand as the force of the braced ceiling support acts downwards in places</li> <li>• Ceiling supports can even be placed freely in the room without a top bracing and can therefore also be used outdoors</li> <li>• Quick, tool-free installation</li> <li>• Light and stable structure thanks to aluminium profiles and glass-fibre reinforced plastic</li> <li>• On carded hang pack</li> </ul>         |            |                 |         |               |         |                 |                     |
| <b>Combi-bag for ceiling supports STE-BAG</b>                                       |   |            |                 |         |               |         |                 |                     |
|  | STE-BAG   |            |                 |         | 4008158041896 | 1       | V3              | 78,78               |
|   | <ul style="list-style-type: none"> <li>• For convenient transport and protected storage of two BESSEY ceiling and installation supports STE300 and STE370 as well as the STE-LH and STE-SP35 accessories</li> <li>• Comfortable thanks to the padded shoulder strap and the possibility to adjust the length of the bag to the ceiling supports to be placed within</li> <li>• Easy to use due to the long zip-up case and four exterior pockets for additional storage space</li> <li>• Durable material</li> <li>• On carded hang pack</li> </ul> |            |                 |         |               |         |                 |                     |
| <b>Clamp trolley ZW 1</b>   |   |            |                 |         |               |         |                 |                     |








# BESSEY Price list valid from April 1st, 2025

|   |            | Order no. | Opening mm | Throat depth mm | Rail mm       | Barcode | PU qty. | Dis-count group | Price per piece EUR |
|---|------------|-----------|------------|-----------------|---------------|---------|---------|-----------------|---------------------|
|  <ul style="list-style-type: none"> <li>• Stable metal construction on castors</li> <li>• Dimensions 50 x 60 x 146 cm</li> <li>• Holds up to 90 clamps</li> <li>• Malleable cast iron-, all-steel- and lever clamps with clamping ranges between 120 and 600 mm</li> <li>• With label and label holder</li> <li>• Suitable as sales aid and for the workshop area</li> </ul>                     | ZW1        |           |            |                 | 4008158017211 | 1       | V3      | 534,46          |                     |
|   | ZW1-A01    |           |            |                 | 4008158032146 | 1       | V2      | 2070,34         |                     |
|   | ZW1-A01-2K |           |            |                 | 4008158032115 | 1       | V2      | 2117,72         |                     |
|   | ZW1-A99-2K |           |            |                 | 4008158032122 | 1       | V1      | 2057,32         |                     |
| <b>Clamp trolley ZW 2</b>   |            |           |            |                 |               |         |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• Stable metal construction on castors</li> <li>• Dimensions 100 x 60 x 153 cm</li> <li>• Holds up to 120 clamps, it even holds long screw clamps</li> <li>• Malleable cast iron and all-steel with clamping ranges between 200 and 2000 mm</li> <li>• With label and label holder</li> <li>• Suitable as sales aid and for the workshop area</li> </ul> | ZW2        |           |            |                 | 4008158017228 | 1       | V3      | 865,67          |                     |
|   | ZW2-A99    |           |            |                 | 4008158031699 | 1       | V1      | 3949,21         |                     |
|   | ZW2-A99-2K |           |            |                 | 4008158032139 | 1       | V1      | 4037,69         |                     |



|  | Order no.    | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty. | Dis-count group | Price per piece EUR |
|--|--------------|-------------------|-----------------|--|----------------|---------|-----------------|---------------------|
| <b>Shape and straight cutting snips D39ASS</b>   |              |                   |                 |  |                |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• For continuous, straight and curved cuts</li> <li>• Extremely compact cutter head with a partially countersunk head screw connection for increased manoeuvrability and precision for curved cuts</li> <li>• Joint area screwed connection with stud bolt, sintered disc and maintenance-free spring for extreme robustness</li> <li>• Reduced handle opening angle for optimised handling and an even cutting length</li> <li>• Central latch for easy operation without having to change your grip</li> <li>• Available in right or left cutting versions</li> </ul> | D39ASS       | 230               | 30              | 1,2                                      | 4010220031957  | 5       | V4              | 94,54               |
|  | D39ASSL      | 230               | 30              | 1,2                                      | 4010220031964  | 5       | V4              | 94,54               |
|  | D39ASS-SB    | 230               | 30              | 1,2                                      | 4010220032091  | 5       | V4              | 95,67               |
|  | D39ASSL-SB   | 230               | 30              | 1,2                                      | 4010220032107  | 5       | V4              | 95,67               |
| <b>Shape and straight cutting snips D29ASS-2</b>   |              |                   |                 |  |                |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> <li>• For continuous, straight and curved cuts</li> <li>• Compact cutter head: High manoeuvrability for shape cutting</li> <li>• Optimised leverage ratio: 25 % less effort</li> <li>• Optimised edge shape: No slipping even without serrations</li> <li>• Available in right or left cutting versions</li> </ul>   | D29ASS-2     | 260               | 33              | 1,2                                      | 4010220030226  | 5       | V4              | 81,06               |
|  | D29ASSL-2    | 260               | 33              | 1,2                                      | 4010220030240  | 5       | V4              | 81,06               |
|  | D29ASS-2-SB  | 260               | 33              | 1,2                                      | 4010220030233  | 5       | V4              | 82,20               |
|  | D29ASSL-2-SB | 260               | 33              | 1,2                                      | 4010220030257  | 5       | V4              | 82,20               |
| <b>Set of shape and straight cutting snips DSET29-15</b>   |              |                   |                 |  |                |         |                 |                     |
|  <p>Contents:<br/>1 x D29ASS-2<br/>1 x D29ASSL-2<br/>1 x D15A<br/>in snips pouch</p>  | DSET29-15    |                   |                 |  | 4010220031339  | 1       | V4              | 195,35              |
| <b>Shape cutting snips D29SS-2</b>   |              |                   |                 |  |                |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> <li>• For short, straight and curved cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Available in right or left cutting versions</li> </ul>  | D29SS-2      | 260               | 40              | 1,2                                      | 4010220030189  | 5       | V4              | 77,41               |
|  | D29SSL-2     | 260               | 40              | 1,2                                      | 4010220030202  | 5       | V4              | 77,41               |
| <b>Straight cutting snips D29BSS-2</b>   |              |                   |                 |  |                |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> <li>• For continuous, straight cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Available in right or left cutting versions</li> </ul>  | D29BSS-2     | 260               | 33              | 1,2                                      | 4010220030264  | 5       | V4              | 88,03               |
|  | D29BSSL-2    | 260               | 33              | 1,2                                      | 4010220030288  | 5       | V4              | 88,03               |
| <b>Shape and straight cutting snips D27A</b>   |              |                   |                 |  |                |         |                 |                     |
|  <ul style="list-style-type: none"> <li>• For continuous, straight and curved cuts</li> <li>• Edges with micro-serrations for slip-proof working</li> <li>• Available in right or left cutting versions</li> </ul>  | D27A         | 260               | 33              | 1,2                                      | 4010220019283  | 5       | V4              | 64,86               |
|  | D27AL        | 260               | 33              | 1,2                                      | 4010220019368  | 5       | V4              | 64,86               |
|  | D27A-SB      | 260               | 33              | 1,2                                      | 4010220024812  | 5       | V4              | 65,99               |
|  | D27AL-SB     | 260               | 33              | 1,2                                      | 4010220024829  | 5       | V4              | 65,99               |








# BESSEY Price list valid from April 1st, 2025

|   | Order no.   | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty.       | Dis-count group | Price per piece EUR |       |
|---|---|-------------------|-----------------|--|----------------|---------------|-----------------|---------------------|-------|
| <b>Shape cutting snips D27</b>  |   |                   |                 |  |                |               |                 |                     |       |
|    |   | 260               | 40              | 1,2                                      | 4010220000069  | 5             | V4              | 64,86               |       |
|   | • For short, straight and curved cuts<br>• Edges with micro-serrations for slip-proof working<br>• Available in right or left cutting versions  | D27L              | 260             | 40                                       | 1,2            | 4010220000076 | 5               | V4                  | 64,86 |
| <b>Straight cutting snips D27B</b>  |   |                   |                 |  |                |               |                 |                     |       |
|    |   | 260               | 32              | 1,2                                      | 4010220000144  | 5             | V4              | 70,10               |       |
|   | • For continuous, straight cuts<br>• Edges with micro-serrations for slip-proof working<br>• Available in right or left cutting versions  | D27BL             | 260             | 32                                       | 1,2            | 4010220019467 | 5               | V4                  | 70,10 |
| <b>Shape and straight cutting snips, robust D17ASS/D17A</b>                         |   |                   |                 |  |                |               |                 |                     |       |
|    |   | 240               | 24              | 1,5                                      | 4010220000243  | 5             | V4              | 97,62               |       |
|   | • For continuous, straight and curved cuts<br>• Edges with micro-serrations for slip-proof working<br>• Exceptionally robust: Drop-forged handles<br>• Painted handles<br>• Available in right or left cutting versions | D17ASSL           | 240             | 24                                       | 1,5            | 4010220000250 | 5               | V4                  | 97,62 |
|   |   | 240               | 24              | 1,2                                      | 4010220019528  | 5             | V4              | 83,01               |       |
|   |   | 240               | 24              | 1,2                                      | 4010220019559  | 5             | V4              | 83,01               |       |
| <b>Ideal snips, manoeuvrable D08</b>  |   |                   |                 |  |                |               |                 |                     |       |
|  |   | 230               | 27              | 1,2                                      | 4010220000007  | 5             | V4              | 51,61               |       |
|   | • Special flat cutter head enables cutting in narrowest radius<br>• For continuous, straight and curved cuts<br>• Edges with micro-serrations for slip-proof working<br>• Available in right or left cutting versions   | D08L              | 230             | 27                                       | 1,2            | 4010220000014 | 5               | V4                  | 51,61 |
|   |   | 230               | 27              | 1,2                                      | 4010220024720  | 5             | V4              | 52,76               |       |
|   |   | 230               | 27              | 1,2                                      | 4010220024737  | 5             | V4              | 52,76               |       |
| <b>MULTISNIP Longstyle D22A</b>   |   |                   |                 |  |                |               |                 |                     |       |
|  |   | 280               | 64              | 1,2                                      | 4010220028315  | 5             | V4              | 60,29               |       |
|   | • For long continuous straight and large radius cuts<br>• Extra long cutting blades, laterally displaced for continuous cuts<br>• Available only in left cutting version  | D22A-SB           | 280             | 64                                       | 1,2            | 4010220030745 | 5               | V4                  | 61,42 |
| <b>Aviation snips D16</b>   |   |                   |                 |  |                |               |                 |                     |       |
|  |   | 240               | 40              | 1,2                                      | 4010220019146  | 10            | V4              | 35,85               |       |
|   | • For short, straight and curved cuts<br>• Edges with micro-serrations for slip-proof working<br>• Left cut model available as well   | D16-SB            | 240             | 40                                       | 1,2            | 4010220024744 | 10              | V4                  | 36,99 |
| <b>Aviation snips D16L</b>  |   |                   |                 |  |                |               |                 |                     |       |
|  |   | 240               | 40              | 1,2                                      | 4010220000038  | 10            | V4              | 35,85               |       |
|   | • For short, straight and curved cuts<br>• Edges with micro-serrations for slip-proof working<br>• Right cut model available as well  | D16L-SB           | 240             | 40                                       | 1,2            | 4010220024751 | 10              | V4                  | 36,99 |









|   |  | Order no.  | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty. | Dis-count group | Price per piece EUR |
|---|--|------------|-------------------|-----------------|--|----------------|---------|-----------------|---------------------|
| <b>Aviation snips D16S</b>  |  |            |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>No offset to blades, for short, straight and curved cuts with a large radius in both left and right directions</li> <li>Edges with micro-serrations for slip-proof working</li> <li>Available only in left cutting version</li> </ul>   | D16S       | 240               | 44              | 1,2                                      | 4010220001509  | 10      | V4              | 35,85               |
|   |  | D16S-SB    | 240               | 44              | 1,2                                      | 4010220024768  | 10      | V4              | 36,99               |
| <b>Set of aviation snips DSET16</b>   |  |            |                   |                 |  |                |         |                 |                     |
|    | Contents:<br>1 x D16<br>1 x D16L<br>1 x D16S<br>in snips pouch   | DSET16     |                   |                 |  | 4010220031254  | 1       | V4              | 107,55              |
| <b>Aviation snips display D16S-D</b>  |  |            |                   |                 |  |                |         |                 |                     |
|    | Contents:<br>12 x D16S in sales display  | D16S-D     |                   |                 |  | 4010220031896  | 1       | V4              | 430,21              |
| <b>Shape and straight cutting snips, small and manoeuvrable D15A</b>                |  |            |                   |                 |  |                |         |                 |                     |
|   | <ul style="list-style-type: none"> <li>For long continuous, straight and curved cuts</li> <li>The extremely small forged heads have optimized blade geometry is very manoeuvrable; perfect for cutting small radii and in confined spaces</li> <li>The compact design results in the highest performance with the minimum of effort</li> <li>ERGO-handle for increased comfort reduced hand fatigue!</li> <li>Available in right or left cutting versions</li> </ul> | D15A       | 180               | 20              | 1  | 4010220031308  | 10      | V4              | 33,23               |
|   |  | D15AL      | 180               | 20              | 1  | 4010220031353  | 10      | V4              | 33,23               |
|   |  | D15A-SB    | 180               | 20              | 1  | 4010220031315  | 10      | V4              | 34,37               |
|   |  | D15AL-SB   | 180               | 20              | 1  | 4010220031490  | 10      | V4              | 34,37               |
| <b>Set of shape and straight cutting snips DSET15</b>                               |  |            |                   |                 |  |                |         |                 |                     |
|  | Contents:<br>1 x D15A<br>1 x D15S<br>1 x D15AL<br>in snips pouch   | DSET15     |                   |                 | 1  | 4010220031582  | 20      | V4              | 99,67               |
| <b>HSS-TiN shape and straight cutting snips D27AH-TiN</b>                           |  |            |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>TiN coated cutter head for longer service life even in case of hard materials</li> <li>Case-hardened HSS edges</li> <li>For continuous, straight and curved cuts</li> <li>Available in right or left cutting versions</li> </ul>  | D27AH-TiN  | 260               | 33              | 1,2                                      | 4010220002117  | 1       | V6              | 343,67              |
|   |  | D27AHL-TiN | 260               | 33              | 1,2                                      | 4010220002124  | 1       | V6              | 343,67              |
| <b>HSS shape and straight cutting snips D27AH</b>                                   |  |            |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>For continuous, straight and curved cuts</li> <li>Edges made of case-hardened HSS</li> <li>Available in right or left cutting versions</li> </ul>   | D27AH      | 260               | 33              | 1,2                                      | 4010220000274  | 1       | V6              | 193,41              |
|   |  | D27AHL     | 260               | 33              | 1,2                                      | 4010220000281  | 1       | V6              | 193,41              |
| <b>HSS punch snips D407</b>   |  |            |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>For short, straight and curved cuts</li> <li>Edges made of case-hardened HSS</li> <li>PVC dipped handles</li> <li>Available in right or left cutting versions</li> </ul>  | D407-275   | 275               | 42              | 1  | 4010220000298  | 1       | V6              | 132,90              |
|   |  | D407-275L  | 275               | 42              | 1  | 4010220000304  | 1       | V6              | 132,90              |
|   |  | D407-300   | 300               | 43              | 1  | 4010220000311  | 1       | V6              | 143,98              |
|   |  | D407-300L  | 300               | 43              | 1  | 4010220000328  | 1       | V6              | 143,98              |

# BESSEY Price list valid from April 1st, 2025

|   | Order no.  | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|--|-------------------|-----------------|--|----------------|---------------|-----------------|---------------------|--------|
| <b>HSS shape and straight cutting snips D416</b>                                    |  |                   |                 |  |                |               |                 |                     |        |
|    | • For continuous, straight and curved cuts<br>• Cutting edges made of case-hardened HSS<br>• PVC dipped handles<br>• Available in right or left cutting versions   | D416-280          | 280             | 34                                       | 1              | 4010220000373 | 1               | V6                  | 174,80 |
|   |  | D416-280L         | 280             | 34                                       | 1              | 4010220000380 | 1               | V6                  | 174,80 |
| <b>HSS shape and straight cutting snips HSS D416-280L</b>                           |  |                   |                 |  |                |               |                 |                     |        |
|    | • For long continuous and straight cuts<br>• Cutting edges made of case-hardened HSS<br>• PVC dipped handles<br>• Available only in right cutting version  | D418-300          | 300             | 62                                       | 1              | 4010220000397 | 1               | V6                  | 182,90 |
|   |  | D418-350          | 350             | 65                                       | 1              | 4010220000403 | 1               | V6                  | 232,80 |
| <b>Shape and straight cutting snips D212/D116</b>                                   |  |                   |                 |  |                |               |                 |                     |        |
|   | • For continuous, straight and curved cuts<br>• D216 – Painted handles<br>• D116 – PVC dipped handles<br>• Available in right or left cutting versions   | D216-260          | 260             | 30                                       | 1              | 4010220001295 | 5               | V5                  | 58,12  |
|   |  | D216-260L         | 260             | 30                                       | 1              | 4010220001301 | 5               | V5                  | 58,12  |
|   |  | D216-280          | 280             | 34                                       | 1              | 4010220020333 | 5               | V5                  | 65,99  |
|   |  | D216-280L         | 280             | 34                                       | 1              | 4010220020371 | 5               | V5                  | 65,99  |
|   |  | D116-260          | 260             | 30                                       | 1              | 4010220020258 | 5               | V5                  | 51,26  |
|   |  | D116-260L         | 260             | 30                                       | 1              | 4010220001264 | 5               | V5                  | 51,26  |
|   |  | D116-260-SB       | 260             | 30                                       | 1              | 4010220024874 | 5               | V5                  | 52,41  |
|   |  | D116-260L-SB      | 260             | 30                                       | 1              | 4010220024881 | 5               | V5                  | 52,41  |
|   |  | D116-280          | 280             | 34                                       | 1              | 4010220020302 | 5               | V5                  | 58,34  |
|   |  | D116-280L         | 280             | 34                                       | 1              | 4010220020326 | 5               | V5                  | 58,34  |
|   | D116-280-SB  | 280               | 34              | 1  | 4010220024898  | 5             | V5              | 59,49               |        |
|   | D116-280L-SB   | 280               | 34              | 1  | 4010220024904  | 5             | V5              | 59,49               |        |
| <b>Set of standard tin snips DSET-SF3</b>   |  |                   |                 |  |                |               |                 |                     |        |
|  | Contents:<br>1 x D216-280<br>1 x D216,280L<br>1 x D218-300<br>in snips pouch   | DSET-SF3          |                 |  |                | 4010220022030 | 1               | V5                  | 196,84 |
| <b>Shape and straight cutting snips D216...-SBSK</b>                                |  |                   |                 |  |                |               |                 |                     |        |
|  | • For continuous, straight and curved cuts<br>• With no opening stop and with extra pointed cutter head<br>• Edges with micro-serrations for slip-proof working<br>• Particularly robust, for unusually challenging situations: Snips completely tempered and burnished. Cutter inductively hardened<br>• PVC dipped handles<br>• Available in right or left cutting versions<br>• On carded hang pack | D216-280-B-SBSK   | 280             | 34                                       | 1              | 4010220025697 | 5               | V5                  | 67,94  |
|   |  | D216-280L-B-SBSK  | 280             | 34                                       | 1              | 4010220025703 | 5               | V5                  | 67,94  |
| <b>Pelican snips D218/D118</b>  |  |                   |                 |  |                |               |                 |                     |        |
|  | • For long continuous and straight cuts<br>• Extra long blade is ideal for cutting through metal sheets<br>• D218 – Painted handles<br>• D118 – PVC dipped handles<br>• Available as right cutter (in 300 mm dimension also available as left cutter)  | D218-300          | 300             | 62                                       | 1              | 4010220020555 | 5               | V5                  | 64,86  |
|   |  | D218-300L         | 300             | 62                                       | 1              | 4010220001424 | 5               | V5                  | 64,86  |
|   |  | D218-350          | 350             | 65                                       | 1              | 4010220001448 | 5               | V5                  | 76,73  |
|   |  | D118-300          | 300             | 62                                       | 1              | 4010220020517 | 5               | V5                  | 48,87  |
|   |  | D118-300L         | 300             | 62                                       | 1              | 4010220001387 | 5               | V5                  | 48,87  |
|   |  | D118-300-SB       | 300             | 62                                       | 1              | 4010220025345 | 5               | V5                  | 50,00  |
|   |  | D118-300L-SB      | 300             | 62                                       | 1              | 4010220030110 | 5               | V5                  | 50,00  |
|   | D118-350   | 350               | 65              | 1  | 4010220001400  | 5             | V5              | 57,43               |        |

|   | Order no.   | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty.       | Dis-count group | Price per piece EUR |       |
|---|---|-------------------|-----------------|--|----------------|---------------|-----------------|---------------------|-------|
| <b>Shape cutting punch snips D214/D114</b>  |   |                   |                 |  |                |               |                 |                     |       |
|    | <ul style="list-style-type: none"> <li>• For short, straight and curved cuts (especially small radii)</li> <li>• Very slick cutting head</li> <li>• D214 – Painted handles</li> <li>• D114 – PVC dipped handles</li> <li>• Available in right or left cutting versions</li> </ul> | D214-250          | 250             | 37                                       | 1              | 4010220001134 | 5               | V5                  | 45,67 |
|   |   | D214-250L         | 250             | 37                                       | 1              | 4010220001141 | 5               | V5                  | 45,67 |
|   |   | D114-250          | 250             | 37                                       | 1              | 4010220024607 | 5               | V5                  | 32,32 |
|   |   | D114-250L         | 250             | 37                                       | 1              | 4010220001080 | 5               | V5                  | 32,32 |
| <b>Punch snips D207/D107</b>  |   |                   |                 |  |                |               |                 |                     |       |
|    | <ul style="list-style-type: none"> <li>• For short, straight and curved cuts</li> <li>• D207 – Painted handles</li> <li>• D107 – PVC dipped handles</li> <li>• Available in right or left cutting versions</li> </ul>   | D207-250          | 250             | 42                                       | 1              | 4010220020012 | 5               | V5                  | 41,56 |
|   |   | D207-250L         | 250             | 42                                       | 1              | 4010220000878 | 5               | V5                  | 41,56 |
|   |   | D207-275          | 275             | 42                                       | 1              | 4010220000885 | 5               | V5                  | 45,79 |
|   |   | D207-275L         | 275             | 42                                       | 1              | 4010220000892 | 5               | V5                  | 45,79 |
|   |   | D207-300          | 300             | 47                                       | 1              | 4010220000908 | 5               | V5                  | 51,61 |
|   |   | D207-300L         | 300             | 47                                       | 1              | 4010220000915 | 5               | V5                  | 51,61 |
|   |   | D107-250          | 250             | 42                                       | 1              | 4010220019832 | 5               | V5                  | 29,57 |
|   |   | D107-250L         | 250             | 42                                       | 1              | 4010220000786 | 5               | V5                  | 29,57 |
|   |   | D107-250-SB       | 250             | 42                                       | 1              | 4010220025178 | 5               | V5                  | 30,71 |
|   |   | D107-250L-SB      | 250             | 42                                       | 1              | 4010220025185 | 5               | V5                  | 30,71 |
|   |   | D107-275          | 275             | 42                                       | 1              | 4010220019900 | 5               | V5                  | 32,32 |
|   |   | D107-275L         | 275             | 42                                       | 1              | 4010220019955 | 5               | V5                  | 32,32 |
| D107-300  | 300   | 47                | 1               | 4010220019986                            | 5              | V5            | 35,40           |                     |       |
| D107-300L   | 300   | 47                | 1               | 4010220000823                            | 5              | V5            | 35,40           |                     |       |
| <b>Punch snips with curved blades D208</b>  |   |                   |                 |  |                |               |                 |                     |       |
|   | <ul style="list-style-type: none"> <li>• Especially for circular cuts</li> <li>• Semi-circular edges</li> <li>• Painted handles</li> <li>• Available in right or left cutting versions</li> </ul>   | D208-275          | 275             | 40                                       | 1              | 4010220001035 | 5               | V5                  | 99,79 |
|   |   | D208-275L         | 275             | 40                                       | 1              | 4010220020111 | 5               | V5                  | 99,79 |
| <b>Universal snips D106</b>   |   |                   |                 |  |                |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>• For straight and curved cuts</li> <li>• PVC dipped handles</li> <li>• Available only in right cutting version</li> </ul>   | D106-250-SB       | 250             | 68                                       | 1              | 4010220030905 | 5               | V5                  | 36,08 |
| <b>Universal snips with wide blade D106A</b>  |   |                   |                 |  |                |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>• For straight and curved cuts (large radii)</li> <li>• PVC dipped handles</li> <li>• Available only in right cutting version</li> </ul>   | D106A-250-SB      | 250             | 67                                       | 1              | 4010220025635 | 5               | V5                  | 36,53 |
| <b>Berlin pattern snips D202/D102</b>   |   |                   |                 |  |                |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>• For straight cuts</li> <li>• D202 – Painted handles</li> <li>• D102 – PVC dipped handles</li> <li>• Available only in right cutting version</li> </ul>   | D202-250          | 250             | 60                                       | 1              | 4010220000571 | 5               | V5                  | 34,82 |
|   |   | D202-300          | 300             | 79                                       | 1              | 4010220000595 | 5               | V5                  | 43,61 |
|   |   | D102-250          | 250             | 60                                       | 1              | 4010220000519 | 5               | V5                  | 24,66 |
|   |   | D102-250-SB       | 250             | 60                                       | 1              | 4010220024843 | 5               | V5                  | 25,80 |
|   |   | D102-300          | 300             | 79                                       | 1              | 4010220000533 | 5               | V5                  | 30,71 |
| <b>American pattern snips D146</b>  |   |                   |                 |  |                |               |                 |                     |       |
|  | <ul style="list-style-type: none"> <li>• For straight cuts</li> <li>• Available only in left cutting version</li> <li>• PVC dipped handles</li> </ul>   | D146-200          | 200             | 41                                       | 1              | 4010220023334 | 6               | V5                  | 19,53 |
|   |   | D146-250          | 250             | 54                                       | 1              | 4010220023341 | 6               | V5                  | 22,50 |
|   |   | D146-300          | 300             | 68                                       | 1              | 4010220023358 | 6               | V5                  | 28,89 |
|   |   | D146-350          | 350             | 72                                       | 1              | 4010220023365 | 6               | V5                  | 39,16 |










# BESSEY Price list valid from April 1st, 2025










|   |   | Order no. | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty. | Dis-count group | Price per piece EUR |
|---|---|-----------|-------------------|-----------------|--|----------------|---------|-----------------|---------------------|
| <b>Display, unstocked DVK</b>   |   |           |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>• Wire display for up to 42 snips, 6 different types of snips</li> <li>• With label, adhesive label and scanner rail</li> <li>• For counter and perforated panel</li> </ul>  | DVK       |                   |                 |  | 4010220030998  | 1       | V6              | 185,99              |
| <b>Strong multi-purpose cutters D52-2</b>   |   |           |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>• Cutting edge and handle forged in one piece for high stability</li> <li>• Edges with serrations for slip-proof working</li> <li>• ERGO-handle for increased comfort – reduced hand fatigue</li> <li>• Blades are sandblasted and chromium-plated for corrosion protection</li> <li>• Cuts cold-rolled steel up to 0.6 mm thick</li> <li>• On carded hang pack</li> </ul> | D52-2     | 200               | 53              |  | 4010220031971  | 10      | V5              | 25,69               |
| <b>MULTISNIP Master D51A</b>  |   |           |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>• For long continuous straight and curved cuts</li> <li>• All metal parts are made of stainless steel</li> <li>• Handle made of robust fibreglass-reinforced plastic with a soft material insert</li> <li>• On carded hang pack</li> </ul>   | D51A      | 235               | 50              | 0,4                                      | 4010220028933  | 5       | V5              | 23,41               |
| <b>Combinox D50</b>   |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• Stainless steel blades</li> <li>• Ergonomically designed handles with soft-insert</li> <li>• With wire guide for cutting binding wire to Ø 2.5 mm</li> <li>• Circular cutting to stop for stripping cable from Ø 1.0 to 1.5 mm</li> <li>• On carded hang pack</li> </ul>   | D50       | 190               | 40              |  | 4010220018439  | 10      | V5              | 27,51               |
| <b>Multi-purpose cutters D47-2/D48-2</b>  |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> <li>• Stainless steel blades</li> <li>• On carded hang pack</li> </ul>  | D47-2     | 140               | 31              |  | 4010220030172  | 15      | V5              | 19,29               |
|   |   | D48-2     | 190               | 42              |  | 4010220030141  | 10      | V5              | 21,12               |
| <b>Angled combi snips D48A-2</b>  |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> <li>• Stainless steel blades</li> <li>• Offset blades</li> <li>• On carded hang pack</li> </ul>   | D48A-2    | 190               | 36              |  | 4010220030165  | 10      | V5              | 22,15               |
| <b>Cable cutters D49-2</b>  |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> <li>• For multicore cables with diameter up to 10 mm</li> <li>• Stainless steel blades</li> <li>• On carded hang pack</li> </ul>  | D49-2     | 165               |                 |  | 4010220030158  | 10      | V5              | 22,15               |
| <b>Multi-purpose cutters D47/D48</b>  |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• Stainless steel blades</li> <li>• Edges with serrations for slip-proof working</li> <li>• On carded hang pack</li> </ul>   | D47       | 140               | 31              |  | 4010220024478  | 15      | V5              | 15,64               |
|   |   | D48       | 190               | 42              |  | 4010220024522  | 10      | V5              | 17,01               |










|   |   | Order no. | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty. | Dis-count group | Price per piece EUR |
|---|---|-----------|-------------------|-----------------|--|----------------|---------|-----------------|---------------------|
| <b>Angled combi snips D48A</b>  |   |           |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>• Stainless steel blades</li> <li>• Offset blades</li> <li>• Edges with serrations for slip-proof working</li> <li>• On carded hang pack</li> </ul>  | D48A      | 190               | 38              |  | 4010220024539  | 10      | V5              | 18,27               |
| <b>Cable cutters D49</b>  |   |           |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>• For multicore cables with diameter up to 10 mm</li> <li>• Stainless steel blades</li> <li>• On carded hang pack</li> </ul>   | D49       | 160               |                 |  | 4010220024454  | 10      | V5              | 18,27               |
| <b>Folding utility knife DBK-EU</b>   |   |           |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>• Comfortable plastic handle</li> <li>• Thumb cushion for max. contact pressure</li> <li>• Blade compartment with 5 replacement blades included</li> <li>• Quick blade exchange</li> <li>• Belt clip</li> <li>• On carded hang pack</li> </ul>   | DBKPH-EU  | 160               | 28              |  | 4010220030509  | 12      | V6              | 26,60               |
|   | <ul style="list-style-type: none"> <li>• High quality wooden handle</li> <li>• Quick blade exchange</li> <li>• Belt clip</li> <li>• On carded hang pack</li> </ul>  | DBKWH-EU  | 160               | 28              |  | 4010220030516  | 12      | V6              | 24,77               |
|  | <ul style="list-style-type: none"> <li>• Light weight aluminium handle</li> <li>• Quick blade exchange</li> <li>• Belt clip</li> <li>• On carded hang pack</li> </ul>   | DBKAH-EU  | 160               | 28              |  | 4010220030523  | 12      | V6              | 23,18               |
| <b>Knife-set DBKPH-SET</b>  |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• Knife with comfortable plastic handle</li> <li>• Practical nylon zip-up case</li> <li>• Four different blades for different tools</li> <li>• On carded hang pack</li> </ul>  | DBKPH-SET |                   |                 |  | 4010220030752  | 8       | V6              | 39,39               |
| <b>Spare blades DBK</b>   |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• Suitable for all BESSEY bladed folding utility knives</li> <li>• On carded hang pack</li> </ul>  | DBK-T     | 60                |                 |  | 4010220030790  | 50      | V6              | 4,45                |
|  |   | DBK-H     | 50                |                 |  | 4010220030806  | 50      | V6              | 7,19                |
|  |   | DBK-L     | 87                |                 |  | 4010220030813  | 50      | V6              | 7,76                |
| <b>Multitool DBST</b>   |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• 1 Multitool with 7 options: Shears, blade, saw, file, Phillips head screwdriver and large and small slotted screwdriver</li> <li>• Cuts: Leather, rope, vinyl, thin cable, cord, thin plastic, paper and much more besides</li> <li>• With a robust belt pouch for secure, it provides handy storage</li> <li>• Stainless steel handle with soft cushioned elements for slip-free work</li> <li>• On carded hang pack</li> </ul> | DBST      |                   | 55              |  | 4010220031483  | 8       | V6              | 35,85               |
| <b>Jewellers' snips D70/D71</b>   |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• Closed handles</li> <li>• Completely nickel coated</li> </ul>  | D70-1     | 180               | 31              |  | 4010220001875  | 12      | V5              | 16,21               |
|   |   | D71-1     | 175               | 32              |  | 4010220001899  | 12      | V5              | 18,38               |
| <b>Jewellers' snips D72</b>   |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• Open handles</li> <li>• Completely nickel coated</li> </ul>  | D72-1     | 180               | 31              |  | 4010220001912  | 12      | V5              | 16,21               |

# BESSEY Price list valid from April 1st, 2025

|   | Order no.   | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|---|-------------------|-----------------|--|----------------|---------------|-----------------|---------------------|--------|
| <b>Jewellers' snips D74/D75</b>   |   |                   |                 |  |                |               |                 |                     |        |
|    | • With handle loops<br>• Completely nickel coated   | D74-1             | 180             | 34                                       |                | 4010220001950 | 12              | V5                  | 15,87  |
|   |   | D75-1             | 175             | 33                                       |                | 4010220001974 | 12              | V5                  | 18,38  |
| <b>Jewellers' snips D76</b>   |   |                   |                 |  |                |               |                 |                     |        |
|    | • Closed handle with spring<br>• Completely nickel coated   | D76-1             | 180             | 26                                       |                | 4010220001998 | 12              | V5                  | 18,61  |
| <b>Multi-purpose shears D820</b>  |   |                   |                 |  |                |               |                 |                     |        |
|    | • Stainless steel blades<br>• Comfortable handles loops with soft cushion inserts<br>• On carded hang pack  | D820-200          | 200             | 80                                       |                | 4010220029985 | 12              | V5                  | 17,36  |
|   |   | D820-250          | 250             | 105                                      |                | 4010220029992 | 12              | V5                  | 23,74  |
| <b>Multi-purpose shears D821</b>  |   |                   |                 |  |                |               |                 |                     |        |
|    | • Stainless steel blades<br>• Comfortable handles loops with soft cushion inserts<br>• On carded hang pack  | D821-160          | 160             | 70                                       |                | 4010220002537 | 12              | V5                  | 13,01  |
|   |   | D821-180          | 180             | 80                                       |                | 4010220002544 | 12              | V5                  | 15,53  |
| <b>Electricians' scissors D53</b>   |   |                   |                 |  |                |               |                 |                     |        |
|  | • Nickel plated serrated blades<br>• With a wire cutter   | D53               | 125             | 40                                       |                | 4010220002063 | 12              | V5                  | 16,21  |
| <b>Household and dressmakers' shears D840</b>                                       |   |                   |                 |  |                |               |                 |                     |        |
|  | • Completely nickel coated  | D840-150          | 150             | 50                                       |                | 4010220002612 | 12              | V5                  | 12,44  |
|   |   | D840-180          | 180             | 77                                       |                | 4010220002629 | 12              | V5                  | 16,21  |
| <b>Paperhangers' and paper shears D853</b>  |   |                   |                 |  |                |               |                 |                     |        |
|  | • Completely nickel coated  | D853-200          | 200             | 95                                       |                | 4010220002766 | 12              | V5                  | 20,78  |
| <b>Industrial and professional shears D860</b>                                      |   |                   |                 |  |                |               |                 |                     |        |
|  | • Robust design<br>• Black handle<br>• Oblong and round handle loops  | D860-200          | 200             | 80                                       |                | 4010220024553 | 6               | V5                  | 21,69  |
|   |   | D860-225          | 225             | 85                                       |                | 4010220002827 | 6               | V5                  | 27,17  |
|   |   | D860-250          | 250             | 90                                       |                | 4010220024560 | 6               | V5                  | 33,56  |
| <b>Safety strap cutter D123S</b>  |   |                   |                 |  |                |               |                 |                     |        |
|  | <ul style="list-style-type: none"> <li>• One-handed operation with little effort thanks to double leverage</li> <li>• Metal fastening will not spring up dangerously due to safety hold mechanism in the snip</li> <li>• Flat lower jaw easily slips under taut banding</li> <li>• Can even be used with hardened steel belts (560 N/mm<sup>2</sup>) with belt widths up to 32 mm, belt thicknesses up to 1 mm</li> <li>• Induction hardened cutting edge for a long service life</li> <li>• ERGO-handle for increased comfort – reduced hand fatigue!</li> </ul> | D123S             | 260             | 38                                       |                | 4010220030981 | 5               | V5                  | 163,05 |
|   |   | D123S-SB          | 260             | 38                                       |                | 4010220031018 | 5               | V5                  | 164,18 |

|   | Order no.  | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty.       | Dis-count group | Price per piece EUR |        |
|---|--|-------------------|-----------------|--|----------------|---------------|-----------------|---------------------|--------|
| <b>Steel strap cutter D122N</b>   |  |                   |                 |  |                |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>The lower holder prevents band ends from springing up</li> <li>For band width up to 25 mm, band thickness up to 0,6 mm</li> <li>Flat lower jaw easily slips under taut banding</li> <li>Painted handles</li> </ul>            | D122N             | 225             | 31                                       |                | 4010220020616 | 5               | V5                  | 44,98  |
| <b>Steel strap cutter D122A</b>   |  |                   |                 |  |                |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>Flat lower jaw easily slips under taut banding</li> <li>High price to performance ratio</li> <li>For band width up to 25 mm, band thickness up to 0,6 mm</li> <li>PVC dipped handles</li> </ul>                               | D122A             | 260             | 30                                       |                | 4010220001585 | 5               | V5                  | 41,34  |
|   |  | D122A-SB          | 260             | 30                                       |                | 4010220030912 | 5               | V5                  | 42,47  |
| <b>Seaming and clinching pliers D33/D34/D35</b>                                     |  |                   |                 |  |                |               |                 |                     |        |
|    | <ul style="list-style-type: none"> <li>Forged in quality steel</li> <li>Black powder coated</li> <li>Minimum jaw depth straight 60 mm</li> <li>Minimum jaw depth bent 50 mm</li> </ul>   | D33-60            | 280             |  |                | 4010220003091 | 6               | V6                  | 87,46  |
|   |  | D331-40           | 280             |  |                | 4010220027424 | 6               | V6                  | 64,40  |
|   |  | D331-60           | 280             |  |                | 4010220003114 | 6               | V6                  | 51,61  |
|   |  | D331-80           | 320             |  |                | 9002793006147 | 5               | V6                  | 105,75 |
|   |  | D34-60            | 270             |  |                | 4010220003145 | 6               | V6                  | 100,13 |
|   |  | D341-40           | 270             |  |                | 4010220027431 | 6               | V6                  | 77,75  |
|   |  | D341-60           | 270             |  |                | 4010220021989 | 6               | V6                  | 55,15  |
|   |  | D341-80           | 320             |  |                | 9002793006208 | 5               | V6                  | 118,03 |
|  |  | D35-60            | 255             |  |                | 4010220003183 | 6               | V6                  | 104,36 |
|   |  | D351-60           | 255             |  |                | 4010220003190 | 6               | V6                  | 62,90  |
| <b>Seaming and clinching pliers D33-P/D34-P/D35-P</b>                               |  |                   |                 |  |                |               |                 |                     |        |
|  | <ul style="list-style-type: none"> <li>Forged in quality steel</li> <li>Black powder coated</li> <li>PVC-coated handle</li> <li>Minimum jaw depth straight 60 mm</li> <li>Minimum jaw depth bent 50 mm</li> </ul>  | D33-60-P          | 280             |  |                | 4010220021927 | 6               | V6                  | 89,40  |
|   |  | D331-60-P         | 280             |  |                | 4010220021941 | 6               | V6                  | 53,54  |
|  |  | D34-60-P          | 270             |  |                | 4010220021972 | 6               | V6                  | 102,07 |
|   |  | D341-60-P         | 270             |  |                | 4010220022009 | 6               | V6                  | 57,08  |
|  |  | D35-60-P          | 255             |  |                | 4010220022047 | 6               | V6                  | 106,30 |
|   |  | D351-60-P         | 255             |  |                | 4010220022078 | 6               | V6                  | 64,86  |
| <b>Mini-folding pliers D331-22/D341-22</b>  |  |                   |                 |  |                |               |                 |                     |        |
|  | <ul style="list-style-type: none"> <li>For small and precise seaming – and bending operations</li> <li>Forged from quality steel</li> <li>PVC-coated handles</li> <li>Completely hardened</li> <li>Jaw depth straight 30 mm</li> <li>Jaw depth bent 28 mm</li> </ul> | D331-22           | 180             |  |                | 4010220002575 | 10              | V6                  | 54,13  |
|   |  | D341-22           | 180             |  |                | 4010220002681 | 10              | V6                  | 60,51  |

# BESSEY Price list valid from April 1st, 2025

|   |   | Order no. | Overall length mm | Blade length mm | Sheet thickness (600 N/mm <sup>2</sup> ) | Barcode BESSEY | PU qty. | Dis-count group | Price per piece EUR |
|---|---|-----------|-------------------|-----------------|--|----------------|---------|-----------------|---------------------|
| <b>Flat-nosed pliers for sheet metal work D301</b>                                  |   |           |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>• Forged from quality steel</li> <li>• PVC-coated handles</li> <li>• Flat jawed pliers</li> <li>• Jaw depth 45 mm</li> <li>• Serration every 0.8 mm</li> </ul>                                 | D301      | 240               |                 |  | 4010220003015  | 6       | V6              | 51,15               |
| <b>Round nosed pliers D311</b>  |   |           |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>• Forged from quality steel</li> <li>• PVC-coated handles</li> <li>• Round jawed pliers</li> <li>• Jaw depth 50 mm</li> <li>• Serration every 1 mm</li> </ul>                                  | D311      | 260               |                 |  | 4010220003039  | 6       | V6              | 51,15               |
| <b>Folding pliers D355</b>  |   |           |                   |                 |  |                |         |                 |                     |
|    | <ul style="list-style-type: none"> <li>• Forged from quality steel</li> <li>• Bronzed</li> <li>• PVC-coated handles</li> </ul>  | D355      | 250               |                 |  | 9002793211008  | 5       | V6              | 78,29               |
| <b>Corner seaming and clinching pliers D335</b>                                     |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• Forged from quality steel</li> <li>• Bronzed</li> <li>• PVC-coated handles</li> <li>• Jaw depth 65 mm</li> </ul>   | D335      | 280               |                 |  | 9002793211398  | 5       | V6              | 113,12              |
| <b>Squeeze-folding pliers D336</b>  |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• Forged in quality steel</li> <li>• Burnished</li> <li>• PVC-coated handles</li> <li>• Jaw depth 80 mm</li> </ul>   | D336      | 320               |                 |  | 9002793211435  | 5       | V6              | 165,23              |
| <b>Pipe-pulling pliers D36</b>  |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• 3 bottom- and 2 top jaws enable quick and efficient work</li> <li>• Self-opening</li> <li>• Completely galvanised</li> <li>• PVC-coated handles</li> <li>• Jaw depth 28 mm</li> </ul>        | D36       | 250               |                 |  | 4010220002407  | 1       | V6              | 53,78               |
| <b>Gutter support bowing pliers open shap D396</b>                                  |   |           |                   |                 |  |                |         |                 |                     |
|  | <ul style="list-style-type: none"> <li>• 10 mm recess width for gutter irons up to 40 x 6 mm</li> <li>• Head made of rust-proof malleable cast iron</li> <li>• Gliding role for protecting the plastic-coated gutter irons</li> </ul> | D396      | 680               |                 |  | 4010220002704  | 1       | V6              | 143,15              |



# Clamping tools and Cutting tools by professionals for professionals



When it comes to innovative solutions for clamping and fixing workpieces and cutting sheet metal, this is the right place. No matter if classic clamps, traditional sheet metal snips or special solutions are required for special work requirements, BESSEY offers the right clamping and cutting tool for every craftsman in wood and metalworking in order to optimally support it in its work.



Detailed information  
about all products at  
[www.bessey.de/en-gb](http://www.bessey.de/en-gb)

## Clamping tools




High-performance clamps



Grip pliers



Metal angle clamps




Clamping elements for  
welding tables


## Cutting tools



Compound leverage snips



Shape and straight cutting snips  
D15A



Multi-purpose cutters



Folding utility knives  
and multitool



BESSEY  
Imagefilm

BESSEY Tool GmbH & Co. KG ■ Mühlwiesenstraße 40  
74321 Bietigheim-Bissingen, Germany  
Fon +49 7142 401-0 ■ Fax +49 7142 401-452  
E-Mail: [tool-info@bessey.de](mailto:tool-info@bessey.de)

More information  
[www.bessey.de](http://www.bessey.de)

