

SIMPLY BETTER.

BESSEY Pricelist

(July 2025)



25

26

Table of contents

A		
Adapter for multifunction tables STC-SET-T20.....	20	
Adapter for multifunction tables STC-SET-T20.....	28	
All-steel screw clamp classiX GS with tommy bar.....	12	
All-steel screw clamp classiX GS with tried-and-tested wooden handle.....	11	
All-steel table clamp GTR.....	25	
All-steel table clamp GTRH with lever handle.....	25	
Aluminium mini clamp AM.....	24	
American pattern snips D146.....	38	
Angle clamp WS.....	26	
Angle clamp WS.....	26	
Angled combi snips D48A.....	40	
Angled combi snips D48A-2.....	39	
Angle door frame straightening clamp WTR.....	29	
Area pressure clamps FK.....	22	
Aviation snips D16.....	35	
Aviation snips D16L.....	35	
Aviation snips D16S.....	36	
Aviation snips display D16S-D.....	36	
B		
Band clamp BAN 400.....	26	
Band clamp BAN 700.....	26	
BAS-CB compact clamp, fixing hole closed.....	19	
BAS-C compact clamp, fixing hole open.....	18	
Base unit BASO.....	19	
Bench dog for multifunctional tables BH-MFT.....	28	
Berlin pattern snips D202/D102.....	38	
NEW Body clamp set KRE-SET-A.....	21	
Box clamp KS.....	22	
C		
Cable cutters D49.....	40	
Cable cutters D49-2.....	39	
C-clamp CDF-C.....	16	
C-clamp SC.....	15	
C-clamp VC.....	15	
Ceiling tripod attachment STE-DS.....	31	
C-frame edge clamp KT.....	27	
C-grip GRZC.....	16	
Clamping element for multifunction tables TW-KLI (2 pcs./bag).....	28	
NEW Clamping element with fixed throat depth TW.....	17	
NEW Clamping element with fixed throat depth TW.....	27	
Clamping element with gripping arm TW28GRS.....	18	
Clamping element with special pressure plate TWM28.....	17	
Clamping element with variable throat depth TWV.....	17	
Clamping element with variable throat depth TWV.....	27	
NEW Clamping tool set for working on the table MFT-A.....	28	
Clamp trolley ZW 1.....	33	
Clamp trolley ZW 2.....	33	
Claw clamp GRA.....	14	
Claw machine clamp GRS.....	19	
Combi-bag for ceiling supports STE-BAG.....	32	
Combinox D50.....	39	
Complete sliding arm for GSV sizes.....	15	
Complete sliding arm for SLV sizes.....	15	
Construction tripod STE-BS.....	32	
Corner seaming and clinching pliers D335.....	43	
NEW Cross connector STE-CC-SET.....	32	
D		
Deep throat clamp TGNT with tried-and-true wooden handle.....	10	
Deep throat screw clamp TGNT with tommy bar.....	10	
Die-cast zinc screw clamp LM.....	24	
Display, unstocked DVK.....	39	
Door frame assembly device TMS.....	30	
Door frame brace extension TUX.....	29	
Door frame clamp set TU-TRAGE.....	29	
Door frame clamp TU.....	29	
Door frame straightening clamp TFM.....	29	
E		
Earth (ground) clamp CP.....	16	
Earth (ground) clamp LP / TP with thumb screw.....	16	
Earth (ground) clamp LP / TP with tried-and-true wooden handle.....	16	
Earth (ground) clamp TP with tommy bar.....	16	
Edge clamp Kantenfix KF.....	27	
Edge clamp KT.....	17	
Edge clamp KT.....	27	
Electricians' scissors D53.....	41	
Extension TWX.....	18	
F		
Fitters' clamp classiX GSL.....	14	
Fitters' clamp SLM.....	13	
Flat-nosed pliers for sheet metal work D301.....	43	
Flooring and clamping system SVH/SVG.....	30	
Folding pliers D355.....	43	
Folding utility knife DBK-EU.....	40	
Framing set KP.....	21	
G		
GearKlamp GK.....	22	
GSV size rails.....	15	
Gutter support bowing pliers open shap D396.....	43	
H		
Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle.....	9	
Heavy duty malleable cast iron screw clamp TGK with 2-component plastic handle.....	6	
Heavy duty malleable cast iron screw clamp TGK with tommy bar.....	8	
Heavy duty malleable cast iron screw clamp TGK with tried-and-true wooden handle.....	7	
Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle.....	9	
High-performance clamp classiX GSM.....	14	
High-performance clamp SGM.....	13	
High-performance clamp SGTm, large throat depth.....	13	
High-performance clamp STBM.....	13	
High-performance clamp STBS.....	13	
High-performance clamp STBVC.....	13	
High-tech lever clamp KliKlamp counter display KLI-D.....	24	
High-tech lever clamp KliKlamp KLI.....	24	
High-tech lever clamp KliKlamp set in systainer KLI-S.....	24	
Hold down table clamps BS.....	19	
Hold down table clamps BSG.....	19	
Horizontal fixture clamp WNS-SET-MFT.....	28	
Horizontal toggle clamp with open arm and horizontal base plate STC-HH.....	19	
Household and dressmakers' shears D840.....	41	
HSS punch snips D407.....	36	
HSS shape and straight cutting snips D27AH.....	36	
HSS shape and straight cutting snips D416.....	37	
HSS shape and straight cutting snips HSS D416-280L.....	37	
HSS-TiN shape and straight cutting snips D27AH-TiN.....	36	
I		
Ideal snips, manoeuvrable D08.....	35	
Industrial and professional shears D860.....	41	
NEW Installation kit BEYCEPS BEY-IK.....	20	
Installation kit for EZ-TD decking boards EZ-TD.....	23	
J		
Jewellers' snips D70/D71.....	40	
Jewellers' snips D72.....	40	
Jewellers' snips D74/D75.....	41	
Jewellers' snips D76.....	41	
K		
K Body parallel clamp extender KBX.....	22	
K Body REVO parallel clamp KRE.....	21	
Knife-set DBKPH-SET.....	40	
KombiKlamp SG-VAD.....	14	
L		
NEW Large multifunction fixture STE-MH-SET.....	32	
Lever clamp classiX GSH.....	13	
Lever clamp GH.....	12	
Lever clamp SGHS, heavy duty.....	12	
Light duty bar clamp U-style LMU.....	24	
Lightweight parallel clamp UK UniKlamp.....	22	
M		
Malleable cast iron screw clamp TGRC with tried-and-true wooden handle.....	9	
Malleable cast iron screw clamp TPN with 2-component plastic handle.....	8	
Malleable cast iron screw clamp TPN with tried-and-true wooden handle.....	8	
Mini-folding pliers D331-22/D341-22.....	42	
Mini Vice S 10.....	25	
Mitre clamping system MCX.....	26	
Multi angle pad VAD (2 pcs./bag).....	16	
Multi-function/laser fixture STE-LH.....	31	
Multi-purpose cutters D47-2/D48-2.....	39	
Multi-purpose cutters D47/D48.....	39	
Multi-purpose shears D820.....	41	
Multi-purpose shears D821.....	41	
MULTISNIP Longstyle D22A.....	35	
MULTISNIP Master D51A.....	39	
Multitool DBST.....	40	
N		
Needle nose spring clamp Clippix XCL.....	26	
O		
OMEGA screw clamp GMZ with 2-component plastic handle.....	12	
OMEGA-screw clamp GMZ with tommy bar.....	12	
One-handed clamp DuoKlamp DUO.....	23	
One-handed clamp EHZ with 2-component handle.....	22	
One-handed clamp EZ.....	23	
One-handed clamp EZS.....	23	
NEW One-handed clamp set EZM-EZL-SET.....	23	
NEW One-handed clamp with rotating handle EZ360.....	22	
One-handed edge clamp EKT.....	26	
NEW One-handed lifting tool BEYCEPS BEY23.....	20	
One-handed table clamp EZR (2 pcs./package).....	25	
Original BESSEY all-steel screw clamp GZ with 2-component plastic handle.....	10	
Original BESSEY all-steel screw clamp GZ with swivel handle.....	11	
Original BESSEY all-steel screw clamp GZ with tommy bar.....	11	
Original BESSEY all-steel screw clamp GZ with tried-and-tested wooden handle.....	11	
Original BESSEY malleable cast iron screw clamp TG with 2K plastic handle.....	6	
Original BESSEY malleable cast iron screw clamp TG with tommy bar.....	7	
Original BESSEY malleable cast iron screw clamp TG with tried-and-true wooden handle.....	7	

P		Vario table clamping attachment TWVAD (2 pcs./bag)	18
Panel carrier KFP	27	Vertical toggle clamp with open arm and horizontal base plate STC-VH.....	19
Paperhangers' and paper shears D853	41	W	
Parallel grip GRZ.....	16	Welders' angle clamps WSM.....	17
Parallel screw clamp PA.....	24	Welding clamp set SM 10.....	17
Pelican snips D218/D118.....	37	Window installation clamp FRK.....	30
Pipe clamping set BPC.....	30	Wood Klemmy HKL.....	24
Pipe grip GRZRO.....	16	Workbench adapter TW16AW.....	27
Pipe-pulling pliers D36.....	43		
Pressure cap strips SKS (2 pcs./bag).....	7		
Pressure cap strips SKS (2 pcs./bag).....	11		
Pressure cap strips SKS (2 pcs./bag).....	12		
Pressure piece GRD (2 pcs./bag).....	14		
Punch snips D207/D107.....	38		
Punch snips with curved blades D208.....	38		
Push/pull clamp with horizontal base plate STC-IHH.....	20		
R			
Rafter clamp SPZ.....	23		
Ratchet clamp XCR.....	26		
Replacement contact surface.....	31		
Round nosed pliers D311.....	43		
S			
Safety strap cutter D123S.....	41		
Sash clamps TB with T-profile 40 x 40 x 5 mm.....	30		
Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm.....	30		
Seaming and clinching pliers D33/D34/D35.....	42		
Seaming and clinching pliers D33-P/D34-P/D35-P.....	42		
Seaming tool PS 55.....	29		
Seaming tool PS 130, big and strong.....	29		
Set of aviation snips DSET16.....	36		
Set of shape and straight cutting snips DSET15.....	36		
Set of shape and straight cutting snips DSET29-15.....	34		
Set of standard tin snips DSET-SF3.....	37		
Shape and straight cutting snips D27A.....	34		
Shape and straight cutting snips D29ASS-2.....	34		
Shape and straight cutting snips D39ASS.....	34		
Shape and straight cutting snips D212/D116.....	37		
Shape and straight cutting snips D216...-SBSK.....	37		
Shape and straight cutting snips, robust D17ASS/D17A.....	35		
Shape and straight cutting snips, small and manoeuvrable D15A.....	36		
Shape cutting punch snips D214/D114.....	38		
Shape cutting snips D27.....	35		
Shape cutting snips D29SS-2.....	34		
SLV size rails.....	15		
NEW Small construction tripod STE-KBS.....	32		
Spacer AV2 (4 pcs./bag).....	30		
Spacer PVA.....	30		
Spare blades DBK.....	40		
Special pressure plate.....	15		
Special pressure plate for SPZ80K.....	23		
Special pressure plate for TWM28.....	17		
Spring clamp Clippix XC.....	25		
Spring clamp VarioClippix XV.....	25		
Spring clamp VarioClippix XV.....	25		
Spring clamp XM.....	26		
Squeeze-folding pliers D336.....	43		
STC accessory set for multifunction tables.....	20		
STC accessory set for multifunction tables.....	29		
Steel strap cutter D122A.....	42		
Steel strap cutter D122N.....	42		
Straight cutting snips D27B.....	35		
Straight cutting snips D29BSS-2.....	34		
Strong multi-purpose cutters D52-2.....	39		
Support plate STE-SP35.....	31		
T			
Table clamp.....	22		
Table clamp.....	25		
Telescopic drywall support ST.....	31		
NEW Telescopic drywall support STE with pump grip.....	31		
Tilting adapter TW28AV.....	18		
Tilting K Body clamp adapter KR-AS (2 pcs./bag).....	21		
Toggle clamp adapter TWA-STC.....	18		
Toggle clamp systainer STC-S-MFT.....	28		
U			
Universal snips D106.....	38		
Universal snips with wide blade D106A.....	38		
U-shaped all-steel screw clamp GUZ.....	14		
U-shaped high-performance clamp SGU.....	14		
U-shaped high-performance clamp STBU.....	14		
U-shaped lever clamp GUH.....	14		
V			
Variable high performance clamps - Complete set GSV.....	15		
Variable high-performance clamps - Complete set SLV.....	15		
Variable jaw KRE-VO.....	21		
Vario corners BVE (6 pcs./bag).....	26		
Vario K Body REVO parallel clamp KREV.....	21		

All prices are non-binding recommended prices without sales tax.

V1-V3 = Clamping Technology discount groups

V4-V6 = Cutting Technology discount groups

PU = Packaging unit

You have to place your orders only in packaging units.

L = Left cut design

SB = On carded hang pack

Standard tin snips with a rocker spring, available on request for an extra charge.

The BESSEY Product Development Department reserves the right for technical alterations.

Errors and omissions excepted to the best of our knowledge the information supplied is accurate.

Note that you are not entitled to any claims from the contact or delict, in particular product liability claims due to personal injuries or material damage, from our company if you do not observe our **warning and usage notices**.

Alphabetic register

3100736.....	15	D29BSS-2.....	34	D216-280L-B-SBSK.....	37	FK20-10.....	22	GZ12-2K.....	10	KT5-2.....	27
3100736.....	17	D29BSSL-2.....	34	D218-300.....	37	FK40-10.....	22	GZ16.....	11	KT8-3.....	27
3100736.....	23	D29SS-2.....	34	D218-300L.....	37	FRK85.....	30	GZ16-2K.....	10	LM10/5.....	24
3100737.....	15	D29SSL-2.....	34	D218-350.....	37	GH12.....	12	GZ16K.....	11	LM10/5R8.....	22
3101192.....	15	D33-60.....	42	D301.....	43	GH16.....	12	GZ20.....	11	LM10/5R8.....	25
3101192.....	17	D33-60-P.....	42	D311.....	43	GH20.....	12	GZ20-2K.....	10	LM15/5.....	24
3101192.....	23	D34-60.....	42	D331-22.....	42	GH20-8.....	12	GZ20K.....	11	LM15/5R8.....	22
3101193.....	15	D34-60-P.....	42	D331-40.....	42	GH25.....	12	GZ25.....	11	LM15/5R8.....	25
3101193.....	17	D35-60.....	42	D331-60.....	42	GH30.....	12	GZ25-2K.....	10	LM15/8.....	24
3101193.....	23	D35-60-P.....	42	D331-60-P.....	42	GH30-12.....	12	GZ25K.....	11	LM20/5.....	24
3101329.....	15	D36.....	43	D331-80.....	42	GH40.....	12	GZ25KG.....	11	LM20/8.....	24
3101330.....	15	D39ASS.....	34	D335.....	43	GH40-12.....	12	GZ30.....	11	LM20/10.....	24
3101331.....	15	D39ASSL.....	34	D336.....	43	GH50.....	12	GZ30-2K.....	10	LM25/5.....	24
3101337.....	15	D39ASSL-SB.....	34	D341-22.....	42	GH60.....	12	GZ30-6.....	11	LM25/8.....	24
3101338.....	15	D39ASS-SB.....	34	D341-40.....	42	GH80.....	12	GZ30-10.....	11	LM25/10.....	24
3101426.....	15	D47.....	39	D341-60.....	42	GH100.....	12	GZ30-12.....	11	LM30/5.....	24
3101612.....	15	D47-2.....	39	D341-60-P.....	42	GK15.....	22	GZ30-12-2K.....	10	LM30/8.....	24
3101731.....	15	D48.....	39	D341-80.....	42	GK30.....	22	GZ30-12KG.....	11	LM30/10.....	24
3101732.....	15	D48-2.....	39	D351-60.....	42	GK45.....	22	GZ30K.....	11	LM40/10.....	24
3101733.....	15	D48A.....	40	D351-60-P.....	42	GK60.....	22	GZ40.....	11	LM50/10.....	24
3101952.....	31	D48A-2.....	39	D355.....	43	GM16Z-2K.....	12	GZ40-2K.....	10	LM60/10.....	24
AM4.....	24	D49.....	40	D396.....	43	GM20Z-2K.....	12	GZ40-8-2K.....	10	LM80/10.....	24
AV2.....	30	D49-2.....	39	D407-275.....	36	GM20ZK.....	12	GZ40-12.....	11	LMU10/5.....	24
BAN400.....	26	D50.....	39	D407-275L.....	36	GM25Z-2K.....	12	GZ40-12-2K.....	10	LMU15/5.....	24
BAN700.....	26	D51A.....	39	D407-300.....	36	GM25ZK.....	12	GZ40-12KG.....	11	LMU20/5.....	24
BAS-C9-4.....	18	D52-2.....	39	D407-300L.....	36	GM30Z-2K.....	12	GZ40K.....	11	LP-1.....	16
BAS-C10-6.....	18	D53.....	41	D416-280.....	37	GM30ZK.....	12	GZ50.....	11	LP-1F.....	16
BAS-CB9-4.....	19	D70-1.....	40	D416-280L.....	37	GM40Z-2K.....	12	GZ50-2K.....	10	MCX.....	26
BAS-CB10-6.....	19	D71-1.....	40	D418-300.....	37	GM50Z-2K.....	12	GZ50-12-2K.....	10	NEW MFT-A.....	28
BASQ.....	19	D72-1.....	40	D418-350.....	37	GM50ZK.....	12	GZ50-12KG.....	11	PA28.....	24
NEW BEY23.....	20	D74-1.....	41	D820-200.....	41	GM60Z-2K.....	12	GZ50K.....	11	PA40.....	24
NEW BEY-IK.....	20	D75-1.....	41	D820-250.....	41	GM60ZK.....	12	GZ60.....	11	PA55.....	24
BH-MFT.....	28	D76-1.....	41	D821-160.....	41	GRA30-12.....	14	GZ60-2K.....	10	PA70.....	24
BPC-H12.....	30	D102-250.....	38	D821-180.....	41	GRA60-12.....	14	GZ60-12-2K.....	10	PA105.....	24
BPC-H34.....	30	D102-250-SB.....	38	D840-150.....	41	GRA100-12.....	14	GZ60-12KG.....	11	PS55.....	29
BS2N.....	19	D102-300.....	38	D840-180.....	41	GRD.....	14	GZ60K.....	11	PS130.....	29
BS3N.....	19	D106-250-SB.....	38	D853-200.....	41	GRS20-12.....	19	GZ80.....	11	PVA.....	30
BS4N.....	19	D106A-250-SB.....	38	D860-200.....	41	GRZ10.....	16	GZ80-2K.....	10	RB269.....	22
BS5N.....	19	D107-250.....	38	D860-225.....	41	GRZ20.....	16	GZ80-12-2K.....	10	RB269.....	25
BS6N.....	19	D107-250L.....	38	D860-250.....	41	GRZC.....	16	GZ80K.....	11	S10-ST.....	25
BSG21-14.....	19	D107-250L-SB.....	38	DBKAH-EU.....	40	GRZRO.....	16	GZ100.....	11	SC40.....	15
BSP-C10-6.....	18	D107-250-SB.....	38	DBK-H.....	40	GS10.....	11	GZ100-2K.....	10	SC60.....	15
BSP-CB10-6.....	19	D107-275.....	38	DBK-L.....	40	GS12.....	11	GZ100-12-2K.....	10	SC80.....	15
BVE.....	26	D107-275L.....	38	DBKPH-EU.....	40	GS16.....	11	GZ100K.....	11	SC100.....	15
CDF403C.....	16	D107-300.....	38	DBKPH-SET.....	40	GS16K.....	12	GZ125.....	11	SC120.....	15
CDF404C.....	16	D107-300L.....	38	DBK-T.....	40	GS20.....	11	GZ125-2K.....	10	SC150.....	15
CDF406C.....	16	D114-250.....	38	DBKWH-EU.....	40	GS20K.....	12	GZ125K.....	11	SC200.....	15
CDF408C.....	16	D114-250L.....	38	DBST.....	40	GS25.....	11	HKL20.....	24	SG-25HS.....	12
CDF410C.....	16	D116-260.....	37	DSET15.....	36	GS25K.....	12	HKL30.....	24	SG25M.....	13
CP-F.....	16	D116-260L.....	37	DSET16.....	36	GS30.....	11	HKL40.....	24	SG30M.....	13
D08.....	35	D116-260L-SB.....	37	DSET29-15.....	34	GS30K.....	12	HKL60.....	24	SG30T20M.....	13
D08L.....	35	D116-260-SB.....	37	DSET-SF3.....	37	GS40.....	11	HKL80.....	24	SG30VAD.....	14
D08L-SB.....	35	D116-280.....	37	DUO16-8.....	23	GS40K.....	12	HKL100.....	24	SG40M.....	13
D08-SB.....	35	D116-280L.....	37	DUO30-8.....	23	GS50.....	11	KBX20.....	22	SG-50HS.....	12
D15A.....	36	D116-280L-SB.....	37	DUO45-8.....	23	GS50K.....	12	KF2.....	27	SG50M.....	13
D15AL.....	36	D116-280-SB.....	37	DUO65-8.....	23	GS60.....	11	KF4.....	27	SG60M.....	13
D15AL-SB.....	36	D118-300.....	37	DVK.....	39	GS60K.....	12	KFP.....	27	SG60T20M.....	13
D15A-SB.....	36	D118-300L.....	37	EHZ30-2K.....	22	GS80.....	11	KLI12.....	24	SG80M.....	13
D16.....	35	D118-300L-SB.....	37	EHZ60-2K.....	22	GS80K.....	12	KLI16.....	24	SG100M.....	13
D16L.....	35	D118-300-SB.....	37	EKT55.....	26	GS100.....	11	KLI20.....	24	SG125M.....	13
D16L-SB.....	35	D118-350.....	37	EZ360-15.....	22	GS100K.....	12	KLI25.....	24	SG150M.....	13
D16S.....	36	D122A.....	42	EZ360-30.....	22	GSH12.....	13	KLI30.....	24	SGU30-14-10.....	14
D16-SB.....	35	D122A-SB.....	42	EZ360-45.....	22	GSH16.....	13	KLI40.....	24	SKS10/20.....	7
D16S-D.....	36	D122N.....	42	EZ360-60.....	22	GSH20.....	13	KLI-D.....	24	SKS10/20.....	11
D16S-SB.....	36	D123S.....	41	NEW EZ360M-15.....	22	GSH25.....	13	KLI-S.....	24	SKS10/20.....	12
D17A.....	35	D123S-SB.....	41	NEW EZ360M-30.....	22	GSH30.....	13	KP.....	21	SKS20/40.....	7
D17AL.....	35	D146-200.....	38	NEW EZ360S-11SET.....	22	GSH40.....	13	KR-AS.....	21	SKS20/40.....	11
D17ASS.....	35	D146-250.....	38	EZL15-8.....	23	GSH50.....	13	KRE30-2K.....	21	SKS20/40.....	12
D17ASSL.....	35	D146-300.....	38	EZL30-8.....	23	GSH60.....	13	KRE60-2K.....	21	SL20M.....	13
D22A.....	35	D146-350.....	38	EZL45-8.....	23	GS130.....	14	KRE80-2K.....	21	SL25M.....	13
D22A-SB.....	35	D202-250.....	38	EZL60-8.....	23	GS160.....	14	KRE100-2K.....	21	SL30M.....	13
D27.....	35	D202-300.....	38	EZM15-6.....	23	GSM25.....	14	KRE125-2K.....	21	SL40M.....	13
D27A.....	34	D207-250.....	38	EZM30-6.....	23	GSM30.....	14	KRE150-2K.....	21	SL50M.....	13
D27AH.....	36	D207-250L.....	38	NEW EZM-EZL-SET.....	23	GSM40.....	14	KRE200-2K.....	21	SL60M.....	13
D27AHL.....	36	D207-275.....	38	EZR15SET.....	25	GSM50.....	14	KRE250-2K.....	21	SLV100M.....	15
D27AHL-TIN.....	36	D207-275L.....	38	EZS11-4SET.....	23	GSM60.....	14	NEW KRE-SET-A.....	21	SLV150M.....	15
D27AH-TIN.....	36	D207-300.....	38	EZS15-8.....	23	GSV300M.....	15	KREV100-2K.....	21	SLV200M.....	15
D27AL.....	34	D207-300L.....	38	EZS30-8.....	23	GTR12.....	25	KREV150-2K.....	21	SM10-SET.....	17
D27AL-SB.....	34	D208-275.....	38	EZS45-8.....	23	GTR12SET.....	25	KREV200-2K.....	21	SPZ60K.....	23
D27A-SB.....	34	D208-275L.....	38	EZS60-8.....	23	GTR16B6.....	25	KREV250-2K.....	21	SPZ80K.....	23
D27B.....	35	D214-250.....	38	EZS90-8.....	23	GTR16S6H.....	25	KRE-VO.....	21	ST125.....	31
D27BL.....	35	D214-250L.....	38	EZ-TD.....	23	GTR30B6.....	25	KS100.....	22	ST250.....	31
D27L.....	35	D216-260.....	37	EZXL30-9.....	23	GU25-12-6H.....	14	KS150.....	22	ST290.....	31
D29ASS-2.....	34	D216-260L.....	37	EZXL60-9.....	23	GU25-12-6ZK.....	14	KSV.....	22	STB30M.....	13
D29ASS-2-SB.....	34	D216-280.....	37	EZXL90-9.....	23	GZ10.....	11	KT5-1CP.....	17	STB40M.....	13
D29ASSL-2.....	34	D216-280-B-SBSK.....	37	FK16-8.....	22	GZ10-2K.....	10	KT5-1CP.....	27	STB50M.....	13
D29ASSL-2-SB.....	34	D216-280L.....	37			GZ12.....	11	KT5-2.....	17	STB60M.....	13

STB80M.....	13	TG30S12-2K.....	6	TGN60T30.....	10	TPN15B5BE.....	8	WS1.....	26
STB100M.....	13	TG40.....	7	TGN60T30K.....	10	TPN16BE.....	8	WS3.....	26
STB125M.....	13	TG40-2K.....	6	TGN60T40.....	10	TPN16BE-2K.....	8	WS6.....	26
STB150M.....	13	TG40B8.....	7	TGN60T40K.....	10	TPN20B5BE.....	8	WSM9.....	17
STBS30.....	13	TG40B8-2K.....	6	TGN60T50.....	10	TPN20B6BE.....	8	WSM12.....	17
STBS50.....	13	TG40K.....	7	TGN60T50K.....	10	TPN20B8BE.....	8	WTR.....	29
STBS100.....	13	TG40S10.....	7	TGN80T20.....	10	TPN20BE.....	8	XC1.....	25
STBU40-17-15.....	14	TG40S10-2K.....	6	TGN80T25.....	10	TPN20BE-2K.....	8	XC1-SET.....	25
STBVC15.....	13	TG40S12.....	7	TGN80T25K.....	10	TPN25B8BE.....	8	XC2.....	25
STBVC25.....	13	TG40S12-2K.....	6	TGN80T30.....	10	TPN25BE.....	8	XC3.....	25
STBVC35.....	13	TG40S12K.....	7	TGN80T30K.....	10	TPN25BE-2K.....	8	XC5.....	25
STC-HH20.....	19	TG40S14.....	7	TGN80T40.....	10	TPN25S10BE.....	8	XC7.....	25
STC-HH20SB.....	19	TG40S14-2K.....	6	TGN80T40K.....	10	TPN30B8BE.....	8	XCL2.....	26
STC-HH50.....	19	TG50S10.....	7	TGN80T50.....	10	TPN30BE.....	8	XCL2-SET.....	26
STC-HH50SB.....	19	TG50S10-2K.....	6	TGN80T50K.....	10	TPN30BE-2K.....	8	XCL5.....	26
STC-HH50-T20.....	20	TG50S12.....	7	TGN100T20.....	10	TPN30S10BE.....	8	XCR2.....	26
STC-HH50-T20.....	29	TG50S12-2K.....	6	TGN100T25.....	10	TPN30S12BE.....	8	XCR4.....	26
STC-HH70.....	19	TG50S14.....	7	TGN100T30.....	10	TPN40BE.....	8	XM3EU.....	26
STC-HH70SB.....	19	TG50S14-2K.....	6	TGN100T40.....	10	TPN40BE-2K.....	8	XM5EU.....	26
STC-HH70-T20.....	20	TG50S17.....	7	TGN150T30.....	10	TPN40S10BE.....	8	XM7EU.....	26
STC-HH70-T20.....	29	TG50S17-2K.....	6	TGN200T30.....	10	TPN40S12BE.....	8	XV3-50.....	25
STC-IHH15.....	20	TG60S12.....	7	TGN250T30.....	10	TPN40S12BE-2K.....	8	XV5-100.....	25
STC-IHH25.....	20	TG60S12-2K.....	6	TGRC10.....	9	TPN40S14BE.....	8	XV5-170.....	25
STC-IHH25SB.....	20	TG60S14.....	7	TGRC12.....	9	TPN50S12BE.....	8	ZW1.....	33
STC-IHH25-T20.....	20	TG60S14-2K.....	6	TGRC15B5.....	9	TPN50S12BE-2K.....	8	ZW1-A01.....	33
STC-IHH25-T20.....	29	TG60S17.....	7	TGRC16.....	9	TPN50S14BE.....	8	ZW1-A01-2K.....	33
STC-SET-T20.....	20	TG60S17-2K.....	6	TGRC20.....	9	TPN60S12BE.....	8	ZW1-A99-2K.....	33
STC-SET-T20.....	28	TG80S12.....	7	TGRC20B5.....	9	TPN60S12BE-2K.....	8	ZW2.....	33
STC-S-MFT.....	28	TG80S12-2K.....	6	TGRC20B6.....	9	TPN60S14BE.....	8	ZW2-A99.....	33
STC-VH20.....	19	TG80S14.....	7	TGRC20B8.....	9	TPN60S17BE.....	8	ZW2-A99-2K.....	33
STC-VH50.....	19	TG80S14-2K.....	6	TGRC25.....	9	TPN80S12BE.....	8		
STC-VH50-T20.....	20	TG80S17.....	7	TGRC25B8.....	9	TPN80S12BE-2K.....	8		
STC-VH50-T20.....	29	TG80S17-2K.....	6	TGRC25S10.....	9	TPN80S14BE.....	8		
NEW STE55.....	31	TG100S12.....	7	TGRC30.....	9	TPN80S17BE.....	8		
STE90.....	31	TG100S12-2K.....	6	TGRC30B6.....	9	TU.....	29		
NEW STE150.....	31	TG100S14.....	7	TGRC30B8.....	9	TU-TRAGE.....	29		
STE250.....	31	TG100S14-2K.....	6	TGRC30S10.....	9	TUX.....	29		
STE300.....	31	TG100S17.....	7	TGRC30S12.....	9	TW16-20-10-2K.....	17		
STE370.....	31	TG100S17-2K.....	6	TGRC40.....	9	TW16-20-10-2K.....	27		
STE-BAG.....	32	TGK40.....	7	TGRC40S10.....	9	TW16-20-10H.....	17		
STE-BS.....	32	TGK40-2K.....	6	TGRC40S12.....	9	TW16-20-10H.....	27		
NEW STE-CC-SET.....	32	TGK50.....	7	TGRC40S14.....	9	TW16-20-10K.....	17		
STE-DS.....	31	TGK50-2K.....	6	TGRC50S12.....	9	TW16-20-10K.....	27		
NEW STE-KBS.....	32	TGK50K.....	8	TGRC50S14.....	9	TW16A-STC.....	18		
STE-LH.....	31	TGK60.....	7	TGRC50S17.....	9	TW16AW19.....	27		
NEW STE-MH-SET.....	32	TGK60-2K.....	6	TGRC60S12.....	9	TW16AW20.....	27		
STE-SP35.....	31	TGK80.....	7	TGRC60S14.....	9	TW16AW30.....	27		
SVG.....	30	TGK80-2K.....	6	TGRC60S17.....	9	TW16VAD.....	18		
SVH400.....	30	TGK100.....	7	TGRC80S12.....	9	TW16X.....	18		
SVH760.....	30	TGK100-2K.....	6	TGRC80S14.....	9	TW20-15-8KLI-SET.....	28		
TB100.....	30	TGK100K.....	8	TGRC80S17.....	9	NEW TW22-20-10-2K.....	17		
TB120.....	30	TGK125.....	7	TGRC100S12.....	9	NEW TW22-20-10-2K.....	27		
TB150.....	30	TGK125-2K.....	6	TGRC100S14.....	9	TW28-30-12-2K.....	17		
TB210.....	30	TGK150.....	7	TGRC100S17.....	9	TW28-30-12H.....	17		
TB250.....	30	TGK150-2K.....	6	TGRC150S14.....	9	TW28-30-12K.....	17		
TG20B5.....	7	TGK150K.....	8	TK6.....	22	TW28-30-14-2K.....	17		
TG20B6.....	7	TGK200.....	7	TK6.....	25	TW28-30-14H.....	17		
TG20B8.....	7	TGK200-2K.....	6	TKPN50BE.....	9	TW28-30-14K.....	17		
TG20B8-2K.....	6	TGK200K.....	8	TKPN60BE.....	9	TW28A-STC.....	18		
TG20K.....	7	TGK250.....	7	TKPN80BE.....	9	TW28AV.....	18		
TG25.....	7	TGK250-2K.....	6	TKPN100BE.....	9	TW28GRS30-12.....	18		
TG25-2K.....	6	TGK250K.....	8	TKPN125BE.....	9	TW28VAD.....	18		
TG25B8.....	7	TGK300.....	7	TKPN150BE.....	9	TW28X.....	18		
TG25B8-2K.....	6	TGK300-2K.....	6	TKPN200BE.....	9	TWM28-30-12.....	17		
TG25K.....	7	TGK300K.....	8	TKPN250BE.....	9	TWV16-20-15-2K.....	17		
TG25S10.....	7	TGKR50.....	9	TKPN300BE.....	9	TWV16-20-15H.....	17		
TG25S10-2K.....	6	TGKR60.....	9	TL60.....	30	TWV16-20-15H.....	27		
TG30.....	7	TGKR80.....	9	TL120.....	30	TWV16-20-15K.....	17		
TG30-2K.....	6	TGKR100.....	9	TL180.....	30	TWV16-20-15K.....	27		
TG30B6.....	7	TGKR125.....	9	TMS.....	30	TWV28-30-17-2K.....	17		
TG30B8.....	7	TGKR150.....	9	TP-1.....	16	TWV28-30-17H.....	17		
TG30B8-2K.....	6	TGKR200.....	9	TP-1F.....	16	TWV28-30-17K.....	17		
TG30K.....	7	TGN30T20.....	10	TP-1F-RK.....	16	TWVAD.....	18		
TG30S10.....	7	TGN30T20K.....	10	TP-1K.....	16	UK16.....	22		
TG30S10-2K.....	6	TGN30T50.....	10	TP-2F.....	16	UK30.....	22		
TG30S12.....	7	TGN30T50K.....	10	TP-2F-RK.....	16	UK60.....	22		
		TGN40T20.....	10	TP100S12BE.....	8	UK80.....	22		
		TGN40T20K.....	10	TP100S12BE-2K.....	8	UK100.....	22		
		TGN40T25.....	10	TP100S14BE.....	8	VAD.....	16		
		TGN40T25K.....	10	TP100S17BE.....	8	VC2.....	15		
		TGN40T30.....	10	TP125S12BE.....	8	VC3.....	15		
		TGN40T30K.....	10	TP150S12BE.....	8	VC4.....	15		
		TGN40T40.....	10	TP150S14BE.....	8	VC6.....	15		
		TGN40T40K.....	10	TP200S14BE.....	8	VC8.....	15		
		TGN60T20.....	10	TPN10BE.....	8	VC10.....	15		
		TGN60T25.....	10	TPN12BE.....	8	WNS-SET-MFT.....	28		
		TGN60T25K.....	10						

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Original BESSEY malleable cast iron screw clamp TG with 2K plastic handle								
	• Clamping force up to 6,000 N • High-quality 2-component plastic handle • Pressure plates can be replace by hand – no tools required (from 80 mm throat depth) • With protective caps on the clamping surfaces • Stable profiled rail with serration • BESSEY anti-slip system (from 80 mm throat depth)	TG10-2K	100	50	15 x 5	4008158031620	10	V1	18,51
		TG12-2K	120	60	20 x 5	4008158031637	10	V1	24,66
		TG16-2K	160	80	25 x 6	4008158029979	10	V1	29,57
		TG20B8-2K	200	80	25 x 6	4008158029986	10	V1	29,92
		TG25B8-2K	250	80	25 x 6	4008158029993	10	V1	30,71
		TG30B8-2K	300	80	25 x 6	4008158030005	10	V1	32,32
		TG40B8-2K	400	80	25 x 6	4008158030012	10	V1	35,06
		TG20-2K	200	100	27 x 7	4008158030029	10	V1	40,65
		TG25S10-2K	250	100	27 x 7	4008158030036	10	V1	44,64
		TG30S10-2K	300	100	27 x 7	4008158030043	10	V1	47,16
		TG40S10-2K	400	100	27 x 7	4008158030050	10	V1	51,39
		TG50S10-2K	500	100	27 x 7	4008158030067	10	V1	53,78
		TG25-2K	250	120	29 x 9	4008158030074	10	V1	49,22
		TG30S12-2K	300	120	29 x 9	4008158030081	10	V1	53,09
		TG40S12-2K	400	120	29 x 9	4008158030098	10	V1	57,43
		TG50S12-2K	500	120	29 x 9	4008158030104	10	V1	61,66
		TG60S12-2K	600	120	29 x 9	4008158030111	5	V1	65,54
		TG80S12-2K	800	120	29 x 9	4008158030128	5	V1	73,30
		TG100S12-2K	1000	120	29 x 9	4008158030135	5	V1	82,10
		TG30-2K	300	140	32 x 10	4008158030142	10	V1	61,32
		TG40S14-2K	400	140	32 x 10	4008158030159	5	V1	69,07
		TG50S14-2K	500	140	32 x 10	4008158030166	5	V1	74,78
		TG60S14-2K	600	140	32 x 10	4008158030173	5	V1	80,04
		TG80S14-2K	800	140	32 x 10	4008158030180	5	V1	91,22
		TG100S14-2K	1000	140	32 x 10	4008158030197	5	V1	104,13
		TG40-2K	400	175	32 x 10	4008158030203	5	V1	74,33
		TG50S17-2K	500	175	32 x 10	4008158030210	1	V1	82,32
		TG60S17-2K	600	175	32 x 10	4008158030227	1	V1	87,34
		TG80S17-2K	800	175	32 x 10	4008158030234	1	V1	98,42
		TG100S17-2K	1000	175	32 x 10	4008158030241	1	V1	109,84
	Heavy duty malleable cast iron screw clamp TGK with 2-component plastic handle								
	• Clamping force up to 7,000 N • Strengthened design for higher clamping force and wider opening widths • High-quality 2-component plastic handle • Pressure plates can be replaced by hand – no tools required • Stable profiled rail with serration • BESSEY anti-slip system	TGK40-2K	400	120	35 x 11	4008158030258	5	V1	68,96
		TGK50-2K	500	120	35 x 11	4008158030265	5	V1	75,59
		TGK60-2K	600	120	35 x 11	4008158030272	5	V1	79,58
		TGK80-2K	800	120	35 x 11	4008158030289	5	V1	89,97
		TGK100-2K	1000	120	35 x 11	4008158030296	5	V1	100,48
		TGK125-2K	1250	120	35 x 11	4008158030302	1	V1	109,38
		TGK150-2K	1500	120	35 x 11	4008158030319	1	V1	121,94
		TGK200-2K	2000	120	35 x 11	4008158030326	1	V1	148,55
		TGK250-2K	2500	120	35 x 11	4008158030333	1	V1	179,82
		TGK300-2K	3000	120	35 x 11	4008158030340	1	V1	212,82

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis- count group	Price per piece EUR
	• Clamping force up to 6,000 N • Ergonomically shaped wood handle • Pressure plates can be replaced by hand – no tools required (from 80 mm throat depth) • With protective caps on the clamping surfaces • Stable profiled rail with serration • BESSEY anti-slip system (from 80 mm throat depth)	TG10	100	50	15 x 5	4008158008240	10	V1	17,70
		TG15B5	150	50	15 x 5	4008158008646	10	V1	20,09
		TG20B5	200	50	15 x 5	4008158008721	10	V1	20,78
		TG12	120	60	20 x 5	4008158008448	10	V1	23,64
		TG20B6	200	60	20 x 5	4008158008738	10	V1	24,43
		TG30B6	300	60	20 x 5	4008158008899	10	V1	28,78
		TG16	160	80	25 x 6	4008158008677	10	V1	28,32
		TG20B8	200	80	25 x 6	4008158008745	10	V1	28,65
		TG25B8	250	80	25 x 6	4008158008790	10	V1	29,46
		TG30B8	300	80	25 x 6	4008158008905	10	V1	31,05
		TG40B8	400	80	25 x 6	4008158009254	10	V1	33,79
		TG20	200	100	27 x 7	4008158008707	10	V1	39,16
		TG25S10	250	100	27 x 7	4008158008837	10	V1	43,16
		TG30S10	300	100	27 x 7	4008158008943	10	V1	45,67
		TG40S10	400	100	27 x 7	4008158009292	10	V1	49,89
		TG50S10	500	100	27 x 7	4008158010564	10	V1	52,30
		TG25	250	120	29 x 9	4008158008769	10	V1	47,39
		TG30S12	300	120	29 x 9	4008158008967	10	V1	51,26
		TG40S12	400	120	29 x 9	4008158010311	10	V1	55,60
		TG50S12	500	120	29 x 9	4008158010588	10	V1	59,83
		TG60S12	600	120	29 x 9	4008158010779	5	V1	63,71
		TG80S12	800	120	29 x 9	4008158010960	5	V1	71,47
		TG100S12	1000	120	29 x 9	4008158008264	5	V1	80,26
		TG30	300	140	32 x 10	4008158008868	10	V1	59,26
		TG40S14	400	140	32 x 10	4008158010335	5	V1	67,02
		TG50S14	500	140	32 x 10	4008158010601	5	V1	72,74
		TG60S14	600	140	32 x 10	4008158010793	5	V1	77,98
		TG80S14	800	140	32 x 10	4008158010984	5	V1	89,16
		TG100S14	1000	140	32 x 10	4008158008288	5	V1	102,07
		TG40	400	175	32 x 10	4008158009223	5	V1	72,27
		TG50S17	500	175	32 x 10	4008158010625	1	V1	80,26
		TG60S17	600	175	32 x 10	4008158010816	1	V1	85,29
		TG80S17	800	175	32 x 10	4008158011004	1	V1	96,36
		TG100S17	1000	175	32 x 10	4008158008301	1	V1	107,77
			• For screw clamps • For gentle clamping • May be applied on both sides • Cut them to size	SKS10/20				4008158025582	1
SKS20/40						4008158025599	1	V3	9,25
	• Clamping force up to 7,000 N • Heavy duty, reinforced design for higher clamping force and wider opening widths • Ergonomically shaped wood handle • Pressure plates can be replaced by hand – no tools required • Stable profiled rail with serration • BESSEY anti-slip system	TGK40	400	120	35 x 11	4008158011400	5	V1	66,91
		TGK50	500	120	35 x 11	4008158011448	5	V1	73,52
		TGK60	600	120	35 x 11	4008158011479	5	V1	77,52
		TGK80	800	120	35 x 11	4008158011509	5	V1	87,92
		TGK100	1000	120	35 x 11	4008158011134	5	V1	98,42
		TGK125	1250	120	35 x 11	4008158011165	1	V1	107,32
		TGK150	1500	120	35 x 11	4008158011196	1	V1	119,89
		TGK200	2000	120	35 x 11	4008158011257	1	V1	146,49
		TGK250	2500	120	35 x 11	4008158011318	1	V1	177,77
		TGK300	3000	120	35 x 11	4008158011349	1	V1	210,77
			• Clamping force up to 6,000 N • Tommy bar with rounded ends for simple transfer of force when clamping • Pressure plates can be replaced by hand – no tools required • With protective caps on the clamping surfaces • Stable profiled rail with serration • BESSEY anti-slip system	TG20K	200	100	27 x 7	4008158008752	10
TG25K	250			120	29 x 9	4008158008813	10	V1	49,22
TG40S12K	400			120	29 x 9	4008158025049	10	V1	57,77
TG30K	300			140	32 x 10	4008158008929	10	V1	61,32
TG40K	400			175	32 x 10	4008158009278	5	V1	74,33

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis- count group	Price per piece EUR
	Heavy duty malleable cast iron screw clamp TGK with tommy bar								
	• Clamping force up to 7,000 N • Strengthened design for higher clamping force and wider opening widths • Tommy bar with rounded ends for simple transfer of force when clamping • Pressure plates can be replaced by hand – no tools required • Stable profiled rail with serration • BESSEY anti-slip system	TGK50K	500	120	35 x 11	4008158011462	5	V1	75,59
		TGK100K	1000	120	35 x 11	4008158011158	5	V1	100,48
		TGK150K	1500	120	35 x 11	4008158011219	1	V1	121,94
		TGK200K	2000	120	35 x 11	4008158011271	1	V1	148,55
		TGK250K	2500	120	35 x 11	4008158011332	1	V1	179,82
		TGK300K	3000	120	35 x 11	4008158011363	1	V1	212,82
	Malleable cast iron screw clamp TPN with 2-component plastic handle								
	• Clamping force up to 5,500 N • High-quality 2-component plastic handle • With protective caps on the clamping surfaces • Stable profiled rail with serration	TPN16BE-2K	160	80	25 x 6	4008158031088	10	V1	22,50
		TPN20BE-2K	200	100	27 x 7	4008158031095	10	V1	30,83
		TPN25BE-2K	250	120	29 x 9	4008158030456	10	V1	37,33
		TPN40S12BE-2K	400	120	29 x 9	4008158031118	10	V1	43,50
		TPN50S12BE-2K	500	120	29 x 9	4008158031125	10	V1	46,70
		TPN60S12BE-2K	600	120	29 x 9	4008158031132	5	V1	49,66
		TPN80S12BE-2K	800	120	29 x 9	4008158031149	5	V1	55,50
		TP100S12BE-2K	1000	120	29 x 9	4008158031156	5	V1	62,00
		TPN30BE-2K	300	140	32 x 10	4008158030524	10	V1	46,47
		TPN40BE-2K	400	175	32 x 10	4008158030579	5	V1	56,29
	Malleable cast iron screw clamp TPN with tried-and-true wooden handle								
	• Clamping force up to 5,500 N • Ergonomically shaped wood handle • With protective caps on the clamping surfaces • Stable profiled rail with serration	TPN10BE	100	50	15 x 5	4008158015484	10	V1	13,25
		TPN15B5BE	150	50	15 x 5	4008158015545	10	V1	15,07
		TPN20B5BE	200	50	15 x 5	4008158015606	10	V1	15,64
		TPN12BE	120	60	20 x 5	4008158015521	10	V1	17,70
		TPN20B6BE	200	60	20 x 5	4008158015637	10	V1	18,38
		TPN16BE	160	80	25 x 6	4008158015576	10	V1	21,24
		TPN20B8BE	200	80	25 x 6	4008158015651	10	V1	21,46
		TPN25B8BE	250	80	25 x 6	4008158015736	10	V1	22,15
		TPN30B8BE	300	80	25 x 6	4008158015866	10	V1	23,29
		TPN20BE	200	100	27 x 7	4008158015682	10	V1	29,34
		TPN25S10BE	250	100	27 x 7	4008158015781	10	V1	32,42
		TPN30S10BE	300	100	27 x 7	4008158015910	10	V1	34,25
		TPN40S10BE	400	100	27 x 7	4008158016054	10	V1	37,45
		TPN25BE	250	120	29 x 9	4008158015767	10	V1	35,51
		TPN30S12BE	300	120	29 x 9	4008158015934	10	V1	38,48
		TPN40S12BE	400	120	29 x 9	4008158016078	10	V1	41,68
		TPN50S12BE	500	120	29 x 9	4008158016160	10	V1	44,87
		TPN60S12BE	600	120	29 x 9	4008158016252	5	V1	47,85
		TPN80S12BE	800	120	29 x 9	4008158016320	5	V1	53,67
		TP100S12BE	1000	120	29 x 9	4008158015453	5	V1	60,17
		TP125S12BE	1250	120	29 x 9	4008158018591	1	V1	67,36
		TP150S12BE	1500	120	29 x 9	4008158023199	1	V1	76,61
		TPN30BE	300	140	32 x 10	4008158015897	10	V1	44,42
		TPN40S14BE	400	140	32 x 10	4008158016108	5	V1	50,24
		TPN50S14BE	500	140	32 x 10	4008158016184	5	V1	54,58
		TPN60S14BE	600	140	32 x 10	4008158016276	5	V1	58,45
		TPN80S14BE	800	140	32 x 10	4008158016344	5	V1	66,91
		TP100S14BE	1000	140	32 x 10	4008158015460	5	V1	76,61
		TP150S14BE	1500	140	32 x 10	4008158023168	1	V1	101,61
		TP200S14BE	2000	140	32 x 10	4008158023328	1	V1	124,91
		TPN40BE	400	175	32 x 10	4008158016030	5	V1	54,23
		TPN60S17BE	600	175	32 x 10	4008158016306	1	V1	63,94
		TPN80S17BE	800	175	32 x 10	4008158016368	1	V1	72,27
		TP100S17BE	1000	175	32 x 10	4008158015477	1	V1	80,83

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis- count group	Price per piece EUR
	Heavy duty malleable cast iron screw clamp TKPN with tried-and-true wooden handle								
	• Clamping force up to 6,500 N • Strengthened design for higher clamping force and wider opening widths • Ergonomically shaped wood handle • Stable profiled rail with serration	TKPN50BE	500	120	35 x 11	4008158015361	5	V1	55,15
		TKPN60BE	600	120	35 x 11	4008158015378	5	V1	58,12
		TKPN80BE	800	120	35 x 11	4008158015385	5	V1	65,99
		TKPN100BE	1000	120	35 x 11	4008158015262	5	V1	73,87
		TKPN125BE	1250	120	35 x 11	4008158015279	1	V1	80,49
		TKPN150BE	1500	120	35 x 11	4008158015286	1	V1	89,97
		TKPN200BE	2000	120	35 x 11	4008158015309	1	V1	109,84
		TKPN250BE	2500	120	35 x 11	4008158015323	1	V1	133,36
		TKPN300BE	3000	120	35 x 11	4008158015330	1	V1	158,14
	Malleable cast iron screw clamp TGRC with tried-and-true wooden handle								
	• Clamping force up to 5,500 N • Ergonomically shaped wood handle • With protective caps on the clamping surfaces • Stable solid flat rail with serration	TGRC10	100	50	15 x 5	4008158012902	10	V1	12,79
		TGRC15B5	150	50	15 x 5	4008158013046	10	V1	14,50
		TGRC20B5	200	50	15 x 5	4008158013176	10	V1	14,96
		TGRC12	120	60	20 x 5	4008158012995	10	V1	17,01
		TGRC20B6	200	60	20 x 5	4008158013206	10	V1	17,59
		TGRC30B6	300	60	20 x 5	4008158013541	10	V1	20,66
		TGRC16	160	80	25 x 6	4008158013084	10	V1	20,44
		TGRC20B8	200	80	25 x 6	4008158013244	10	V1	20,66
		TGRC25B8	250	80	25 x 6	4008158013398	10	V1	21,24
		TGRC30B8	300	80	25 x 6	4008158013572	10	V1	22,37
		TGRC20	200	100	27 x 7	4008158013152	10	V1	28,19
		TGRC25S10	250	100	27 x 7	4008158013442	10	V1	31,05
		TGRC30S10	300	100	27 x 7	4008158013626	10	V1	32,88
		TGRC40S10	400	100	27 x 7	4008158013848	10	V1	35,97
		TGRC25	250	120	29 x 9	4008158013350	10	V1	34,14
		TGRC30S12	300	120	29 x 9	4008158013657	10	V1	36,88
		TGRC40S12	400	120	29 x 9	4008158013886	10	V1	40,07
		TGRC50S12	500	120	29 x 9	4008158014050	10	V1	43,05
		TGRC60S12	600	120	29 x 9	4008158014197	5	V1	45,89
		TGRC80S12	800	120	29 x 9	4008158014333	5	V1	51,49
		TGRC100S12	1000	120	29 x 9	4008158012926	5	V1	57,77
		TGRC30	300	140	32 x 10	4008158013497	10	V1	42,71
		TGRC40S14	400	140	32 x 10	4008158013916	5	V1	48,30
		TGRC50S14	500	140	32 x 10	4008158014098	5	V1	52,41
		TGRC60S14	600	140	32 x 10	4008158014234	5	V1	56,18
		TGRC80S14	800	140	32 x 10	4008158014371	5	V1	64,17
		TGRC100S14	1000	140	32 x 10	4008158012933	5	V1	73,52
		TGRC150S14	1500	140	32 x 10	4008158025131	1	V1	97,16
		TGRC40	400	175	32 x 10	4008158013763	5	V1	52,07
		TGRC50S17	500	175	32 x 10	4008158014128	1	V1	57,77
		TGRC60S17	600	175	32 x 10	4008158014265	1	V1	61,42
		TGRC80S17	800	175	32 x 10	4008158014401	1	V1	69,41
		TGRC100S17	1000	175	32 x 10	4008158012940	1	V1	77,65
	Heavy duty malleable cast iron screw clamp TGKR with tried-and-true wooden handle								
	• Clamping force up to 6,500 N • Strengthened design for higher clamping force and wider opening widths • Ergonomically shaped wood handle • Stable solid flat rail with serration	TGKR50	500	120	35 x 11	4008158011752	5	V1	52,98
		TGKR60	600	120	35 x 11	4008158011790	5	V1	55,84
		TGKR80	800	120	35 x 11	4008158011820	5	V1	63,25
		TGKR100	1000	120	35 x 11	4008158011530	5	V1	70,90
		TGKR125	1250	120	35 x 11	4008158011578	1	V1	77,30
		TGKR150	1500	120	35 x 11	4008158011608	1	V1	86,32
		TGKR200	2000	120	35 x 11	4008158011660	1	V1	105,50

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis- count group	Price per piece EUR
	Deep throat clamp TGNT with tried-and-true wooden handle								
	• Clamping force up to 7,000 N • Heavy-duty design • Ergonomically shaped wood handle • Large, stable solid flat rail with serration • Rail dimensions great than and equal to 40 x 11 are ungalvanized	TGN30T20	300	200	35 x 11	4008158012322	1	V1	81,86
		TGN40T20	400	200	35 x 11	4008158012391	1	V1	87,92
		TGN60T20	600	200	35 x 11	4008158012636	1	V1	99,79
		TGN80T20	800	200	35 x 11	4008158012766	1	V1	111,44
		TGN100T20	1000	200	35 x 11	4008158012216	1	V1	123,42
		TGN40T25	400	250	40 x 11	4008158012421	1	V1	111,90
		TGN60T25	600	250	40 x 11	4008158012667	1	V1	125,47
		TGN80T25	800	250	40 x 11	4008158012797	1	V1	138,26
		TGN100T25	1000	250	40 x 11	4008158012247	1	V1	151,73
		TGN40T30	400	300	45 x 12	4008158012469	1	V1	130,95
		TGN60T30	600	300	45 x 12	4008158012698	1	V1	146,94
		TGN80T30	800	300	45 x 12	4008158012827	1	V1	158,70
		TGN100T30	1000	300	45 x 12	4008158012278	1	V1	174,80
		TGN150T30	1500	300	45 x 12	4008158028781	1	V1	217,50
		TGN200T30	2000	300	45 x 12	4008158028798	1	V1	256,78
		TGN250T30	2500	300	45 x 12	4008158028804	1	V1	296,39
		TGN40T40	400	400	45 x 12	4008158012490	1	V1	193,07
		TGN60T40	600	400	45 x 12	4008158012728	1	V1	209,40
		TGN80T40	800	400	45 x 12	4008158012858	1	V1	225,49
		TGN100T40	1000	400	45 x 12	4008158012308	1	V1	241,70
		TGN30T50	300	500	45 x 12	4008158012377	1	V1	217,74
		TGN60T50	600	500	45 x 12	4008158012742	1	V1	241,70
		TGN80T50	800	500	45 x 12	4008158012872	1	V1	258,15
	Deep throat screw clamp TGNT with tommy bar								
	• Clamping force up to 7,000 N • Heavy-duty design • Tommy bar with rounded ends for simple transfer of force when clamping • Large, stable solid plain rail with fluting • Rail dimensions great than and equal to 40 x 11 are ungalvanized	TGN30T20K	300	200	35 x 11	4008158012346	1	V1	83,92
		TGN40T20K	400	200	35 x 11	4008158012414	1	V1	89,97
		TGN40T25K	400	250	40 x 11	4008158012445	1	V1	113,95
		TGN60T25K	600	250	40 x 11	4008158012681	1	V1	127,53
		TGN80T25K	800	250	40 x 11	4008158012810	1	V1	140,31
		TGN40T30K	400	300	45 x 12	4008158012483	1	V1	133,02
		TGN60T30K	600	300	45 x 12	4008158012711	1	V1	149,00
		TGN80T30K	800	300	45 x 12	4008158012841	1	V1	160,75
		TGN40T40K	400	400	45 x 12	4008158012506	1	V1	195,13
		TGN60T40K	600	400	45 x 12	4008158012735	1	V1	211,45
		TGN80T40K	800	400	45 x 12	4008158012865	1	V1	227,55
		TGN30T50K	300	500	45 x 12	4008158012384	1	V1	219,79
		TGN60T50K	600	500	45 x 12	4008158012759	1	V1	243,76
		TGN80T50K	800	500	45 x 12	4008158012889	1	V1	260,21
	Original BESSEY all-steel screw clamp GZ with 2-component plastic handle								
	• 20 % more clamping force per spindle rotation with optimised rail profile • Maximum security with linear transfer of force at the sliding arm • Clamping force up to 6,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • High-quality 2-component plastic handle • Pressure plates can be replaced by hand – no need for tools (from 80 mm width)	GZ10-2K	100	60	15 x 6	4008158033785	10	V2	20,09
		GZ12-2K	120	60	15 x 6	4008158033808	10	V2	25,01
		GZ16-2K	160	80	17,5 x 6,8	4008158033860	10	V2	30,15
		GZ40-8-2K	400	80	17,5 x 6,8	4008158033907	10	V2	37,33
		GZ20-2K	200	100	22 x 8,5	4008158033921	10	V2	40,65
		GZ25-2K	250	120	24,5 x 9,5	4008158034003	10	V2	48,98
		GZ30-12-2K	300	120	24,5 x 9,5	4008158034034	10	V2	53,09
		GZ40-12-2K	400	120	24,5 x 9,5	4008158034065	10	V2	57,43
		GZ50-12-2K	500	120	24,5 x 9,5	4008158034072	10	V2	62,00
		GZ60-12-2K	600	120	24,5 x 9,5	4008158034089	5	V2	66,11
		GZ80-12-2K	800	120	24,5 x 9,5	4008158034096	5	V2	74,11
		GZ100-12-2K	1000	120	24,5 x 9,5	4008158034102	5	V2	82,32
		GZ30-2K	300	140	28 x 11	4008158034126	10	V2	61,08
		GZ40-2K	400	120	28 x 11	4008158034157	10	V2	70,33
		GZ50-2K	500	120	28 x 11	4008158034188	5	V2	75,35
		GZ60-2K	600	120	28 x 11	4008158034218	5	V2	79,35
		GZ80-2K	800	120	28 x 11	4008158034249	5	V2	95,57
		GZ100-2K	1000	120	28 x 11	4008158034270	5	V2	107,09
		GZ125-2K	1250	120	28 x 11	4008158034300	1	V2	144,31

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Original BESSEY all-steel screw clamp GZ with tried-and-tested wooden handle • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum security with linear transfer of force at the sliding arm • Clamping force up to 6,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • Ergonomically shaped wood handle • Pressure plates can be replaced by hand – no need for tools (from 80 mm width)	GZ10	100	60	15 x 6	4008158033778	10	V2	19,29
		GZ12	120	60	15 x 6	4008158033792	10	V2	23,98
		GZ30-6	300	60	15 x 6	4008158033839	10	V2	29,92
		GZ16	160	80	17,5 x 6,8	4008158033853	10	V2	28,89
		GZ20	200	100	22 x 8,5	4008158033914	10	V2	39,16
		GZ30-10	300	100	22 x 8,5	4008158033952	10	V2	45,67
		GZ25	250	120	24,5 x 9,5	4008158033990	10	V2	47,16
		GZ30-12	300	120	24,5 x 9,5	4008158034027	10	V2	51,26
		GZ40-12	400	120	24,5 x 9,5	4008158034058	10	V2	55,60
		GZ30	300	140	28 x 11	4008158034119	10	V2	59,26
		GZ40	400	120	28 x 11	4008158034140	10	V2	68,50
		GZ50	500	120	28 x 11	4008158034171	5	V2	73,52
		GZ60	600	120	28 x 11	4008158034201	5	V2	77,52
		GZ80	800	120	28 x 11	4008158034232	5	V2	93,74
		GZ100	1000	120	28 x 11	4008158034263	5	V2	105,28
		GZ125	1250	120	28 x 11	4008158034294	1	V2	142,49
	Original BESSEY all-steel screw clamp GZ with tommy bar • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum security with linear transfer of force at the sliding arm • Clamping force up to 6,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • Tommy bar with rounded ends for simple transfer of force when clamping • Pressure plates can be replaced by hand – no need for tools	GZ16K	160	80	17,5 x 6,8	4008158033877	10	V2	30,15
		GZ20K	200	100	22 x 8,5	4008158033938	10	V2	40,65
		GZ25K	250	120	24,5 x 9,5	4008158034010	10	V2	48,98
		GZ30K	300	140	28 x 11	4008158034133	10	V2	61,08
		GZ40K	400	120	28 x 11	4008158034164	10	V2	70,33
		GZ50K	500	120	28 x 11	4008158034195	5	V2	75,35
		GZ60K	600	120	28 x 11	4008158034225	5	V2	79,35
		GZ80K	800	120	28 x 11	4008158034256	5	V2	95,57
		GZ100K	1000	120	28 x 11	4008158034287	5	V2	107,09
		GZ125K	1250	120	28 x 11	4008158034317	1	V2	144,31
	Original BESSEY all-steel screw clamp GZ with swivel handle • Clamping force up to 5,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • High-quality 2-component plastic handle • Swivel handle can be folded 90° and rotated 360° without obstruction – even in areas that are difficult to reach • Pressure plates can be replaced by hand – no need for tools	GZ25KG	250	120	24,5 x 9,5	4008158041384	10	V2	53,09
		GZ30-12KG	300	120	24,5 x 9,5	4008158041391	10	V2	57,21
		GZ40-12KG	400	120	24,5 x 9,5	4008158041407	10	V2	61,32
		GZ50-12KG	500	120	24,5 x 9,5	4008158041414	10	V2	65,65
		GZ60-12KG	600	120	24,5 x 9,5	4008158041421	5	V2	69,76
	Pressure cap strips SKS (2 pcs./bag) • For screw clamps • For gentle clamping • May be applied on both sides • Cut them to size	SKS10/20				4008158025582	1	V3	9,02
		SKS20/40				4008158025599	1	V3	9,25
	All-steel screw clamp classiX GS with tried-and-tested wooden handle • Clamping force up to 5,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • Ergonomically shaped wood handle	GS10	100	50	11,5 x 5,6	4008158024585	10	V2	15,87
		GS12	120	60	13,5 x 6,5	4008158024592	10	V2	19,63
		GS16	160	80	16 x 7,5	4008158024608	10	V2	23,64
		GS20	200	100	19,5 x 9,5	4008158024615	10	V2	32,08
		GS25	250	120	22 x 10,5	4008158024622	10	V2	38,70
		GS30	300	140	25 x 12	4008158024639	10	V2	48,63
		GS40	400	120	25 x 12	4008158024646	10	V2	56,18
		GS50	500	120	25 x 12	4008158024653	5	V2	60,29
		GS60	600	120	25 x 12	4008158024660	5	V2	63,59
		GS80	800	120	27 x 13	4008158024677	5	V2	76,84
		GS100	1000	120	27 x 13	4008158024684	5	V2	86,32

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	All-steel screw clamp classiX GS with tommy bar								
	• Clamping force up to 5,000 N • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • Tommy bar with rounded ends for simple transfer of force when clamping	GS16K	160	80	16 x 7,5	4008158035284	10	V2	24,89
		GS20K	200	100	19,5 x 9,5	4008158035291	10	V2	33,56
		GS25K	250	120	22 x 10,5	4008158035307	10	V2	40,53
		GS30K	300	140	25 x 12	4008158035314	10	V2	50,69
		GS40K	400	120	25 x 12	4008158035321	10	V2	58,23
		GS50K	500	120	25 x 12	4008158035468	5	V2	62,34
		GS60K	600	120	25 x 12	4008158035338	5	V2	65,65
		GS80K	800	120	27 x 13	4008158035345	5	V2	78,89
		GS100K	1000	120	27 x 13	4008158035352	5	V2	88,38
	OMEGA screw clamp GMZ with 2-component plastic handle								
	• Clamping force up to 5,000 N • Fixed jaw with patented OMEGA bow for less clamping force loss • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • High-quality 2-component plastic handle • Pressure plates can be replaced with no need for tools	GM16Z-2K	160	80	16 x 7,5	4008158030838	10	V2	31,63
		GM20Z-2K	200	100	19,5 x 9,5	4008158030852	10	V2	43,05
		GM25Z-2K	250	120	22 x 10,5	4008158030876	10	V2	51,95
		GM30Z-2K	300	140	25 x 12	4008158030890	10	V2	65,08
		GM40Z-2K	400	120	25 x 12	4008158030906	10	V2	74,90
		GM50Z-2K	500	120	25 x 12	4008158030913	5	V2	80,26
		GM60Z-2K	600	120	25 x 12	4008158030920	5	V2	84,71
	OMEGA-screw clamp GMZ with tommy bar								
	• Clamping force up to 5,000 N • Fixed jaw with patented OMEGA bow for less clamping force loss • Fixed jaw and sliding arm are constructed of tempered steel for resilient clamping • Tommy bar with rounded ends for simple transfer of force when clamping • Pressure plates can be replaced with no need for tools	GM20ZK	200	100	19,5 x 9,5	4008158029443	10	V2	43,05
		GM25ZK	250	120	22 x 10,5	4008158029467	10	V2	51,95
		GM30ZK	300	140	25 x 12	4008158029481	10	V2	65,08
		GM50ZK	500	120	25 x 12	4008158029504	5	V2	80,26
		GM60ZK	600	120	25 x 12	4008158029511	5	V2	84,71
	Pressure cap strips SKS (2 pcs./bag)								
	• For screw clamps • For gentle clamping • May be applied on both sides • Cut them to size	SKS10/20				4008158025582	1	V3	9,02
		SKS20/40				4008158025599	1	V3	9,25
	Lever clamp GH								
	• Greater reserves of power, thanks to optimised rail profile, for even clamping force build-up, especially under maximum utilisation of the clamping range • Non-slip trigger release • Sintered steel cams – particularly hard-wearing, low friction due to higher surface hardness • Quick – up to 5 x faster than regular clamps • Secure – vibration resistant • Strong – clamping force up to 8,500 N	GH12	120	60	15 x 6	4008158034324	10	V2	61,66
		GH16	160	80	17,5 x 6,8	4008158034331	10	V2	67,48
		GH20-8	200	80	17,5 x 6,8	4008158034348	10	V2	70,10
		GH20	200	100	22 x 8,5	4008158034355	10	V2	77,52
		GH25	250	120	24,5 x 9,5	4008158034409	10	V2	89,29
		GH30-12	300	120	24,5 x 9,5	4008158034416	10	V2	93,28
		GH40-12	400	120	24,5 x 9,5	4008158034423	10	V2	97,96
		GH30	300	140	28 x 11	4008158034430	10	V2	106,06
		GH40	400	120	28 x 11	4008158034447	10	V2	111,44
		GH50	500	120	28 x 11	4008158034454	5	V2	119,54
		GH60	600	120	28 x 11	4008158034461	5	V2	124,11
		GH80	800	120	28 x 11	4008158034478	5	V2	138,26
		GH100	1000	120	28 x 11	4008158034485	5	V2	146,94
	Lever clamp SGHS, heavy duty								
	• Heavy design • Rapid – up to 5 x faster than conventional clamps • Secure – vibration resistant • Strong – clamping force up to 9,500 N	SG-25HS	300	140	30 x 15	4008158007106	5	V2	146,94
		SG-50HS	500	140	30 x 15	4008158007120	5	V2	196,15



		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Lever clamp classiX GSH								
	• Non-slip trigger release • Quick – up to 5 times faster than regular clamps • Secure – unaffected by vibrations • Strong – clamping force up to 7,500 N	GSH12	120	60	13,5 x 6,5	4008158036595	10	V2	50,58
		GSH16	160	80	16 x 7,5	4008158036601	10	V2	55,37
		GSH20	200	100	19,5 x 9,5	4008158036618	10	V2	63,59
		GSH25	250	120	22 x 10,5	4008158036625	10	V2	73,19
		GSH30	300	140	25 x 12	4008158036632	10	V2	87,01
		GSH40	400	120	25 x 12	4008158036649	10	V2	91,34
		GSH50	500	120	25 x 12	4008158036656	5	V2	98,09
		GSH60	600	120	25 x 12	4008158036663	5	V2	101,73
	Fitters' clamp SLM								
	• Clamping force up to 8,500 N at tightening torque of 25 Nm • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum safety due to the better linear transfer of force of the sliding arm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	SL20M	200	120	28 x 11	4008158034508	5	V2	92,83
		SL25M	250	120	28 x 11	4008158034515	5	V2	95,79
		SL30M	300	120	28 x 11	4008158034522	5	V2	99,22
		SL40M	400	120	28 x 11	4008158034539	5	V2	104,93
		SL50M	500	120	28 x 11	4008158034546	5	V2	110,98
		SL60M	600	120	28 x 11	4008158034553	5	V2	116,80
	High-performance clamp SGM								
	• Clamping force up to 12,000 N at tightening torque of 40 Nm • 20 % more clamping force per spindle rotation with optimised rail profile • Maximum safety due to the better linear transfer of force of the sliding arm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	SG25M	250	140	34 x 13	4008158007229	5	V2	109,84
		SG30M	300	140	34 x 13	4008158007281	5	V2	112,46
		SG40M	400	140	34 x 13	4008158027067	5	V2	126,74
		SG50M	500	140	34 x 13	4008158007328	5	V2	141,00
		SG60M	600	140	34 x 13	4008158007342	5	V2	148,43
		SG80M	800	140	34 x 13	4008158007366	5	V2	162,59
		SG100M	1000	140	34 x 13	4008158007151	5	V2	183,02
		SG125M	1250	140	34 x 13	4008158007182	1	V2	212,02
		SG150M	1500	140	34 x 13	4008158007205	1	V2	240,00
	High-performance clamp SGTM, large throat depth								
	• Clamping force up to 8,500 N at tightening torque of 40 Nm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° • Opening 200 mm	SG30T20M	300	200	30 x 15	4008158031316	1	V2	129,13
		SG60T20M	600	200	30 x 15	4008158031323	1	V2	169,33
	High-performance clamp STBM								
	• Clamping force up to 22,000 N at tightening torque of 70 Nm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° • With 19 mm hexagonal bolt on the end of the spindle	STB30M	300	175	40 x 20	4008158007588	1	V2	210,77
		STB40M	400	175	40 x 20	4008158007601	1	V2	221,95
		STB50M	500	175	40 x 20	4008158007625	1	V2	231,43
		STB60M	600	175	40 x 20	4008158007649	1	V2	239,55
		STB80M	800	175	40 x 20	4008158007663	1	V2	255,29
		STB100M	1000	175	40 x 20	4008158007540	1	V2	276,08
		STB125M	1250	175	40 x 20	4008158007557	1	V2	337,61
		STB150M	1500	175	40 x 20	4008158007564	1	V2	379,74
	High-performance clamp STBS								
	• Clamping force up to 35,000 N at tightening torque of 100 Nm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° • With 36 mm hexagonal bolt on the end of the spindle • With wedge for fixing the sliding arm	STBS30	300	200	50 x 25	4008158007700	1	V2	448,48
		STBS50	500	200	50 x 25	4008158007717	1	V2	487,07
		STBS100	1000	200	50 x 25	4008158007670	1	V2	574,53
	High-performance clamp STBVC								
	• Clamping force up to 35,000 N at tightening torque of 105 Nm • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35° • With 19 mm hexagonal bolt on the end of the spindle • With wedge for fixing the sliding arm	STBVC15	150	100	40 x 20	4008158021355	1	V2	184,86
		STBVC25	250	100	40 x 20	4008158021362	1	V2	202,43
		STBVC35	350	100	40 x 20	4008158021379	1	V2	226,07




BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Fitters' clamp classiX GSL								
	- Clamping force up to 7,500 N with a tightening torque of 25 Nm - Special heat-resistant pressure plate, can be tilted by up to 35°	GSL30	300	120	27 x 13	4008158035369	5	V2	81,41
		GSL60	600	120	27 x 13	4008158035376	5	V2	95,79
	High-performance clamp classiX GSM								
	- Clamping force up to 11,000 N with a tightening torque of 40 Nm - Special heat-resistant pressure plate, can be tilted by up to 35°	GSM25	250	140	30 x 15	4008158035383	5	V2	90,09
		GSM30	300	140	30 x 15	4008158035390	5	V2	92,25
		GSM40	400	140	30 x 15	4008158035406	5	V2	103,91
		GSM50	500	140	30 x 15	4008158035413	5	V2	115,66
		GSM60	600	140	30 x 15	4008158035420	5	V2	121,71
	KombiKlamp SG-VAD								
	- Clamping force up to 7,500 N - Clamping and spreading of round, oval and angled workpieces - Pressure plates can be replaced with no need for tools	SG30VAD	300	120	30 x 15	4008158032368	6	V2	116,69
	U-shaped all-steel screw clamp GUZ								
	- Clamping force up to 4,000 N - Double-sided step-over clamping, specially suited for T-profiles and double T-profiles - Low weight - Tempered stainless steel and fixed bracket for resilient and elastic clamping	GU25-12-6ZK	250	120	22 x 10,5	4008158027104	10	V2	72,15
	U-shaped high-performance clamp SGU								
	- Clamping force up to 12,000 N at tightening torque of 40 Nm - Double-sided step-over clamping, specially suited for T-profiles and double T-profiles - Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	SGU30-14-10	300	140	30 x 15	4008158027043	5	V2	151,17
	U-shaped high-performance clamp STBU								
	- Clamping force up to 22,000 N at tightening torque of 80 Nm - Double-sided step-over clamping, specially suited for T-profiles and double T-profiles - With 19 mm hexagonal bolt on the end of the spindle - Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	STBU40-17-15	500	175	40 x 20	4008158027098	1	V2	310,10
	U-shaped lever clamp GUH								
	- Clamping force up to 3,800 N - Step-over clamping, specially suited for T profiles - Low weight - Quick – up to 5 x faster than regular clamps	GU25-12-6H	250	120	22 x 10,5	4008158027128	5	V2	96,70
	Claw clamp GRA								
	- Clamping and spreading force up to 7,500 N - Externally-positioned spindle, protected from welding spatter - Clear access to work area	GRA30-12	300	120	28 x 11	4008158035819	5	V2	136,55
		GRA60-12	600	120	28 x 11	4008158035826	5	V2	155,28
		GRA100-12	1000	120	28 x 11	4008158035833	5	V2	184,62
	Pressure piece GRD (2 pcs./bag)								
	- Spreading from the inside outwards - Flat jaw face - V-groove for clamping round and oval workpieces	GRD				4008158004396	10	V2	23,41

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Variable high-performance clamps – Complete set SLV								
	• Clamping force up to 6,500 N • Tipping is prevented through central positioning on the workpiece • Special heat-resistant pressure plate, can be tilted by up to 35° • Clamp can be fed through an opening in the workpiece/component	SLV100M	1000	120	27 x 13	4008158036366	1	V2	140,44
		SLV150M	1500	120	27 x 13	4008158036373	1	V2	172,86
		SLV200M	2000	120	27 x 13	4008158036380	1	V2	203,12
	Variable high performance clamps – Complete set GSV								
	• Clamping force up to 9,000 N • Tipping is prevented through central positioning on the workpiece • Long service life thanks to special heat-resistant pressure plate with sintered steel insert, can be tilted by up to 35° • Clamp can be fed through an opening in the workpiece/component	GSV300M	3000	140	30 x 15	4008158036397	1	V2	376,10
	SLV size rails								
	• 27 x 13 mm profile, cold drawn and galvanised • End fastenings on both sides can be loosened without tools – for rapid changeover • Suitable for all SLV size sliding arms	3101731	1000		27 x 13	4008158038650	1	V2	59,03
		3101732	1500		27 x 13	4008158038667	1	V2	120,34
		3101733	2000		27 x 13	4008158038674	1	V2	180,51
	GSV size rails								
	• 30 x 15 mm profile, cold drawn and galvanised • End fastenings on both sides can be loosened without tools – for rapid changeover • Suitable for all GSV size sliding arms	3101612	3000		30 x 15	4008158036359	1	V2	287,89
	Complete sliding arm for SLV sizes								
	• Three different grip variants/designs • Suitable for all SLV size rails	3101426		120	27 x 13	4008158033228	1	V3	37,90
		3101337		120	27 x 13	4008158033556	1	V3	100,70
		3101338		120	27 x 13	4008158033563	1	V3	63,59
	Complete sliding arm for GSV sizes								
	• One arm design with three throat depths • Suitable for GSV size rails	3101329		120	30 x 15	4008158033471	1	V3	74,44
		3101330		140	30 x 15	4008158033488	1	V3	80,61
		3101331		200	30 x 15	4008158033495	1	V3	102,87
	Special pressure plate								
	• Smooth faced (standard version)	3100737	suitable for STBS, STBU			4008158031634	1	V3	38,14
	• Smooth faced (standard version)	3100736	suitable for SLM, SGM, SGTm, STBM, STBVC, SGU, SLV, GSV, SPZ80K			4008158031668	1	V3	25,35
	• Rough faced for secure clamping on dirty surfaces	3101192				4008158030968	1	V3	28,43
	• V-groove face for round, oval and edged workpieces	3101193				4008158030975	1	V3	28,43
	C-clamp VC								
	• Clamping force of up to 15,000 N • Nearly unbreakable and tempered • Tried-and-true BESSEY all-steel quality	VC2	50	50	19,5 x 9,5	4008158019291	10	V2	45,44
		VC3	75	50	22 x 10,5	4008158019307	10	V2	51,95
		VC4	100	60	25 x 12	4008158019314	10	V2	67,14
		VC6	150	75	27 x 13	4008158019321	10	V2	88,38
		VC8	200	90	30 x 15	4008158019338	5	V2	111,32
		VC10	250	100	40 x 20	4008158019345	5	V2	141,69
	C-clamp SC								
	• Clamping force up to 22,000 N • Drop forged	SC40	40	40		4008158019178	10	V2	37,33
		SC60	60	55		4008158019185	10	V2	42,81
		SC80	80	65		4008158019192	10	V2	49,44
		SC100	100	75		4008158019208	10	V2	59,60
		SC120	120	85		4008158019215	10	V2	71,24
		SC150	150	95		4008158019222	10	V2	80,26
		SC200	200	105		4008158019239	5	V2	101,61

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	C-clamp CDF-C								
	• Clamping force up to 18,000 N • Drop forged • The copper-plated spindle prevents welding splatter from sticking	CDF403C	75	60		4008158028958	6	V2	43,16
		CDF404C	105	85		4008158028965	6	V2	51,95
		CDF406C	150	100		4008158028972	6	V2	69,41
		CDF408C	205	125		4008158028989	6	V2	87,79
		CDF410C	50-245	150		4008158028996	4	V2	107,90
	Parallel grip GRZ								
	• Parallel jaw faces • Prism recess for small round parts • Includes pressure caps for gentle clamping of sensitive surfaces	GRZ10	100	65		4008158009711	10	V3	86,77
		GRZ20	200	65		4008158009728	10	V3	95,22
	C-grip GRZC								
	• For step-over clamping from both sides	GRZC	110	80		4008158009636	10	V3	101,16
	Pipe grip GRZRO								
	• Ideal for holding round objects of constant diameter • Includes pressure caps • Gentle clamping of sensitive surfaces • Suitable for tack welding, heat-resistant up to 200° C	GRZRO		65		4008158009667	10	V3	123,20
	Earth (ground) clamp LP / TP with tried-and true wooden handle								
	• With malleable cast iron arms • Ergonomically shaped wood handle • Grounding connection hole in the upper part	LP-1	150	60	20 x 5	4008158004907	10	V1	23,52
		TP-1	150	80	25 x 6	4008158015422	10	V1	29,24
	Earth (ground) clamp LP / TP with thumb screw								
	• With malleable cast iron arms • Practical thumb screw • Grounding connection hole in the upper part • TP-...F-RK: Cable strain relief at rail end / ring internal diameter 30 mm	LP-1F	150	60	20 x 5	4008158004914	10	V1	23,74
		TP-1F	150	80	25 x 6	4008158015439	10	V1	31,17
		TP-2F	150	60	30 x 8	4008158031743	20	V1	39,16
		TP-1F-RK	150	80	25 x 6	4008158032252	10	V1	34,02
		TP-2F-RK	150	60	30 x 8	4008158032269	20	V1	41,79
	Earth (ground) clamp TP with tommy bar								
	• With malleable cast iron arms • Tommy bar with rounded ends for simple transfer of force when clamping • Grounding connection hole in the upper part	TP-1K	150	80	25 x 6	4008158015446	10	V1	31,17
	Earth (ground) clamp CP								
	• With C-shaped malleable cast iron arms	CP-F	50	30		4008158010236	40	V1	13,13
	Multi angle pad VAD (2 pcs./bag)								
	• For adaptation to round, oval and angular workpieces in particular • Infinite angle adjustment from 60° inner to 60° outer • Suitable for original BESSEY malleable cast iron screw clamps TG as well as GZ and GMZ from 100 mm throat depth and clamping elements for welding tables TWV and TW	VAD				4008158004945	1	V3	70,10

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Edge clamp KT								
	• Practical accessory for clamping edges and difficult to reach areas • Suitable for conventional screw clamps with a max. rail thickness of 13 mm	KT5-1CP				4008158026176	1	V1	18,27
		KT5-2				4008158004587	1	V1	29,24
	Welders' angle clamps WSM								
	• Automatic adjustment to workpieces of various thicknesses • Sturdy jaws and base plate made from high-quality cast iron • The copper-plated spindle prevents welding splatter from sticking • Precise 90°-angles	WSM9	2 x 90			4008158016832	1	V3	237,59
		WSM12	2 x 120			4008158016825	1	V3	269,11
	Welding clamp set SM 10								
	• Clamping aid for clamping components of different thicknesses at any chosen angle • Sturdy body and base plate made from high-quality cast iron • The copper-plated spindle prevents welding splatter from sticking • Angle range: 5°-180°	SM10-SET	100			4008158007502	1	V3	408,97
	Clamping element with variable throat depth TWV								
	• TWV16: Clamping force up to 2,500 N, TWV28: Clamping force up to 5,500 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Infinitely adjustable throat depth • Various design versions: • High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement • Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TWV16-20-15-2K	200	30-150	22 x 8,5	4008158038759	1	V3	75,93
		TWV16-20-15K	200	30-150	22 x 8,5	4008158038773	1	V3	75,93
		TWV16-20-15H	200	60-150	22 x 8,5	4008158038766	1	V3	104,69
		TWV28-30-17-2K	300	40-175	28 x 11	4008158036823	1	V3	88,94
		TWV28-30-17K	300	40-175	28 x 11	4008158036847	1	V3	88,94
		TWV28-30-17H	300	110-175	28 x 11	4008158036854	1	V3	122,17
	Clamping element with fixed throat depth TW								
	• TW16: Clamping force up to 3,000 N, TW28: Clamping force up to 5,000 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Various design versions: • High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement • Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TW16-20-10-2K	200	100	22 x 8,5	4008158038681	1	V3	46,47
		TW16-20-10K	200	100	22 x 8,5	4008158038704	1	V3	46,47
		TW16-20-10H	200	100	22 x 8,5	4008158038698	1	V3	82,66
		TW22-20-10-2K	200	100	22 x 8,5	4008158041629	1	V3	46,47
		TW28-30-12-2K	300	120	28 x 11	4008158036816	1	V3	54,35
		TW28-30-14-2K	300	140	28 x 11	4008158036861	1	V3	60,17
		TW28-30-12K	300	120	28 x 11	4008158036878	1	V3	54,35
		TW28-30-14K	300	140	28 x 11	4008158036885	1	V3	60,17
		TW28-30-12H	300	120	28 x 11	4008158036892	1	V3	97,50
		TW28-30-14H	300	140	28 x 11	4008158036953	1	V3	103,32
	Clamping element with special pressure plate TWM28								
	• Clamping force up to 6,500 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Tempered spindle – particularly sturdy and wear-resistant – for noticeably improved service life • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	TWM28-30-12	300	120	28 x 11	4008158036809	1	V3	96,36
	Special pressure plate for TWM28								
	• Smooth faced (standard version)	3100736				4008158031668	1	V3	25,35
	• Rough faced for secure clamping on dirty surfaces	3101192				4008158030968	1	V3	28,43
	• V-groove face for round, oval and edged workpieces	3101193				4008158030975	1	V3	28,43

NEW

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Clamping element with gripping arm TW28GRS								
	- Clamping force up to 5,000 N - The spindle is located on the outside for free access to the work area and to protect against welding spatter - Special, sturdy V-grooved pressure plate, ideal even for clamping round or square workpieces - Pivotable and infinitely adjustable in terms of height - Particularly suited to clamping with the tightest of space constraints, in narrow openings as well as for short projections	TW28GRS30-12	300	120	28 x 11	4008158036830	1	V3	132,67
	Vario table clamping attachment TWVAD (2 pcs./bag)								
	- Specifically adapted to round, oval and square workpieces - Angle infinitely adjustable from 60° internal to 60° external	TW16VAD				4008158038728	1	V3	44,07
	- Various design versions: - TW16VAD/TW28VAD – version with bolt – for rapidly aligning and fixing the workpiece to the welding table	TW28VAD				4008158036908	1	V3	45,55
	TWVAD – version without bolt – for variable movement on the welding table	TWVAD				4008158036915	1	V3	34,14
	Toggle clamp adapter TWA-STC								
	- Accessory for BESSEY STC toggle clamp with horizontal base plate - With bolt – for use directly on the welding table - Without bolt – for screwing to the extension TWX	TW16A-STC				4008158038711	1	V3	27,51
		TW28A-STC				4008158036922	1	V3	28,78
	Extension TWX								
	- Accessory for BESSEY toggle clamp adapter TWA-STC, TWVAD and TW28AV - Lowering of round workpieces is infinitely adjustable using the adjusting ring in the table	TW16X	300			4008158038735	1	V3	22,50
		TW28X	300			4008158036939	1	V3	36,32
	Tilting adapter TW28AV								
	- Clamping force up to 3,000 N - Accessory for BESSEY extension TW28X - Pivoting spindles with stepless adjustment from -52° to +52° - Lockable trapezoidal nut for secure fastening of the workpiece - High quality, 2-component plastic grip with long spindle	TW28AV	160			4008158038742	1	V3	82,66
	BAS-C compact clamp, fixing hole open								
 BAS-C9-4 BAS-C10-6 BSP-C10-6	- Clamping force up to 16,000 N - Space-saving construction, thus up to 30 % smaller than comparable competitive models - Housing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durable - Available in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spaces - BAS-C with open fixing hole and BAS-CB with closed fixing hole for M 10 / M 12	BAS-C9-4	88	40		4008158021812	1	V3	323,80
		BAS-C10-6	97	60		4008158021805	1	V3	335,34
		BSP-C10-6	97	60		4008158021829	1	V3	334,42


		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis- count group	Price per piece EUR
	BAS-CB compact clamp, fixing hole closed								
 BAS-CB9-4 BAS-CB10-6 BSP-CB10-6	• Clamping force up to 16,000 N	BAS-CB9-4	88	40		4008158021843	1	V3	323,80
	• Space-saving construction, thus up to 30 % smaller than comparable competitive models	BAS-CB10-6	97	60		4008158021836	1	V3	335,34
	• Housing and pressure arm made from hardened and tempered stainless steel, making it extremely robust and durable	BSP-CB10-6	97	60		4008158021850	1	V3	334,42
	• Available in three pressure arm versions: Short and long pressure arm with swivelable aluminium pressure shoe or pointed pressure arm for clamping on narrow sections or in confined spaces								
	• BAS-C with open fixing hole and BAS-CB with closed fixing hole for M 10 / M 12								
	Base unit BASO								
	• 80 mm extension • Stackable • Fastening hole open, including cheese head screw • Suitable for all BESSEY BAS clamps	BASO	80			4008158019031	1	V3	102,19
	Hold down table clamps BS								
	• Clamping force up to 10,000 N	BS2N	200	100	19,5 x 9,5	4008158018133	1	V3	153,79
	• Tilting and infinitely height-adjustable	BS3N	200	120	22 x 10,5	4008158018140	1	V3	174,69
	• For drilling and light milling work	BS4N	200	120	28 x 11	4008158018157	1	V3	191,01
	• Lever mechanism for rapid clamping and release	BS5N	240	140	30 x 15	4008158018164	1	V3	223,90
		BS6N	500	140	30 x 15	4008158031729	1	V3	333,51
	Claw machine clamp GRS								
	• Clamping force up to 7,500 N • Swivelling, vertically infinitely adjustable clamp • Externally-positioned spindle to allow unobstructed access to the work area and clamping in confined spaces • For drilling and light milling work	GRS20-12	200	123-140	28 x 11	4008158035840	1	V3	192,51
	Hold down table clamps BSG								
	• Clamping force up to 12,000 N • For fastening to tables and other equipment • Long life due to heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	BSG21-14	210	140	30 x 15	4008158027135	1	V3	150,82
	Vertical toggle clamp with open arm and horizontal base plate STC-VH								
	• Lever is in vertical clamping position	STC-VH20	35			4008158036984	6	V3	31,05
	• Automatic, seamless adjustment of the clamping height up to 35 mm with almost constant clamping force – without manual changing of the pressing screw position	STC-VH50	40			4008158036991	6	V3	33,23
	• Adjustable clamping force up to 2,500 N, based on the adjusting screw in the joint								
	• Sturdy, tempered sheet steel for longer service life								
	• Base plate hole pattern suitable for millimetres and inches								
	• High-quality, oil-resistant two-component plastic handle								
	Horizontal toggle clamp with open arm and horizontal base plate STC-HH								
	• In the clamped position, the lever is horizontal	STC-HH20	35			4008158036212	6	V3	30,49
	• Automatic and infinitely variable adjustment of the clamping height up to 35 mm while clamping force remains unchanged – without having to make manual changes to the position of the pressure screws	STC-HH20SB	35			4008158036748	3	V3	31,63
		STC-HH50	40			4008158035734	6	V3	33,23
		STC-HH50SB	40			4008158036755	3	V3	34,37
		STC-HH70	60			4008158035741	6	V3	34,14
		STC-HH70SB	60			4008158036762	3	V3	35,28
	• Clamping force is variable up to 2,500 N depending on the adjustment of the set screw in the cantilevered joint								
	• Sturdy, tempered metal sheets for a long service life								
	• Hole pattern on the base plate designed to facilitate fast and secure clamping set-up for metric and imperial								
	• High-quality oil resistant two-component plastic handle								

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR	
	Push/pull clamp with horizontal base plate STC-IHH									
	• Moving the handle moves the push-pull rod • Automatic and infinitely variable adjustment of the clamping height up to 13 mm while clamping force remains unchanged – without having to make manual changes to the position of the pressure screws • Adjustable clamping force up to 2,500 N, based on the adjusting screw in the joint • Sturdy, tempered metal sheets for a long service life • Base plate hole pattern suitable for millimetres and inches • High-quality oil resistant two-component plastic handle	STC-IHH15	25			4008158036243	6	V3	31,17	
		STC-IHH25	35			4008158035758	6	V3	34,94	
		STC-IHH25SB	35			4008158036779	3	V3	36,08	
	STC accessory set for multifunction tables									
	• For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm	STC-HH50-T20	40			4008158040301	1	V3	46,47	
		STC-HH70-T20	60			4008158040318	1	V3	47,39	
		STC-IHH25-T20	35			4008158040325	1	V3	48,18	
		STC-VH50-T20	40			4008158040332	1	V3	46,47	
	Adapter for multifunction tables STC-SET-T20									
	• For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm	STC-SET-T20				4008158040288	10	V3	13,25	
	One-handed lifting tool BEYCEPS BEY23 – available from June 2025									NEW
	• Lifting force up to 1,800 N / 180 kg / 400 lbs • For lifting (up to 8 mm per operation of the pump lever), lowering (up to 4 mm per operation of the lowering lever) and aligning workpieces with millimeter precision, gently and safely with just one hand • Ergonomic and safe handling, as the pump lever made of 2-component plastic is positioned on the top and the two levers for fine lowering and releasing are arranged separately below it • Closed plastic housing protects the mechanism from dust, dirt and chips and prevents fingers from getting trapped • Can be converted without tools for clamping tasks • Protective caps for stand and lifting plate – included in the scope of delivery – prevent damage to sensitive surfaces • CE labelling	BEY23				4008158050973	4	V3	109,00	
	Installation kit BEYCEPS BEY-IK – available from July 2025									NEW
	• Two-piece accessory set consisting of extension adapter and rail unit for one-handed lifting tool BEYCEPS BEY23 • Load capacity of up to 60 kg for quick and precise assembly, e.g. wall cabinets, floating sideboards and bathroom furniture • Quick, tool-free installation – only in conjunction with the extension adapter (usable range 170 mm to 400 mm) or additionally with rail unit (usable range 392 mm to 620 mm) • Safe and gentle thanks to non-slip and scratch-resistant protective caps	BEY-IK				4008158051604	4	V3	59,00	

NEW

NEW

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis- count group	Price per piece EUR
	Vario K Body REVO parallel clamp KREV								
	• Clamping force up to 8,000 N • Very large parallel clamping surfaces with 3 removable pressure caps • Metal-reinforced plastic housing and optimised sliding arm with double slide protection for more power and safety: The set clamping force is maintained and the sliding arm cannot unintentionally slip in the unclamped condition • Can be converted without tools for spreading tasks • High-quality 2-component symmetrical plastic handle with hexagon socket for the comfortable application of the clamping force (max. torque 17 Nm) • With continuously adjustable and fixable upper section for optimum positioning on the workpiece	KREV100-2K	1000	95	29 x 9	4008158040202	2	V3	110,19
		KREV150-2K	1500	95	29 x 9	4008158040219	2	V3	135,30
		KREV200-2K	2000	95	29 x 9	4008158040226	2	V3	160,30
		KREV250-2K	2500	95	29 x 9	4008158040233	2	V3	185,31
	K Body REVO parallel clamp KRE								
	• Clamping force up to 8,000 N • Very large parallel clamping surfaces with 3 removable pressure caps • Metal-reinforced plastic housing and optimised sliding arm with double slide protection for more power and safety: The set clamping force is maintained and the sliding arm cannot unintentionally slip in the unclamped condition • Can be converted without tools for spreading tasks • High-quality 2-component symmetrical plastic handle with hexagon socket for the comfortable application of the clamping force (max. torque 17 Nm)	KRE30-2K	300	95	29 x 9	4008158040127	2	V3	65,88
		KRE60-2K	600	95	29 x 9	4008158040134	2	V3	81,18
		KRE80-2K	800	95	29 x 9	4008158040141	2	V3	92,59
		KRE100-2K	1000	95	29 x 9	4008158040158	2	V3	102,87
		KRE125-2K	1250	95	29 x 9	4008158040165	2	V3	115,66
		KRE150-2K	1500	95	29 x 9	4008158040172	2	V3	127,65
		KRE200-2K	2000	95	29 x 9	4008158040189	2	V3	152,31
		KRE250-2K	2500	95	29 x 9	4008158040196	2	V3	178,23
	Body clamp set KRE-SET-A								
	• Set includes four body clamps from the KRE series and extensive accessories: KRE100-2K, 2 x KR-AS, 1 x KP, 1 x KBX20 and 4 x TK6	KRE-SET-A	1000	95	29 x 9	4010220024553	1	V3	527,04
	Variable jaw KRE-VO								
	• Steplessly adjustable and fixable upper section for improved workpiece positioning • Very large parallel clamping surfaces • With 2 pressure caps to protect delicate surfaces • Can be converted to spreading function with no need for tools	KRE-VO				4008158040240	12	V3	25,69
	Framing set KP								
	• KP Framing System (from 30 cm to 250 cm/12–98) with four 90° KP Blocks • Separately adjustable clamping force with 2 inserted clamps per corner • Lightweight / easy to assemble • On carded hang pack	KP				4008158004549	12	V3	36,88
	Tilting K Body clamp adapter KR-AS (2 pcs./bag)								
	• Adapter with tilting clamping jaws with a tilt range of -15° to +15° • Clamping on sloping and parallel surfaces • On carded hang pack	KR-AS				4008158032542	12	V3	17,01

NEW

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
K Body parallel clamp extender KBX									
	- Connect any two K Body parallel clamps to increase the clamping capacity. The connector is made of robust aluminum. - On carded hang pack	KBX20				4008158034997	12	V3	24,09
Table clamp									
	- Especially for DIY applications and domestic appliances - Special accessory for angle clamps WS 3/WS 6, screw clamp S 10 and K Body REVO parallel clamps KRE/KREV and KR/KRV to hold them to a work surface edge	TK6	60	22		4008158015255	50	V3	5,14
		RB269	60	28		4008158026077	25	V3	10,85
		LM10/5R8	100	50		4008158032238	50	V3	24,89
		LM15/5R8	150	50		4008158032245	50	V3	25,69
Lightweight parallel clamp UK UniKlamp									
	- Clamping force up to 1,500 N - Parallel jaw faces with extra-large contact surfaces - Clamping of various shapes, along the whole length of the rail - Universally applicable - Light and easy-to-handle - No need for tools for switching between clamping and spreading - On carded hang pack	UK16	160	80	20 x 5	4008158027197	6	V3	25,45
		UK30	300	80	20 x 5	4008158027203	6	V3	25,80
		UK60	600	80	20 x 5	4008158027210	6	V3	27,41
		UK80	800	80	20 x 5	4008158405346	6	V3	31,97
		UK100	1000	80	20 x 5	4008158035772	6	V3	33,69
Area pressure clamps FK									
	- Clamping force up to 5,000 N 2 large, tilting jaw faces - For workpieces with a sloping contact surface - Large-area clamping of all workpieces from both sides	FK16-8	160	80	16 x 7,5	4008158000909	10	V3	42,59
		FK20-10	200	100	19,5 x 9,5	4008158000923	10	V3	54,13
		FK40-10	400	100	19,5 x 9,5	4008158000930	5	V3	61,20
Box clamp KS									
	- Clamping force up to 5,000 N - Infinitely adjustable clamping jaws - Clamp on angled and parallel surfaces	KS100	200-1000	16		4008158032054	1	V3	138,26
		KS150	200-1500	16		4008158032061	1	V3	154,37
	• Extension KSV	KSV	1000			4008158032078	1	V3	69,76
GearKlamp GK									
	- High-quality two-component plastic handle positioned around the rail, so clamp can be used in tight spaces - Clamping force up to 2,000 N - Easy-to-move trapezoidal thread spindle with swivelling pressure plate - Quick-release shift button to quickly adjust sliding bar - On carded hang-pack	GK15	150	60	19 x 6	4008158040844	6	V3	31,40
		GK30	300	60	19 x 6	4008158040813	6	V3	34,14
		GK45	450	60	19 x 6	4008158040820	6	V3	36,65
		GK60	600	60	19 x 6	4008158040837	6	V3	40,76
One-handed clamp EHZ with 2-component handle									
	- Clamping force of up to 3,500 N - Clamp and fix in place quickly and simply with just one hand - With protection caps on the clamping surfaces - On carded hang pack	EHZ30-2K	300	100	19,5 x 9,5	4008158030661	6	V2	55,26
		EHZ60-2K	600	100	19,5 x 9,5	4008158030692	6	V2	66,91
One-handed clamp with rotating handle EZ360 – *available from June 2025									
	- Innovative 360° rotating mechanism allows the handle unit to be placed around the rail – already before but also after fastening the clamp 12-step latching mechanism to securely hold the selected handle position - Large clamping surfaces with removable protective caps - Clamping force up to 400 N / 40 kg / 80 lbs (EZ360S) 750 N / 75 kg / 165 lbs (EZ360M) 1,400 N / 140 kg / 300 lbs (EZ360) - Can be repositioned for spreading – without tools for EZ360M and EZ360 thanks to simple release mechanism with push-button on the upper part - One-handed operation with little effort required - On carded hang pack	EZ360S-11SET*	110	40	7 x 2,5	4008158051086	8	V3	21,21
		EZ360M-15*	150	60	14 x 5	4008158051062	6	V3	22,18
		EZ360M-30*	300	60	14 x 5	4008158051079	6	V3	24,70
		EZ360-15	150	80	18 x 5	4008158041988	6	V3	31,57
		EZ360-30	300	80	18 x 5	4008158041995	6	V3	34,02
		EZ360-45	450	80	18 x 5	4008158042008	6	V3	36,92
		EZ360-60	600	80	18 x 5	4008158042015	6	V3	40,34




NEW

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	One-handed clamp EZ								
	• Clamping force up to 2,700 N • Conversion for spreading – tool-free with EZM, EZL, EZXL thanks to simple release mechanism at the touch of a button on the top section • Ergonomically shaped 2-component plastic handle with pump mechanism and integrated release lever behind the rail • Protective caps with cross prism on the top for securely holding round, pointed and angular parts • One-handed operation with little effort required • On carded hang pack	EZS11-4SET	110	40	7 x 2,5	4008158041117	10	V3	17,36
		EZM15-6	150	60	14 x 5	4008158041124	6	V3	18,16
		EZM30-6	300	60	14 x 5	4008158041131	6	V3	20,21
		EZL15-8	150	80	18 x 5	4008158041148	6	V3	24,89
		EZL30-8	300	80	18 x 5	4008158041155	6	V3	27,51
		EZL45-8	450	80	18 x 5	4008158041162	6	V3	29,46
		EZL60-8	600	80	18 x 5	4008158041179	6	V3	33,23
		EZXL30-9	300	90	22 x 8	4008158041209	6	V3	38,14
		EZXL60-9	600	90	22 x 8	4008158041223	6	V3	45,89
EZXL90-9	900	90	22 x 8	4008158041230	6	V3	52,17		
	One-handed clamp set EZM-EZL-SET								
	• Set contains four one-hand clamps from the EZ series: 2 x EZM15-6 and 2 x EZL30-8	EZM-EZL-SET	150	60	14 x 5	4008158041377	4	V3	91,34
			300	80	18 x 5				
	Installation kit for EZ-TD decking boards EZ-TD								
	• Accessories for BESSEY EZ360 and EZL one-hand clamps (from 300 mm span) • For fast and precise spreading of decking boards up to 20 cm wide • For 6, 7, 8 and 10 mm (1/4", 9/32", 5/16" and 3/8") spacing between decking boards • Tool-free assembly • On carded hang pack • Content: 4 x special protective cap 10 x spacer	EZ-TD				4008158050805	6	V3	15,24
	One-handed clamp EZS								
	• Clamping force up to 2,000 N • No tools required for spreading thanks to intelligent release mechanism in upper section • Ergonomically shaped 2-component plastic handle behind the rail • On carded hang pack	EZS15-8	150	80	19 x 6	4008158034584	6	V3	29,69
		EZS30-8	300	80	19 x 6	4008158034591	6	V3	33,10
		EZS45-8	450	80	19 x 6	4008158034607	6	V3	35,62
		EZS60-8	600	80	19 x 6	4008158034614	6	V3	39,97
		EZS90-8	900	80	19 x 6	4008158035000	6	V3	45,21
	One-handed clamp DuoKlamp DUO								
	• Clamping force up to 1,200 N • Change from clamping to spreading by switching, not converting • Handle with pump lever parallel to the rail • Convenient one-handed operation, with little effort required • All-round clamping – in front of, behind and at the side of the rail • On carded hang pack	DUO16-8	160	85	20 x 5	4008158028521	6	V3	30,15
		DUO30-8	300	85	20 x 5	4008158028538	6	V3	33,34
		DUO45-8	450	85	20 x 5	4008158028545	6	V3	36,31
		DUO65-8	650	85	20 x 5	4008158028552	6	V3	40,42
	Rafter clamp SPZ								
	• Clamping force up to 12,000 N • For all roofing and timber frame constructions • SPZ 80 K with 17 mm hexagonal bolt and heat-resistant pressure plate with sintered steel insert, which can be tilted up to 35°	SPZ60K	600	120	27 x 13	4008158026930	5	V2	122,39
		SPZ80K	800	140	30 x 15	4008158027425	2	V2	191,47
	Special pressure plate for SPZ80K								
	• Smooth faced (standard version)	3100736				4008158031668	1	V3	25,35
	• Rough faced for secure clamping on dirty surfaces	3101192				4008158030968	1	V3	28,43
	• V-groove face for round, oval and edged workpieces	3101193				4008158030975	1	V3	28,43

NEW

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	High-tech lever clamp KliKlamp KLI								
	• Clamping force up to 1,200 N • Feather light yet ultra strong • Sturdy fixed and sliding arms made from lightweight magnesium • Quick and vibration free clamping • On carded hang pack	KLI12	120	80	20 x 5	4008158027227	6	V3	27,74
		KLI16	160	80	20 x 5	4008158027234	6	V3	28,65
		KLI20	200	80	20 x 5	4008158027241	6	V3	29,34
		KLI25	250	80	20 x 5	4008158027258	6	V3	30,71
		KLI30	300	80	20 x 5	4008158028743	6	V3	31,63
		KLI40	400	80	20 x 5	4008158028750	10	V3	34,02
	High-tech lever clamp KliKlamp set in systainer KLI-S								
	• Practical systainer T-Loc, stackable • Ideal for assembly work	KLI-S				4008158027296	1	V3	545,19
	High-tech lever clamp KliKlamp counter display KLI-D								
	• Professional sales display • Optimum presentation of the KliKlamp	KLI-D				4008158027302	1	V3	469,03
	Light duty bar clamp U-style LMU								
	• Clamping force up to 1,500 N • Step-over clamping • Comes with two protective caps • Small and easy to handle • Light weight	LMU10/5	100	50	15 x 5	4008158032559	24	V1	9,82
		LMU15/5	150	50	15 x 5	4008158032566	24	V1	10,17
		LMU20/5	200	50	15 x 5	4008158032573	24	V1	10,62
	Die-cast zinc screw clamp LM								
	• Clamping force up to 1,500 N • Clamping arms manufactured in toughened die cast zinc black powder coated to prevent chemical corrosion • Comes with protective cap • Small and easy to handle • Light weight	LM10/5	100	50	15 x 5	4008158004600	10	V1	11,64
		LM15/5	150	50	15 x 5	4008158004723	10	V1	11,99
		LM20/5	200	50	15 x 5	4008158005485	10	V1	12,10
		LM25/5	250	50	15 x 5	4008158005607	10	V1	13,70
		LM30/5	300	50	15 x 5	4008158005898	10	V1	13,81
		LM15/8	150	80	20 x 5	4008158004853	10	V1	19,29
		LM20/8	200	80	20 x 5	4008158006147	10	V1	20,21
		LM25/8	250	80	20 x 5	4008158005676	10	V1	21,12
		LM30/8	300	80	20 x 5	4008158005966	10	V1	21,59
		LM20/10	200	100	25 x 6	4008158005430	10	V1	31,97
		LM25/10	250	100	25 x 6	4008158006246	10	V1	33,00
		LM30/10	300	100	25 x 6	4008158005829	10	V1	34,25
		LM40/10	400	100	25 x 6	4008158006031	10	V1	36,65
		LM50/10	500	100	25 x 6	4008158006321	10	V1	38,82
		LM60/10	600	100	25 x 6	4008158006413	10	V1	41,79
		LM80/10	800	100	25 x 6	4008158006475	10	V1	45,44
	Wood Klemmy HKL								
	• Upper and lower arms and lever made from high-quality hardwood • Cork pads for gentle clamping	HKL20	200	110	20 x 5	4008158026831	10	V1	16,21
		HKL30	300	110	20 x 5	4008158026848	10	V1	17,92
		HKL40	400	110	20 x 5	4008158026855	10	V1	20,09
		HKL60	600	110	20 x 5	4008158026862	10	V1	22,83
		HKL80	800	110	20 x 5	4008158026879	10	V1	24,09
		HKL100	1000	110	20 x 5	4008158026886	10	V1	25,91
	Aluminium mini clamp AM								
	• Ideal for modelling and hobbyists • Low weight of just 55 g	AM4	47	34		4008158001449	100	V3	6,62
	Parallel screw clamp PA								
	• Twin spindles • Precisely parallel positioning of the jaw faces	PA28	36	19		4008158005362	50	V3	13,81
		PA40	46	26		4008158005386	50	V3	16,55
		PA55	60	35		4008158006802	50	V3	20,55
		PA70	87	50		4008158006826	20	V3	28,32
		PA105	116	72		4008158005348	20	V3	38,14

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Mini Vice S 10								
	• Low weight • Parallel clamping with guide rods • Clamping at an angle without guide rods (max. 25°) • Easy to attach, with 2 table clips supplied • On carded hang pack	S10-ST	100			4008158001401	10	V3	30,71
	Table clamp								
	• Especially for DIY applications and domestic appliances • Special accessory for angle clamps WS 3/WS 6, screw clamp S 10 and K Body REVO parallel clamps KRE/KREV and KR/KRV to hold them to a work surface edge	TK6	60	22		4008158015255	50	V3	5,14
		RB269	60	28		4008158026077	25	V3	10,85
		LM10/5R8	100	50		4008158032238	50	V3	24,89
		LM15/5R8	150	50		4008158032245	50	V3	25,69
	One-handed table clamp EZR (2 pcs./package)								
	• For fixing guide rails of the brands Festool, Protool, Metabo, Makita, Hitachi/Hikoki, Dewalt etc. (groove dimensions 12 x 6.5 mm to 12 x 8 mm) as well as of the brands Bosch and Mafell thanks to slide-on adapter (groove dimensions 12 x 1.8 mm) • For clamping in profiles as well as on work tables • Can be used as a normal one-handed clamp for clamping - also overlapping - and spreading • Clamping force up to 750 N • Ergonomically shaped 2-part plastic handle with pump lever behind the rail • On carded hang pack	EZR15ET	150	60	14 x 5	4008158042992	8	V3	51,89
	All-steel table clamp GTR								
	• Specially forged fixed arm for 12 x 8 mm grooves • For secure fastening of guide rails from Festool, Protool, Metabo, Makita, Hitachi/Hikoki, etc. and for clamping in profiles as well as work tables• Clamping force up to 1,800 N • Ergonomically shaped wooden handle • GTR12SET: On carded hang pack	GTR12	120	60	13,5 x 6,5	4008158018126	10	V2	20,55
		GTR12SET	120	60	13,5 x 6,5	4008158039374	5	V2	41,10
		GTR16B6	160	60	13,5 x 6,5	4008158037165	10	V2	22,27
		GTR30B6	300	60	13,5 x 6,5	4008158038780	10	V2	25,11
	All-steel table clamp GTRH with lever handle								
	• Specially forged fixed arm for 12 x 8 mm grooves • For secure fastening of guide rails from Festool, Protool, Metabo, Makita, Hitachi/Hikoki, etc. and for clamping in profiles as well as work tables • Rapid – up to 5 times faster than conventional clamps • Secure – unaffected by vibrations • Strong – clamping force up to 2.400 N	GTR16S6H	160	60	13,5 x 6,5	4008158035277	10	V2	53,78
	Spring clamp VarioClippix XV								
	• Variable opening width up to 100 mm, yet can be operated with one hand • Lightweight, functional and easy to handle • Extremely sturdy • On carded hang pack	XV3-50	55	37		4008158028569	12	V3	7,99
		XV5-100	100	50		4008158028576	12	V3	10,17
	Spring clamp VarioClippix XV								
	• Variable opening width up to 170 mm, yet can be operated with one hand • Lightweight, functional and easy to handle • Extremely sturdy • On carded hang pack	XV5-170	170	50		4008158031453	12	V3	11,08
	Spring clamp Clippix XC								
	• Lightweight, functional and easy to handle • Extremely sturdy • XC1-SET – On carded hang pack	XC1	20	20		4008158031392	10	V3	1,71
		XC1-SET	20	20		4008158031408	12	V3	6,97
		XC2	25	30		4008158028583	10	V3	2,52
		XC3	35	37		4008158028590	10	V3	3,65
		XC5	50	50		4008158028606	10	V3	5,36
		XC7	75	70		4008158028613	10	V3	7,08

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
Needle nose spring clamp Clippix XCL									
	• Long, pointed clamping arm for working in tight spaces • Large throat depth for clamping in borderless areas • Soft, slip-proof grip pads • XCL2-SET – On carded hang pack	XCL2	55	60		4008158031422	10	V3	3,99
		XCL2-SET	55	60		4008158031446	10	V3	6,84
		XCL5	70	110		4008158031439	10	V3	5,94
Spring clamp XM									
	• Tips and handles made of PVC prevent marring • Heavy duty springs for firm grip and powerful clamping • Corrosion resistant nickel plated	XM3EU	25	32		4008158041063	48	V3	3,30
		XM5EU	50	57		4008158041070	24	V3	4,91
		XM7EU	75	85		4008158041568	10	V3	7,88
Ratchet clamp XCR									
	• Ideal for light clamping work that requires a greater throat depth and for workpiece-friendly clamping • Comfortable handling thanks to ergonomic 2-component plastic handle and one-hand operation • Quick opening and closing thanks to robust ratchet mechanism • Twice as strong compared to conventional spring clamps	XCR2	55	50		4008158041728	6	V3	12,10
		XCR4	100	75		4008158041735	4	V3	14,50
Band clamp BAN 700									
	• Even pressure on mitre joints • Crank handle can be relocated for right and left-handed users • Contains: 1 band clamp, 4 Vario corners • On carded hang pack	BAN700				4008158023250	5	V3	53,78
Band clamp BAN 400									
	• Clamp right-angled workpieces with 4 plastic corners • Even pressure at all 4 corners • On carded hang pack	BAN400				4008158031460	12	V3	35,85
Vario corners BVE (6 pcs./bag)									
	• Infinite angle adjustment from 60-180° • On carded hang pack	BVE				4008158023267	6	V3	15,99
Angle clamp WS									
	• Automatic adjustment to variously-sized workpieces • Quick – clamp with a spindle • Stable body • For attaching with table clamp – available as an accessory • WS 3 – on carded hang pack	WS3	2 x 55			4008158010427	10	V3	67,14
		WS6	2 x 100			4008158010410	4	V3	96,36
Angle clamp WS									
	• Clamp variously-sized workpieces with 2 spindles • For light clamping work • Made from die-cast zinc • On carded hang pack	WS1	2 x 73			4008158028255	12	V3	10,62
Mitre clamping system MCX									
	• Mitre system for 22.5°, 30°, 45° and 60° angles • Even pressure on the mitre • Angle adapter can be changed without tools • Practical accessory for BESSEY screw clamps TG,GZ, GMZ, EHZ, EZS, DUO and EZL/EZXL	MCX	100			4008158032030	1	V3	42,81
One-handed edge clamp EKT									
	• For rapid one-handed operation • Low weight • Opening up to 55 mm	EKT55	10-55	45		4008158026473	1	V3	76,84

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Edge clamp Kantenfix KF								
	• For quick one-handed operation • Widths up to 80 mm	KF2	10-40	80		4008158031880	4	V3	75,35
		KF4	10-80	110		4008158031897	4	V3	162,24
	Edge clamp KT								
	• Practical accessory for clamping edges and difficult to reach areas • Suitable for conventional screw clamps with a max. rail thickness of 13 mm	KT5-1CP				4008158026176	40	V1	18,27
		KT5-2				4008158004587	20	V1	29,24
	C-frame edge clamp KT								
	• Three-spindle C-frame clamp • Extra strong, with forged frame • Universally applicable within the fields of wood and metal processing • Suitable for welding	KT8-3	80	80		4008158017600	5	V3	107,21
	Panel carrier KFP								
	• Load-bearing capacity 75 kg • For the safe lifting and carrying of panels such as wood sheets, chipboard panels, glass and plexiglass • High-friction rubber coating on the moving clamping jaws	KFP	10-65			4008158031903	2	V3	141,46
	Workbench adapter TW16AW								
	• Accessories for BESSEY TWV and TW clamping elements with 16 hole system • Suitable for all common workbenches with a hole system • Can be used without tools • The stud pin can be changed to use other hole systems	TW16AW19				4008158039633	10	V3	15,18
		TW16AW20				4008158040059	10	V3	16,55
		TW16AW30				4008158040097	10	V3	19,63
	Clamping element with variable throat depth TWV								
	• Clamping force up to 2,500 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Infinitely adjustable throat depth • Various design versions: • High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement • Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping	TWV16-20-15-2K	200	30-150	22 x 8,5	4008158038759	1	V3	75,93
		TWV16-20-15K	200	30-150	22 x 8,5	4008158038773	1	V3	75,93
		TWV16-20-15H	200	60-150	22 x 8,5	4008158038766	1	V3	104,69
	Clamping element with fixed throat depth TW								
	• Clamping force up to 3,000 N • Precise, individual clamping • Tempered profile and sliding arm for sprung and elastic clamping • Various design versions: • High quality 2-component plastic handle and tommy bar with rounded ends – each with smooth-running trapezoidal threaded spindle and tool-free pressure plate replacement • Lever handle with an indexing mechanism for controlled, fast and vibration-proof clamping • TW22: Compatible with Barth and Beck lift tables	TW16-20-10-2K	200	100	22 x 8,5	4008158038681	1	V3	46,47
		TW16-20-10K	200	100	22 x 8,5	4008158038704	1	V3	46,47
		TW16-20-10H	200	100	22 x 8,5	4008158038698	1	V3	82,66
		TW22-20-10-2K	200	100	22 x 8,5	4008158041629	1	V3	46,47

NEW



BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
Horizontal fixture clamp WNS-SET-MFT									
	- Clamping force up to 750 N - For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm - Quick fixing thanks to clamping levers on the side - Makes full-surface working of the workpiece possible – even round and flat parts - Patented pull-down mechanism prevents the workpiece from lifting from the table surface when clamping – even without fastening screws - BH-MFT can also be used as a universal limit stop for workpieces - Includes: 2 x horizontal fixture clamp 2 x bench dog 4 x knurled nut	WNS-SET-MFT				4008158041872	8	V3	85,64
Bench dog for multifunction tables BH-MFT									
	- Accessory for BESSEY horizontal pull-down clamps WNS-SET-MFT - For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm - Can also be used as a universal limit stop for workpieces - Includes: 4 x bench dog 4 x knurled nut	BH-MFT				4008158041902	50	V3	14,72
Clamping element for multifunction tables TW-KLI (2 pcs./bag)									
	- Clamping force up to 500 N - For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm - Stable sliding arm made of light magnesium for rapid, vibration-proof clamping - Profile made of cold-drawn quality steel for flexible and elastic clamping - On carded hang pack	TW20-15-8KLI-SET	150	80	20 x 5	4008158042336	10	V3	69,42
Clamping tool set for working on the table MFT-A									
	Set contains four clamping tools for 20 mm hole diameters: 1 x WNS-SET-MFT and 1 x TW20-15-8KLI-SET	MFT-A				4008158050676	10	V3	155,06
Toggle clamp systainer STC-S-MFT									
	- Multi-functional systainer for installation technicians - With wood insert including 20 holes - And 3 different clamping options	STC-S-MFT				4008158040691	1	V3	434,55
Adapter for multifunction tables STC-SET-T20									
	For using the BESSEY toggle clamps on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm	STC-SET-T20				4008158040288	10	V3	13,25

NEW

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	STC accessory set for multifunction tables								
	• For using on multifunction tables such as Festool MFT and Sortimo WorkMo with hole diameter of 20 mm and plate thickness of min. 19 mm to max. 25 mm	STC-HH50-T20	40			4008158040301	1	V3	46,47
		STC-HH70-T20	60			4008158040318	1	V3	47,39
		STC-IHH25-T20	35			4008158040325	1	V3	48,18
		STC-VH50-T20	40			4008158040332	1	V3	46,47
	Seaming tool PS 130, big and strong								
	• For clamping and positioning large and potentially heavy components with a smooth surface, such as artificial stone, ceramic, granite, Corian®, plastic, sheet metal and glass • Manual vacuum pumps for maximum suction power, and therefore a maximum level of horizontal clamping force up to 1,200 N • Marking ring on the pump lever to permanently check for a reliable vacuum • Practical quick adjustment function for rapid adjustment of the distance between the two suction cups	PS130	5-130			4008158035765	1	V3	689,16
	Seaming tool PS 55								
	• For clamping and positioning components with a smooth surface, such as ceramic, granite, Corian®, plastic, sheet metal and glass, which require low clamping forces (up to 260 N) • Clamping levers on the suction cups ensure rapid handling • Cam lever to compensate for differing heights at the joint	PS55	10-55			4008158027050	1	V3	292,63
	Door frame clamp TU								
	• Gently and precisely braces and supports door casing during foam filling of wall joint • Telescopic square anodised aluminium tubing with mm scale and adjusting screw for precision work • Cross-shaped pressure plate with interchangeable clamping elements for frame depths of 6 to 13 cm or 13 to 30 cm • Removable clamping bracket with increased clamping surfaces and removable brackets to insert the door frame securely and easily	TU	565-1010			4008158001302	2	V3	90,20
	Door frame clamp set TU-TRAGE								
	• In a nylon wheeled case or safe and dustfree storage and for easy transport • Content: 6 (3 sets) door frame clamps for a total of 3 doors	TU-TRAGE				4008158001319	1	V3	560,37
	Door frame brace extension TUX								
	• Accessories to increase the opening width of the TU door frame brace • This enables extra-wide doors to be installed • It can be used without tools in just a few steps	TUX	1040-1960			4008158039398	1	V3	34,25
	Door frame straightening clamp TFM								
	• For quick, precise aligning and fixing of door frames • The intelligent companion for the BESSEY door frame clamp TU and TMS	TFM-2K		70		4008158040714	2	V3	37,90
	Angle door frame straightening clamp WTR								
	• For neatly fixed and stabilised frame corners • For mounting at a precise 90° angle	WTR	8-30			4008158026947	2	V3	97,40

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
	Door frame assembly device TMS								
	• Gently and precisely braces and supports door casing during foam filling of wall joint • Telescopic round aluminium tube with adjusting screw for precision work • With clamping elements on the clamping faces in order to secure struts in frames and to hold them at precise distances • On carded hang pack	TMS	560-1010			4008158026794	2	V3	44,07
	Window installation clamp FRK								
	• Permits rapid, precise straightening and fixing of window frames	FRK85	40-85			4008158022321	4	V3	55,72
	Pipe clamping set BPC								
	• Suitable for steel pipes DN 20/R3/4 or DN 15/R1/2 • Outer diameter 26.9 mm or 21.3 mm • Infinitely-adjustable clamping width • With stand • On carded hang pack	BPC-H12		40		4008158032382	4	V3	33,79
		BPC-H34		42		4008158032375	4	V3	37,33
	Sash clamps TB with T-profile 40 x 40 x 5 mm								
	• Clamping force up to 14,000 N • With attached locking bolt • Tommy bar • Sturdy thanks to T-profile	TB100	1000			4008158007984	1	V3	128,45
		TB120	1200			4008158007991	1	V3	134,62
		TB150	1500			4008158008004	1	V3	145,35
		TB210	2100			4008158008028	1	V3	174,23
		TB250	2500			4008158008035	1	V3	200,60
	Sash clamps TL, light with I-profile 37 x 11 x 4.5 mm								
	• Clamping force up to 9,900 N • Easily adjustable pressure plates • Crank handle • Very sturdy thanks to I-profile	TL60	600			4008158040745	2	V3	51,26
		TL90	900			4008158040752	2	V3	64,62
		TL120	1200			4008158040769	2	V3	77,65
		TL180	1800			4008158040776	2	V3	105,95
	Spacer AV2 (4 pcs./bag)								
	• Quickly and infinitely adjustable for wall distances of 5 to 20 mm • Spacer for floating laminate and parquet flooring installations • Wide contact and support area for avoiding pressure points on the floorboards and plaster • Easy to remove by simply turning back • Very light and compact	AV2	20			4008158035895	12	V3	12,44
	Spacer PVA								
	• Infinitely adjustable for wall distances of 7 to 35 mm • Front and lateral support when gluing solid wood floorings • Pull-down function dependent on the inclined angle of the spindle, with movable mounted pressure plate with protective cap • Extra wide contact area of 130 mm prevents edge damage to the floorboards	PVA	35			4008158021164	6	V3	34,02
	Flooring and clamping system SVH/SVG								
	• For laying parquet, laminated and panel flooring • SVH with spacer and band of high-strength polyester • SVH 400 and SVG – on carded hang pack	SVH400	4000			4008158023274	1	V3	35,28
		SVH760	7600			4008158032108	1	V3	52,98
		SVG	4000			4008158026817	1	V3	28,98

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis- count group	Price per piece EUR	
	Telescopic drywall support STE with pump grip – *available from June 2025									
	- Resilient up to a maximum of 3,500 N / 350 kg / 770 lbs when the telescopic rod is fully retracted - Extremely stable construction due to highly durable steel pipes and non-slip TPU contact surfaces (9 x 7 cm) - Single-handed operation thanks to 2-component plastic handle with pump mechanism - Quick-slide button for rapid extension and retraction of the telescopic bar - Controllable holding force by turning the support on the grip - Application also on slopes due to continuously swivelling contact surfaces from -45° to +45°  STE150, STE250, STE300, STE370: GS-certified for quality and safety	STE55*				4008158051192	2	V3	47,60	NEW
		STE90				4008158041841	2	V3	50,06	
		STE150*				4008158051208	2	V3	52,00	NEW
		STE250				4008158041254	2	V3	55,94	
		STE300				4008158041261	2	V3	61,20	
		STE370				4008158041278	2	V3	65,20	
	Telescopic drywall support ST									
	- Resilient up to a maximum of 150 kg when the telescopic rod is fully retracted - Stable construction due to special steel pipes and anti-slip PVC contact surfaces (8,5 x 6,5 cm) - Application also on slopes due to continuously swivelable contact surfaces of -45° to +45° - Easy, safe handling due to a telescoping and locking inner pipe as well as an outer pipe that can be turned by the foam grip  GS-certified for quality and safety	ST125				4008158031590	2	V3	31,51	
		ST250				4008158040110	2	V3	38,36	
		ST290				4008158031583	2	V3	41,79	
	Multi-function/laser fixture STE-LH									
	- Accessory with 1/4 thread for holding a laser, camera etc - Can be used without tools on round (0-45 mm) and angular (0-55 mm) support parts such as ceiling and assembly supports, profiles, ladders - L-shaped rotating fixture with 2 rotation axes: 360° next to fixing clamp, 180° at threaded connection - On carded hang pack	STE-LH				4008158041469	8	V3	19,87	
	Support plate STE-SP35									
	- Light aluminium profile with non-slip cellular rubber - For increasing the support surface of BESSEY ceiling and assembly supports ST (only in conjunction with replacement contact surface 3101952) and STE - Secure fastening onto the contact surfaces thanks to star grip screws - On carded hang pack	STE-SP35				4008158041452	20	V3	17,36	
	Replacement contact surface									
		3101952				4008158041544	1	V3	12,33	
	Ceiling tripod attachment STE-DS									
	- Accessory for ceiling supports with an outer diameter of the telescopic inner tube of 25 mm and 28 mm - For increasing the support surface - Even pressure thanks to the three-winged contact surfaces - Quick, tool-free installation - Safe to use as tipping of the contact surface is prevented by the all-round fixing of the steel pipe - On carded hang pack	STE-DS				4008158041865	1	V3	21,92	

BESSEY Price list valid from April 1st, 2025

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR	
	Construction tripod STE-BS									
	- Accessory for ceiling supports with an outer pipe diameter of 29 mm and 32 mm - Stable stand as the force of the braced ceiling support acts downwards in places - Ceiling supports can even be placed freely in the room without a top bracing and can therefore also be used outdoors - Quick, tool-free installation - Light and stable structure thanks to aluminium profiles and glass-fibre reinforced plastic - On carded hang pack	STE-BS				4008158041858	1	V3	56,97	
	Small construction tripod STE-KBS – available from September 2025									NEW
	- Accessory for STE55 telescopic support - Accessory for STE90 telescopic support as a smaller, space-saving alternative to the larger construction tripod STE-BS - Telescopic support can be positioned upright even when untensioned and pre-positioning is made easier - Non-slip protective caps to protect sensitive surfaces - Quick, tool-free assembly - Light and stable construction thanks to reinforced PA6 plastic	STE-KBS				4008158051253	12	V3	14,95	
	Large multifunction fixture STE-MH-SET – available from September 2025									NEW
	- Accessory for BESSEY telescopic supports STE (outer diameter 32 mm) and ST (outer diameter 29 mm) - Fixture for the temporary assembly of partition walls and storage surfaces, e.g. tables, shelves - Thanks to the 1/4" thread, also suitable for tools such as lasers (e.g. Stabila LAX 600G, Bosch GLL 3-80 CG), cameras and construction lights - T-profile for the use of table clamps - Quick, tool-free assembly - Maximum load of 50 kg per fixture thanks to stable construction made of reinforced PA6 plastic and non-slip contact surface	STE-MH-SET				4008158051024	10	V3	29,95	
	Cross connector STE-CC-SET – available from September 2025									NEW
	- Accessory for telescopic supports with an outer tube diameter of 20 mm to 34 mm - Can be used for fastening cross connections, such as tubes, and as a temporary suspension option, e.g. for lamps, bicycles, etc. 360° flexible pre-positioning, which is held securely thanks to the 16-step latching mechanism - Maximum load of 30 kg per connector thanks to stable construction made of reinforced PA6 plastic and non-slip contact surface	STE-CC-SET				4008158051017	10	V3	19,95	
	Combi-bag for ceiling supports STE-BAG									
	- For convenient transport and protected storage of two BESSEY ceiling and installation supports STE300 and STE370 as well as the STE-LH and STE-SP35 accessories - Comfortable thanks to the padded shoulder strap and the possibility to adjust the length of the bag to the ceiling supports to be placed within - Easy to use due to the long zip-up case and four exterior pockets for additional storage space - Durable material - On carded hang pack	STE-BAG				4008158041896	1	V3	78,78	

		Order no.	Opening mm	Throat depth mm	Rail mm	Barcode	PU qty.	Dis-count group	Price per piece EUR
Clamp trolley ZW 1									
 • Stable metal construction on castors • Dimensions 50 x 60 x 146 cm • Holds up to 90 clamps • Malleable cast iron-, all-steel- and lever clamps with clamping ranges between 120 and 600 mm • With label and label holder • Suitable as sales aid and for the workshop area		ZW1				4008158017211	1	V3	534,46
		ZW1-A01				4008158032146	1	V2	2070,34
		ZW1-A01-2K				4008158032115	1	V2	2117,72
		ZW1-A99-2K				4008158032122	1	V1	2057,32
Clamp trolley ZW 2									
 • Stable metal construction on castors • Dimensions 100 x 60 x 153 cm • Holds up to 120 clamps, it even holds long screw clamps • Malleable cast iron and all-steel with clamping ranges between 200 and 2000 mm • With label and label holder • Suitable as sales aid and for the workshop area		ZW2				4008158017228	1	V3	865,67
		ZW2-A99				4008158031699	1	V1	3949,21
		ZW2-A99-2K				4008158032139	1	V1	4037,69

BESSEY Price list valid from April 1st, 2025

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Shape and straight cutting snips D39ASS									
	- For continuous, straight and curved cuts - Extremely compact cutter head with a partially countersunk head screw connection for increased manoeuvrability and precision for curved cuts - Joint area screwed connection with stud bolt, sintered disc and maintenance-free spring for extreme robustness - Reduced handle opening angle for optimised handling and an even cutting length - Central latch for easy operation without having to change your grip - Available in right or left cutting versions	D39ASS	230	30	1,2	4010220031957	5	V4	94,54
		D39ASSL	230	30	1,2	4010220031964	5	V4	94,54
		D39ASS-SB	230	30	1,2	4010220032091	5	V4	95,67
		D39ASSL-SB	230	30	1,2	4010220032107	5	V4	95,67
Shape and straight cutting snips D29ASS-2									
	- ERGO-handle for increased comfort – reduced hand fatigue! - For continuous, straight and curved cuts - Compact cutter head: High manoeuvrability for shape cutting - Optimised leverage ratio: 25 % less effort - Optimised edge shape: No slipping even without serrations - Available in right or left cutting versions	D29ASS-2	260	33	1,2	4010220030226	5	V4	81,06
		D29ASSL-2	260	33	1,2	4010220030240	5	V4	81,06
		D29ASS-2-SB	260	33	1,2	4010220030233	5	V4	82,20
		D29ASSL-2-SB	260	33	1,2	4010220030257	5	V4	82,20
Set of shape and straight cutting snips DSET29-15									
	Contents: 1 x D29ASS-2 1 x D29ASSL-2 1 x D15A in snips pouch	DSET29-15				4010220031339	1	V4	195,35
Shape cutting snips D29SS-2									
	- ERGO-handle for increased comfort – reduced hand fatigue! - For short, straight and curved cuts - Edges with micro-serrations for slip-proof working - Available in right or left cutting versions	D29SS-2	260	40	1,2	4010220030189	5	V4	77,41
		D29SSL-2	260	40	1,2	4010220030202	5	V4	77,41
Straight cutting snips D29BSS-2									
	- ERGO-handle for increased comfort – reduced hand fatigue! - For continuous, straight cuts - Edges with micro-serrations for slip-proof working - Available in right or left cutting versions	D29BSS-2	260	33	1,2	4010220030264	5	V4	88,03
		D29BSSL-2	260	33	1,2	4010220030288	5	V4	88,03
Shape and straight cutting snips D27A									
	- For continuous, straight and curved cuts - Edges with micro-serrations for slip-proof working - Available in right or left cutting versions	D27A	260	33	1,2	4010220019283	5	V4	64,86
		D27AL	260	33	1,2	4010220019368	5	V4	64,86
		D27A-SB	260	33	1,2	4010220024812	5	V4	65,99
		D27AL-SB	260	33	1,2	4010220024829	5	V4	65,99

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
	Shape cutting snips D27								
	• For short, straight and curved cuts • Edges with micro-serrations for slip-proof working • Available in right or left cutting versions	D27	260	40	1,2	4010220000069	5	V4	64,86
		D27L	260	40	1,2	4010220000076	5	V4	64,86
	Straight cutting snips D27B								
	• For continuous, straight cuts • Edges with micro-serrations for slip-proof working • Available in right or left cutting versions	D27B	260	32	1,2	4010220000144	5	V4	70,10
		D27BL	260	32	1,2	4010220019467	5	V4	70,10
	Shape and straight cutting snips, robust D17ASS/D17A								
	• For continuous, straight and curved cuts • Edges with micro-serrations for slip-proof working • Exceptionally robust: Drop-forged handles • Painted handles • Available in right or left cutting versions	D17ASS	240	24	1,5	4010220000243	5	V4	97,62
		D17ASSL	240	24	1,5	4010220000250	5	V4	97,62
		D17A	240	24	1,2	4010220019528	5	V4	83,01
		D17AL	240	24	1,2	4010220019559	5	V4	83,01
	Ideal snips, manoeuvrable D08								
	• Special flat cutter head enables cutting in narrowest radius • For continuous, straight and curved cuts • Edges with micro-serrations for slip-proof working • Available in right or left cutting versions	D08	230	27	1,2	4010220000007	5	V4	51,61
		D08L	230	27	1,2	4010220000014	5	V4	51,61
		D08-SB	230	27	1,2	4010220024720	5	V4	52,76
		D08L-SB	230	27	1,2	4010220024737	5	V4	52,76
	MULTISNIP Longstyle D22A								
	• For long continuous straight and large radius cuts • Extra long cutting blades, laterally displaced for continous cuts • Available only in left cutting version	D22A	280	64	1,2	4010220028315	5	V4	60,29
		D22A-SB	280	64	1,2	4010220030745	5	V4	61,42
	Aviation snips D16								
	• For short, straight and curved cuts • Edges with micro-serrations for slip-proof working • Left cut model available as well	D16	240	40	1,2	4010220019146	10	V4	35,85
		D16-SB	240	40	1,2	4010220024744	10	V4	36,99
	Aviation snips D16L								
	• For short, straight and curved cuts • Edges with micro-serrations for slip-proof working • Right cut model availabâle as well	D16L	240	40	1,2	4010220000038	10	V4	35,85
		D16L-SB	240	40	1,2	4010220024751	10	V4	36,99

BESSEY Price list valid from April 1st, 2025

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
		Aviation snips D16S							
	- No offset to blades, for short, straight and curved cuts with a large radius in both left and right directions - Edges with micro-serrations for slip-proof working - Available only in left cutting version	D16S	240	44	1,2	4010220001509	10	V4	35,85
		D16S-SB	240	44	1,2	4010220024768	10	V4	36,99
		Set of aviation snips DSET16							
	Contents: 1 x D16 1 x D16L 1 x D16S in snips pouch	DSET16				4010220031254	1	V4	107,55
		Aviation snips display D16S-D							
	Contents: 12 x D16S in sales display	D16S-D				4010220031896	1	V4	430,21
		Shape and straight cutting snips, small and manoeuvrable D15A							
	- For long continuous, straight and curved cuts - The extremely small forged heads have optimized blade geometry is very manoeuvrable; perfect for cutting small radii and in confined spaces - The compact design results in the highest performance with the minimum of effort - ERGO-handle for increased comfort reduced hand fatigue! - Available in right or left cutting versions	D15A	180	20	1	4010220031308	10	V4	33,23
		D15AL	180	20	1	4010220031353	10	V4	33,23
		D15A-SB	180	20	1	4010220031315	10	V4	34,37
		D15AL-SB	180	20	1	4010220031490	10	V4	34,37
		Set of shape and straight cutting snips DSET15							
	Contents: 1 x D15A 1 x D15S 1 x D15AL in snips pouch	DSET15			1	4010220031582	20	V4	99,67
		HSS-TiN shape and straight cutting snips D27AH-TiN							
	- TiN coated cutter head for longer service life even in case of hard materials - Case-hardened HSS edges - For continuous, straight and curved cuts - Available in right or left cutting versions	D27AH-TiN	260	33	1,2	4010220002117	1	V6	343,67
		D27AHL-TiN	260	33	1,2	4010220002124	1	V6	343,67
		HSS shape and straight cutting snips D27AH							
	- For continuous, straight and curved cuts - Edges made of case-hardened HSS - Available in right or left cutting versions	D27AH	260	33	1,2	4010220000274	1	V6	193,41
		D27AHL	260	33	1,2	4010220000281	1	V6	193,41
		HSS punch snips D407							
	- For short, straight and curved cuts - Edges made of case-hardened HSS - PVC dipped handles - Available in right or left cutting versions	D407-275	275	42	1	4010220000298	1	V6	132,90
		D407-275L	275	42	1	4010220000304	1	V6	132,90
		D407-300	300	43	1	4010220000311	1	V6	143,98
		D407-300L	300	43	1	4010220000328	1	V6	143,98

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
HSS shape and straight cutting snips D416									
	• For continuous, straight and curved cuts • Cutting edges made of case-hardened HSS • PVC dipped handles • Available in right or left cutting versions	D416-280	280	34	1	4010220000373	1	V6	174,80
		D416-280L	280	34	1	4010220000380	1	V6	174,80
HSS shape and straight cutting snips HSS D416-280L									
	• For long continuous and straight cuts • Cutting edges made of case-hardened HSS • PVC dipped handles • Available only in right cutting version	D418-300	300	62	1	4010220000397	1	V6	182,90
		D418-350	350	65	1	4010220000403	1	V6	232,80
Shape and straight cutting snips D212/D116									
	• For continuous, straight and curved cuts • D216 – Painted handles • D116 – PVC dipped handles • Available in right or left cutting versions	D216-260	260	30	1	4010220001295	5	V5	58,12
		D216-260L	260	30	1	4010220001301	5	V5	58,12
		D216-280	280	34	1	4010220020333	5	V5	65,99
		D216-280L	280	34	1	4010220020371	5	V5	65,99
		D116-260	260	30	1	4010220020258	5	V5	51,26
		D116-260L	260	30	1	4010220001264	5	V5	51,26
		D116-260-SB	260	30	1	4010220024874	5	V5	52,41
		D116-260L-SB	260	30	1	4010220024881	5	V5	52,41
		D116-280	280	34	1	4010220020302	5	V5	58,34
		D116-280L	280	34	1	4010220020326	5	V5	58,34
		D116-280-SB	280	34	1	4010220024898	5	V5	59,49
		D116-280L-SB	280	34	1	4010220024904	5	V5	59,49
Set of standard tin snips DSET-SF3									
	Contents: 1 x D216-280 1 x D216,280L 1 x D218-300 in snips pouch	DSET-SF3				4010220022030	1	V5	196,84
Shape and straight cutting snips D216...-SBSK									
	• For continuous, straight and curved cuts • With no opening stop and with extra pointed cutter head • Edges with micro-serrations for slip-proof working • Particularly robust, for unusually challenging situations: Snips completely tempered and burnished. Cutter inductively hardened • PVC dipped handles • Available in right or left cutting versions • On carded hang pack	D216-280-B-SBSK	280	34	1	4010220025697	5	V5	67,94
		D216-280L-B-SBSK	280	34	1	4010220025703	5	V5	67,94
Pelican snips D218/D118									
	• For long continuous and straight cuts • Extra long blade is ideal for cutting through metal sheets • D218 – Painted handles • D118 – PVC dipped handles • Available as right cutter (in 300 mm dimension also available as left cutter)	D218-300	300	62	1	4010220020555	5	V5	64,86
		D218-300L	300	62	1	4010220001424	5	V5	64,86
		D218-350	350	65	1	4010220001448	5	V5	76,73
		D118-300	300	62	1	4010220020517	5	V5	48,87
		D118-300L	300	62	1	4010220001387	5	V5	48,87
		D118-300-SB	300	62	1	4010220025345	5	V5	50,00
		D118-300L-SB	300	62	1	4010220030110	5	V5	50,00
		D118-350	350	65	1	4010220001400	5	V5	57,43

BESSEY Price list valid from April 1st, 2025

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
	Shape cutting punch snips D214/D114								
	• For short, straight and curved cuts (especially small radii) • Very slick cutting head • D214 – Painted handles • D114 – PVC dipped handles • Available in right or left cutting versions	D214-250	250	37	1	4010220001134	5	V5	45,67
		D214-250L	250	37	1	4010220001141	5	V5	45,67
		D114-250	250	37	1	4010220024607	5	V5	32,32
		D114-250L	250	37	1	4010220001080	5	V5	32,32
	Punch snips D207/D107								
	• For short, straight and curved cuts • D207 – Painted handles • D107 – PVC dipped handles • Available in right or left cutting versions	D207-250	250	42	1	4010220020012	5	V5	41,56
		D207-250L	250	42	1	4010220000878	5	V5	41,56
		D207-275	275	42	1	4010220000885	5	V5	45,79
		D207-275L	275	42	1	4010220000892	5	V5	45,79
		D207-300	300	47	1	4010220000908	5	V5	51,61
		D207-300L	300	47	1	4010220000915	5	V5	51,61
		D107-250	250	42	1	4010220019832	5	V5	29,57
		D107-250L	250	42	1	4010220000786	5	V5	29,57
		D107-250-SB	250	42	1	4010220025178	5	V5	30,71
		D107-250L-SB	250	42	1	4010220025185	5	V5	30,71
		D107-275	275	42	1	4010220019900	5	V5	32,32
		D107-275L	275	42	1	4010220019955	5	V5	32,32
		D107-300	300	47	1	4010220019986	5	V5	35,40
		D107-300L	300	47	1	4010220000823	5	V5	35,40
	Punch snips with curved blades D208								
	• Especially for circular cuts • Semi-circular edges • Painted handles • Available in right or left cutting versions	D208-275	275	40	1	4010220001035	5	V5	99,79
		D208-275L	275	40	1	4010220020111	5	V5	99,79
	Universal snips D106								
	• For straight and curved cuts • PVC dipped handles • Available only in right cutting version	D106-250-SB	250	68	1	4010220030905	5	V5	36,08
	Universal snips with wide blade D106A								
	• For straight and curved cuts (large radii) • PVC dipped handles • Available only in right cutting version	D106A-250-SB	250	67	1	4010220025635	5	V5	36,53
	Berlin pattern snips D202/D102								
	• For straight cuts • D202 – Painted handles • D102 – PVC dipped handles • Available only in right cutting version	D202-250	250	60	1	4010220000571	5	V5	34,82
		D202-300	300	79	1	4010220000595	5	V5	43,61
		D102-250	250	60	1	4010220000519	5	V5	24,66
		D102-250-SB	250	60	1	4010220024843	5	V5	25,80
		D102-300	300	79	1	4010220000533	5	V5	30,71
	American pattern snips D146								
	• For straight cuts • Available only in left cutting version • PVC dipped handles	D146-200	200	41	1	4010220023334	6	V5	19,53
		D146-250	250	54	1	4010220023341	6	V5	22,50
		D146-300	300	68	1	4010220023358	6	V5	28,89
		D146-350	350	72	1	4010220023365	6	V5	39,16

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
	Display, unstocked DVK								
	• Wire display for up to 42 snips, 6 different types of snips • With label, adhesive label and scanner rail • For counter and perforated panel	DVK				4010220030998	1	V6	185,99
	Strong multi-purpose cutters D52-2								
	• Cutting edge and handle forged in one piece for high stability • Edges with serrations for slip-proof working • ERGO-handle for increased comfort – reduced hand fatigue • Blades are sandblasted and chromium-plated for corrosion protection • Cuts cold-rolled steel up to 0.6 mm thick • On carded hang pack	D52-2	200	53		4010220031971	10	V5	25,69
	MULTISNIP Master D51A								
	• For long continuous straight and curved cuts • All metal parts are made of stainless steel • Handle made of robust fibreglass-reinforced plastic with a soft material insert • On carded hang pack	D51A	235	50	0,4	4010220028933	5	V5	23,41
	Combinox D50								
	• Stainless steel blades • Ergonomically designed handles with soft-insert • With wire guide for cutting binding wire to Ø 2.5 mm • Circular cutting to stop for stripping cable from Ø 1.0 to 1.5 mm • On carded hang pack	D50	190	40		4010220018439	10	V5	27,51
	Multi-purpose cutters D47-2/D48-2								
	• ERGO-handle for increased comfort – reduced hand fatigue! • Stainless steel blades • On carded hang pack	D47-2	140	31		4010220030172	15	V5	19,29
		D48-2	190	42		4010220030141	10	V5	21,12
	Angled combi snips D48A-2								
	• ERGO-handle for increased comfort – reduced hand fatigue! • Stainless steel blades • Offset blades • On carded hang pack	D48A-2	190	36		4010220030165	10	V5	22,15
	Cable cutters D49-2								
	• ERGO-handle for increased comfort – reduced hand fatigue! • For multicore cables with diameter up to 10 mm • Stainless steel blades • On carded hang pack	D49-2	165			4010220030158	10	V5	22,15
	Multi-purpose cutters D47/D48								
	• Stainless steel blades • Edges with serrations for slip-proof working • On carded hang pack	D47	140	31		4010220024478	15	V5	15,64
		D48	190	42		4010220024522	10	V5	17,01

BESSEY Price list valid from April 1st, 2025

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
	Angled combi snips D48A								
	- Stainless steel blades - Offset blades - Edges with serrations for slip-proof working - On carded hang pack	D48A	190	38		4010220024539	10	V5	18,27
	Cable cutters D49								
	- For multicore cables with diameter up to 10 mm - Stainless steel blades - On carded hang pack	D49	160			4010220024454	10	V5	18,27
	Folding utility knife DBK-EU								
	- Comfortable plastic handle - Thumb cushion for max. contact pressure - Blade compartment with 5 replacement blades included - Quick blade exchange - Belt clip - On carded hang pack	DBKPH-EU	160	28		4010220030509	12	V6	26,60
	- High quality wooden handle - Quick blade exchange - Belt clip - On carded hang pack	DBKWH-EU	160	28		4010220030516	12	V6	24,77
	- Light weight aluminium handle - Quick blade exchange - Belt clip - On carded hang pack	DBKAH-EU	160	28		4010220030523	12	V6	23,18
	Knife-set DBKPH-SET								
	- Knife with comfortable plastic handle - Practical nylon zip-up case - Four different blades for different tools - On carded hang pack	DBKPH-SET				4010220030752	8	V6	39,39
	Spare blades DBK								
	- Suitable for all BESSEY bladed folding utility knives - On carded hang pack	DBK-T	60			4010220030790	50	V6	4,45
		DBK-H	50			4010220030806	50	V6	7,19
		DBK-L	87			4010220030813	50	V6	7,76
	Multitool DBST								
	1 Multitool with 7 options: Shears, blade, saw, file, Phillips head screwdriver and large and small slotted screwdriver - Cuts: Leather, rope, vinyl, thin cable, cord, thin plastic, paper and much more besides - With a robust belt pouch for secure, it provides handy storage - Stainless steel handle with soft cushioned elements for slip-free work - On carded hang pack	DBST		55		4010220031483	8	V6	35,85
	Jewellers' snips D70/D71								
	- Closed handles - Completely nickel coated	D70-1	180	31		4010220001875	12	V5	16,21
		D71-1	175	32		4010220001899	12	V5	18,38
	Jewellers' snips D72								
	- Open handles - Completely nickel coated	D72-1	180	31		4010220001912	12	V5	16,21

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Jewellers' snips D74/D75									
	• With handle loops • Completely nickel coated	D74-1	180	34		4010220001950	12	V5	15,87
		D75-1	175	33		4010220001974	12	V5	18,38
Jewellers' snips D76									
	• Closed handle with spring • Completely nickel coated	D76-1	180	26		4010220001998	12	V5	18,61
Multi-purpose shears D820									
	• Stainless steel blades • Comfortable handles loops with soft cushion inserts • On carded hang pack	D820-200	200	80		4010220029985	12	V5	17,36
		D820-250	250	105		4010220029992	12	V5	23,74
Multi-purpose shears D821									
	• Stainless steel blades • Comfortable handles loops with soft cushion inserts • On carded hang pack	D821-160	160	70		4010220002537	12	V5	13,01
		D821-180	180	80		4010220002544	12	V5	15,53
Electricians' scissors D53									
	• Nickel plated serrated blades • With a wire cutter	D53	125	40		4010220002063	12	V5	16,21
Household and dressmakers' shears D840									
	• Completely nickel coated	D840-150	150	50		4010220002612	12	V5	12,44
		D840-180	180	77		4010220002629	12	V5	16,21
Paperhangers' and paper shears D853									
	• Completely nickel coated	D853-200	200	95		4010220002766	12	V5	20,78
Industrial and professional shears D860									
	• Robust design • Black handle • Oblong and round handle loops	D860-200	200	80		4010220024553	6	V5	21,69
		D860-225	225	85		4010220002827	6	V5	27,17
		D860-250	250	90		4010220024560	6	V5	33,56
Safety strap cutter D123S									
	•  One-handed operation with little effort thanks to double leverage • Metal fastening will not spring up dangerously due to safety hold mechanism in the snip • Flat lower jaw easily slips under taut banding • Can even be used with hardened steel belts (560 N/mm²) with belt widths up to 32 mm, belt thicknesses up to 1 mm • Induction hardened cutting edge for a long service life • ERGO-handle for increased comfort – reduced hand fatigue!	D123S	260	38		4010220030981	5	V5	163,05
		D123S-SB	260	38		4010220031018	5	V5	164,18

BESSEY Price list valid from April 1st, 2025

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
	Steel strap cutter D122N								
	• The lower holder prevents band ends from springing up • For band width up to 25 mm, band thickness up to 0.6 mm • Flat lower jaw easily slips under taut banding • Painted handles	D122N	225	31		4010220020616	5	V5	44,98
	Steel strap cutter D122A								
	• Flat lower jaw easily slips under taut banding • High price to performance ratio • For band width up to 25 mm, band thickness up to 0.6 mm • PVC dipped handles	D122A	260	30		4010220001585	5	V5	41,34
		D122A-SB	260	30		4010220030912	5	V5	42,47
	Seaming and clinching pliers D33/D34/D35								
	• Forged in quality steel • Black powder coated • Minimum jaw depth straight 60 mm • Minimum jaw depth bent 50 mm	D33-60	280			4010220003091	6	V6	87,46
		D331-40	280			4010220027424	6	V6	64,40
		D331-60	280			4010220003114	6	V6	51,61
		D331-80	320			4010220034682	5	V6	105,75
		D34-60	270			4010220003145	6	V6	100,13
		D341-40	270			4010220027431	6	V6	77,75
		D341-60	270			4010220021989	6	V6	55,15
		D341-80	320			4010220034699	5	V6	118,03
		D35-60	255			4010220003183	6	V6	104,36
		D351-60	255			4010220003190	6	V6	62,90
		Seaming and clinching pliers D33-P/D34-P/D35-P							
	• Forged in quality steel • Black powder coated • PVC-coated handle • Minimum jaw depth straight 60 mm • Minimum jaw depth bent 50 mm	D33-60-P	280			4010220021927	6	V6	89,40
		D331-60-P	280			4010220021941	6	V6	53,54
		D34-60-P	270			4010220021972	6	V6	102,07
		D341-60-P	270			4010220022009	6	V6	57,08
		D35-60-P	255			4010220022047	6	V6	106,30
		D351-60-P	255			4010220022078	6	V6	64,86
		Mini-folding pliers D331-22/D341-22							
	• For small and precise seaming – and bending operations • Forged from quality steel • PVC-coated handles • Completely hardened • Jaw depth straight 30 mm • Jaw depth bent 28 mm	D331-22	180			4010220002575	10	V6	54,13
		D341-22	180			4010220002681	10	V6	60,51

		Order no.	Overall length mm	Blade length mm	Sheet thickness (600 N/mm ²)	Barcode BESSEY	PU qty.	Dis-count group	Price per piece EUR
Flat-nosed pliers for sheet metal work D301									
	• Forged from quality steel • PVC-coated handles • Flat jawed pliers • Jaw depth 45 mm • Serration every 0.8 mm	D301	240			4010220003015	6	V6	51,15
Round nosed pliers D311									
	• Forged from quality steel • PVC-coated handles • Round jawed pliers • Jaw depth 50 mm • Serration every 1 mm	D311	260			4010220003039	6	V6	51,15
Folding pliers D355									
	• Forged from quality steel • Bronzed • PVC-coated handles	D355	250			4010220034675	5	V6	78,29
Corner seaming and clinching pliers D335									
	• Forged from quality steel • Bronzed • PVC-coated handles • Jaw depth 65 mm	D335	280			4010220034651	5	V6	113,12
Squeeze-folding pliers D336									
	• Forged in quality steel • Burnished • PVC-coated handles • Jaw depth 80 mm	D336	320			4010220034668	5	V6	165,23
Pipe-pulling pliers D36									
	• 3 bottom- and 2 top jaws enable quick and efficient work • Self-opening • Completely galvanised • PVC-coated handles • Jaw depth 28 mm	D36	250			4010220002407	1	V6	53,78
Gutter support bowing pliers open shap D396									
	• 10 mm recess width for gutter irons up to 40 x 6 mm • Head made of rust-proof malleable cast iron • Gliding role for protecting the plastic-coated gutter irons	D396	680			4010220002704	1	V6	143,15

Clamping tools and Cutting tools by professionals for professionals






When it comes to innovative solutions for clamping and fixing workpieces and cutting sheet metal, this is the right place. No matter if classic clamps, traditional sheet metal snips or special solutions are required for special work requirements, BESSEY offers the right clamping and cutting tool for every craftsman in wood and metalworking in order to optimally support it in its work.







Detailed information
about all products at
www.bessey.de/en-gb

Clamping tools



Cutting tools



BESSEY
Imagefilm

BESSEY Tool GmbH & Co. KG ■ Mühlwiesenstraße 40
74321 Bietigheim-Bissingen, Germany
Fon +49 7142 401-0 ■ Fax +49 7142 401-452
E-Mail: tool-info@bessey.de

More information
www.bessey.de

